

A search for Low Surface Brightness galaxies in the near-infrared

I. Selection of the sample

D. Monnier Ragaigne¹, W. van Driel¹, S.E. Schneider², T.H. Jarrett³ and C. Balkowski¹

¹ Observatoire de Paris, GEPI, CNRS UMR 8111 and Université Paris 7, 5 place Jules Janssen, F-92195 Meudon Cedex, France

e-mail: delphine.ragaigne@obspm.fr; wim.vandriel@obspm.fr; chantal.balkowski@obspm.fr

² University of Massachusetts, Astronomy Program, 536 LGRC, Amherst, MA 01003, U.S.A.

e-mail: schneide@messier.astro.umass.edu

³ IPAC, Caltech, MS 100-22, 770 South Wilson Ave., Pasadena, CA 91125, U.S.A.

e-mail: jarrett@ipac.caltech.edu

Received 14/2/2002 ; accepted 22/4/2002

Abstract. A sample of about 3,800 Low Surface Brightness (LSB) galaxies was selected using the all-sky near-infrared (J , H and K_s -band) 2MASS survey. The selected objects have a mean central surface brightness within a $5''$ radius around their centre fainter than $18 \text{ mag arcsec}^{-2}$ in the K_s band, making them the lowest surface brightness galaxies detected by 2MASS. A description is given of the relevant properties of the 2MASS survey and the LSB galaxy selection procedure, as well as of basic photometric properties of the selected objects. The latter properties are compared to those of other samples of galaxies, of both LSBs and ‘classical’ high surface brightness (HSB) objects, which were selected in the optical. The 2MASS LSBs have a $B_T - K_T$ colour which is on average 0.9 mag bluer than that of HSBs from the NGC. The 2MASS sample does not appear to contain a significant population of red objects.

Key words. *Galaxies: fundamental parameters, Galaxies: general, Galaxies: photometry, Infrared: galaxies.*

1. Introduction

Observational bias in the selection of galaxies dates back to the visual searches by Messier and Herschel, as galaxies are diffuse objects selected in the presence of a contaminating signal: the brightness of the night sky. The night sky acts as a filter, which, when convolved with the true population of galaxies gives the population of galaxies we observe and which hampers the detection of low surface brightness objects. Based on this concern, the result of the study of Freeman (1970), which indicated a remarkably narrow range of central disc surface brightness values of spiral galaxies in the B -band ($21.7 \pm 0.3 \text{ mag arcsec}^{-2}$), was questioned by Disney (1976).

In the past few decades, observations of the local universe have shown the existence of galaxies well below the surface brightness of the average previously catalogued galaxies, and often even well below the surface brightness of the night sky, which are referred to as Low Surface Brightness (LSB) galaxies.

At present, the LSBs constitute the least well known fraction of galaxies: their number density and physical

properties (like luminosity, colours, dynamics) are still quite uncertain. This is, per definition, mainly due to the fundamental difficulty in identifying them in imaging surveys and in measuring their properties. It is far from obvious that all existing classes and types of LSBs have been probed, given the limitations in sensitivity of the actual detectors and the biases in the selection criteria of the published samples.

In order to further investigate the often baffling properties of the LSB class of galaxies we selected a large sample of them from the 2MASS database, accessing the near-infrared, a wavelength domain that has been much less fully explored than the optical in the study of LSBs.

To date, the following studies were published on the near-infrared properties of LSB galaxies: Knezek & Wroten (1994) observed a small sample of mainly massive galaxies in JHK , Bergvall et al. (1999) observed 14 blue LSBs in JHK and compared their results to optical photometry, Bell et al. (2000) observed 26 LSBs in JHK and a subset of these in BVR , de Jong (1996) included a few LSBs among the spiral galaxies he observed in H and K , and Galaz et al. (2002) observed 88 LSBs in J and K_s .

Although there is no unambiguous definition of LSB galaxy, those in common use are based on (1) the mean blue surface brightness within the 25 mag arcsec⁻² isophote, (2) the mean surface brightness within the half-light radius, or (3) the extrapolated central surface brightness of the disc component alone, after carrying out a disc-bulge decomposition.

For 2MASS galaxies, we used the mean K_s -band magnitude within a fixed aperture to identify a sample of galaxies with relatively low infrared surface brightness. We selected galaxies in which the central surface brightness within a 5'' radius circular aperture was fainter than 18 mag arcsec⁻² in the K_s -band. This criterion selects a relatively small fraction (< 10%) of large angular diameter sources detected by 2MASS, increasing to about 40% for the small angular diameter sources detected in the survey.

If 2MASS detections have $B - K = 4.0$ colors typical of early-type galaxies (Jarrett et al. 2003; also see Section 4.4), as might be anticipated for a sample of infrared-selected sources, this criterion would correspond roughly to the disc-component definition that LSB galaxies are objects with a blue central surface brightness $\mu_{B_0} > 22.0$ mag arcsec⁻² (i.e., more than 1σ fainter than the 21.7 ± 0.3 mag arcsec⁻² measured by Freeman 1970). Our sample galaxies can have an even lower disc surface brightness if the bulge component is significant, but since we average over a fixed angular aperture, on the other hand we may also include some higher central surface brightness sources that are more distant so that the aperture includes more of the disc. In this paper, we examine the properties of our sample based on 2MASS and LEDA data and compare it to optically-selected galaxy samples.

LSBs have remarkable properties which distinguish them from 'classical' High Surface Brightness (HSB) spirals, notably:

- LSBs seem to constitute at least 50% of the total galaxy population in number in the local Universe, which may have strong implications for the faint end slope of the galaxy luminosity function, on the baryonic matter density and especially on galaxy formation scenarios (O'Neil & Bothun 2000).
- LSBs discs are among the less evolved objects in the local universe since they have a very low star formation rate (van der Hulst et al. 1993; van Zee et al. 1997; van den Hoek et al. 2000).
- LSBs are embedded in dark matter halos which are of lower density and more extended than the haloes around HSB galaxies, and they appear to be strongly dominated by Dark Matter at all radii (e.g., de Blok et al. 1996, 2001; McGaugh et al. 2001)

The star formation history of LSBs has been the subject of recent debate. The LSBs best studied in the optical and in the near-infrared are blue (e.g., Bergvall et al. 1999), indicating a young mean stellar age and/or metallicity. Morphologically, most studied LSBs have discs, but little spiral structure. The current massive star formation rates in LSBs are an order of magnitude lower than those

of HSBs (van Zee et al. 1997); H I observations show that LSBs have high gas mass fractions, sometimes exceeding unity (Spitzak & Schneider 1998; McGaugh & de Blok 1997). All these observations are consistent with a scenario in which LSBs are relatively unevolved, low mass surface density, low metallicity systems with roughly constant star formation rate. However, this scenario has some difficulty accommodating giant LSBs like Malin 1 (Bothun et al. 1987), see, e.g., Boissier et al. (2003).

This study of infrared LSBs was also intended to investigate the possibility of there being a substantial population of red LSBs like those reported in the optical *UBVRI*-band study of O'Neil et al. (1997). Follow-up H I line studies initially indicated that some of these red LSBs with rotational speeds exceeding 200 km s⁻¹ did not seem to follow the 'standard' Tully-Fisher relation established for HSB galaxies, in the sense that they appeared to be severely underluminous for their total mass (O'Neil et al. 2000). More recent H I imaging observations by Chung et al. (2002) indicate that the rotational properties and total H I mass of these red LSBs had been strongly overestimated due to confusion within the telescope beam with neighbouring galaxies. An infrared-selected sample should allow us to identify whether there is a significant population of very red LSBs.

In the present paper a description is given of the 2MASS LSB galaxy sample selection and its results, while 21-cm H I line observations from Arecibo and Nançay will be presented in papers II and III, respectively (Monnier Ragaigine et al. 2003b,c), optical *BVRI*-band CCD surface photometry of a sub-sample of 35 2MASS LSB galaxies will be presented in paper IV (Monnier Ragaigine et al. 2003d) and an analysis of the full data set will be presented in paper V. Models of the evolution of the 2MASS galaxies presented in paper IV and of other samples of LSB galaxies are presented in Boissier et al. (2003).

The 2MASS survey is described in Section 2, and the 2MASS LSB galaxies sample selection in Section 3. Basic photometric properties of the sample are presented in Section 4 and compared with those of others samples of LSB and HSB galaxies. Subsets of the sample observed by us at other wavelengths are described in Section 5.

2. The 2MASS all-sky near-infrared survey

The Two Micron All Sky Survey, 2MASS, has imaged the entire celestial sphere in the near-infrared J (1.25 μ m), H (1.65 μ m) and K_s (2.16 μ m) bands using two identical dedicated 1.3-meter telescopes, designed specifically for the survey. One goal of the survey was to probe the nearby Universe in detail out to redshifts of $z \sim 0.1$. Accordingly, it is highly uniform in both photometric and astrometric measurements. The 2MASS Extended Source Catalog (XSC) consists of more than 1.6 million galaxies brighter than 14th mag at K_s with angular diameters greater than $\sim 10''$. The photometry includes accurate Point Spread Function (PSF)-derived measures and a variety of circular and elliptical aperture measures, fully characterizing

both point-like and extended objects. The position centroids have an astrometric accuracy better than $\sim 0''.5$. In addition to tabular information, 2MASS archives full-resolution images for each extended object, enabling detailed comparison with other imaging surveys.

Though 2MASS perforce needed to sacrifice depth for all-sky coverage, and is therefore less deep than some of the dedicated optical imaging surveys made of LSB galaxies over limited areas of the sky, it should still be sensitive to the bright end of the LSB spectrum, particularly if there is a class of very red LSB objects. It has a 95% completeness level in J , H and K_s of 15.1, 14.3 and 13.5 mag, respectively, for ‘normal’ galaxies (Jarrett et al. 2000); for LSB and blue objects the completeness limits are not yet known. In practice, 2MASS detects galaxies with central surface brightness values ranging from 14–20 mag arcsec $^{-2}$ of which the LSB fraction with $18 < \mu_{K5} < 20$ mag arcsec $^{-2}$ varies from $\sim 10\%$ of the total 2MASS sample for large galaxies ($r_{K20} \geq 20''$) to $\sim 40\%$ for the smaller galaxies ($20'' \geq r_{K20} \geq 10''$). These near-infrared data will be less susceptible than optical surveys to the effects of extinction due to dust, both Galactic and internal to the galaxies. Also, the luminous mass distribution of galaxies is dominated by the older stellar populations, which emit most of their light in the near-infrared.

Initial results for galaxies detected by 2MASS, including LSB objects, are described in several publications (Schneider et al. 1997; Jarrett et al. 2000a,b; Hurt et al. 2000).

2.1. The Extended Source Processor

The last major subsystem to run in the 2MASS quasi-linear data reduction ‘pipeline’ is the extended source processor, GALWORKS. The primary role of the processor is to characterize each detected source and decide which sources are extended or resolved with respect to the point spread function (PSF). Sources that are deemed extended are measured further and the information is written into a separate table. In addition to tabulated source information, a small ‘postage stamp’ image is extracted for each extended source from the corresponding J , H and K_s Atlas images. The source lists and image data are stored in the 2MASS extended source database. By the time GALWORKS is run in the 2MASS pipeline, point sources have been fully measured with refined positions and photometry, band-merged, coordinate positions calibrated, Atlas images constructed, and the time-dependent PSF characterized for every Atlas image. The high-level steps that encompass GALWORKS include: (1) bright star (and their associated features) masking, (2) Atlas image background subtraction, (3) measurement of the stellar number density and confusion noise, (4) source parameterisation and attribute measurements, (5) star-galaxy discrimination, (6) refined photometric measure-

ments, and finally (7) source and image extraction (see Jarrett et al. 2000a for more details).

The sample selected for this study was extracted before the 2MASS data acquisition was completed, using an earlier version of the software extraction algorithms. However, comparisons between the final data and the earlier results show they are consistent. We also used the full 2MASS database, not just the high signal-to-noise sources that form the final catalog, so that our sample includes many fainter sources than are part of the publicly released catalogs.

2.2. Low Central Surface Brightness (LCSB) Source Processor

There are some galaxies whose central surface brightness is too low to be detected by the standard 2MASS procedure, but whose total integrated flux is significant. These may include low surface brightness galaxies and dwarf galaxies. We will refer to these sources with the generic moniker: Low Central Surface Brightness (LCSB) galaxies. LCSB galaxies present a different challenge to GALWORKS than the typical ‘normal’ galaxy 2MASS encounters. They are generally very faint (as measured in a standard aperture for ‘normal’ galaxies) and they do not have well defined cores; see Jarrett (1998) for examples. The LCSB processor was an experimental algorithm executed last in the chain of operations that comprise GALWORKS. Sources detected by this algorithm did not meet the stringent reliability criteria for inclusion in the public 2MASS catalogue, but it did occasionally identify interesting LSB galaxies, as confirmed with deep optical images. There are also some examples of galaxies observed to be low surface brightness in the near-infrared that have normal surface brightness in the optical, see, e.g., Galaz et al. (2002).

The input to the LCSB processor is a fully cleaned Atlas image in each band, where stars and previously found extended sources have been entirely masked. The image is then blocked up (using three independent kernel sizes: 2×2 , 4×4 and 8×8 pixels) and ‘boxcar’ smoothed to increase the signal-to-noise ratio for large (but faint) objects normally hidden in the pixel noise. The detection step consists of $3\text{-}\sigma$ threshold isolation of local peaks in cleaned, smoothed images. Source detections are then parameterised, with the primary measurements being: signal-to-noise ratio of the peak pixel, radial extent, integrated signal-to-noise ratio, surface brightness, integrated flux, and signal-to-noise ratio measurements using a $J+H+K_s$ combined ‘super-coadd’ image. In principle, the ‘super-coadd’ provides the best medium from which to find faint LSB galaxies, given the effective increase in the signal-to-noise ratio.

The LCSB processor could be falsely triggered by faint stars and the wings of the PSF around bright stars. Meteor streaks (and other transient phenomena) that were not fully cleaned from the Atlas images could also generate numerous false LCSB sources. It is important to note that

LCSB-detected sources were nearly always fainter than the catalogue limit of the 2MASS survey, so their exclusion from the released catalogue does not significantly compromise its completeness. Further information and some early science results with 2MASS LCSB galaxies can be found in Jarrett et al. (2000a).

3. 2MASS LSB galaxies selection

After a period of testing with various combinations of photometric parameters, we defined a *modus operandi* for the sample selection based on as few 2MASS parameters as possible, which allowed the definition of a sample with low infrared surface brightness values. The 2MASS central surface brightness limit of ~ 20 mag arcsec $^{-2}$ in K_s band is equivalent to a B surface brightness of ~ 24 mag arcsec $^{-2}$ for a typical spiral galaxy colour. This corresponds to fairly ‘bright LSB’ galaxies, easily detected in deep photographic and CCD optical limited-coverage surveys. However, as we shall show later in this paper, our selection criteria yield a LSB sample with interesting complementary and contrasting properties compared to optically-selected samples.

3.1. Selection using the K_s -band central surface brightness

In order to select infrared LSB galaxies, our key photometric 2MASS parameter is μ_{K5} , the mean K_s -band central surface brightness within a circle of radius 5 arcsec. This aperture was selected because for the great majority of faint galaxies in the 2MASS catalogue, this small fixed circular aperture gives good signal-to-noise statistics while avoiding problems due to confusion and missing flux in the faint outer parts of galaxies. The circular 5'' radius aperture also appears more reliable than the peak central surface brightness measured in a single pixel of the original 1.8 sec integration.

We selected sources with $\mu_{K5} > 18.0$ mag arcsec $^{-2}$. The usefulness of this criterion for the selection of LSB galaxies has been shown in Jarrett et al. (1998) for selecting LSB galaxies in the Coma cluster and SA57 region.

3.2. Selection using source size

The size of the sources is also important for the sample selection:

- A fixed-diameter aperture gives the surface brightness over different physical areas within the galaxy, depending on its distance. For angularly small galaxies, the fixed aperture gives a surface brightness closer to the mean over the whole galaxy.
- The reliability of the catalogue is related to the size of the objects. For very small sources, confusion with stars increases significantly

- We planned also to obtain observation in the 21 cm H I radio line, and flux levels tend to be correlated with angular size.

For these reasons, we selected two samples of galaxies based on r_{K20} , the K_s -band semi-major axis at an isophotal level of 20 mag arcsec $^{-2}$. Our primary sample is of sources with $r_{K20} > 20''$ (hereafter referred to as the ‘Large’ 2MASS LSBs sample), and a secondary sample with $20'' > r_{K20} > 10''$ (hereafter referred to as the ‘Small’ 2MASS LSBs sample).

3.3. Selection using colour range

Two effects make galaxies appear ‘redder’ in the 1 to 2 μ m window (see Figure 14, Section 5, in the Explanatory Supplement to the 2MASS Second Incremental Data):

- their light is dominated by older stellar populations
- their redshift tends to transfer additional stellar light into the 2 μ m windows, boosting the K_s band flux relative to the J band flux (K-correction)

In general, the $(J - K_s)$ colour falls within a fairly narrow range for nearby galaxies, $0.8 < (J - K_s) < 1.3$, and GALWORKS uses this fact to help discriminate galaxies from other Galactic extended sources. Because we are exploring a potentially unusual class of galaxies, we examined a wider colour range of sources from the “Working Survey Database” of 2MASS (including uncertain sources that do not meet the completeness and reliability criteria for the 2MASS catalogue). To exclude most artifacts and confusing sources, we select sources with $0.5 < (J - K_s) < 2.0$. This range also allows for larger photometric uncertainties that are more likely to be found for LSB galaxies.

3.4. Sky coverage

The presently available 2MASS database covers all the sky. At the time when the sample was selected (end of 1999) the declination range of $\sim 0^\circ$ to $+12^\circ$ had not yet been covered, however, as can be seen in Figure 1, which shows the sky coverage of the objects from our sample observed in the H I line.

To select our sample of LSB galaxies, we exclude the region inside the Zone of Avoidance ($|b| < 10^\circ$) where the confusion rate between multiple stars and galaxies is high, as well as the declinations not suited for observations with the Nançay and Arecibo radio telescopes.

Thus the area of the sky covered by our survey ranges from -39° to $\sim 0^\circ$ and from $\sim 12^\circ$ to $+60^\circ$ in declination, and the galactic latitude of our sources is $|b| > 10^\circ$.

3.5. Final sample

Using the first and second algorithms described in Sections 2.1 and 2.2, we selected, respectively, 34,000 and 318 LCSB sources with a mean central surface brightness μ_{K5}

fainter than 18 mag arcsec⁻². All sources have a radius $r_{K_{20}}$ larger than 10 arcsec.

In order to decide which of these faint sources really are galaxies, additional data on them were used that were listed in online databases such as NED (NASA Extragalactic Database) [http://nedwww.ipac.caltech.edu], LEDA (Lyon-Meudon Extragalactic Database) – recently incorporated in HyperLeda [http://www-obs.univ-lyon1/hypercat/] – and Aladin of the Centre de Données astronomiques de Strasbourg (CDS) [http://aladin.u-strasbg.fr], and by inspecting their Digital Sky Survey (DSS) optical images. As the acquisition and interpretation of these supplementary data for 34,000 sources was deemed to be too laborious, and as we intended, after a first inspection of the sample, to concentrate our multi-wavelength observations (see Section 5) on the larger-sized objects, we limited this phase of the selection procedure to all 2,000 objects in the subset of ‘large’ sources ($r_{K_{20}} > 20''$) and to 3,000 randomly selected objects in the subset of ‘small’ sources ($20'' > r_{K_{20}} > 10''$). Using this procedure, we selected a total of 3,736 and 59 candidate 2MASS LSB galaxies from the sources extracted by the GALWORKS standard and LCSB algorithms, respectively. The total sample of 3,796 objects constitutes our working database of 2MASS LSB galaxies.

As the selected LCSB sources are not part of the standard 2MASS data released for public use, unlike the other sources, we show their near-infrared images in Figure 2.

4. Basic properties of the sample

Some basic parameters of our working database of 3,795 2MASS LSB galaxies are listed in Tables 1, 2 and 3. We have divided the subsets listed in the Tables according to two criteria: processor and size. Tables 1 and 2 list the objects extracted using the standard algorithm for, respectively, the Large and Small sources, while Table 3 lists the Faint objects extracted using the LCSB algorithm.

It should be noted that the selection of the infrared sources presented in this work, which are all derived from 2MASS J , H and K_s -band imaging, was made in late 1999, when work on the 2MASS database was still in full progress. The five-year evolution of both detection and source characterization was driven by improvements in the pipeline reductions and the image calibration. These are realized through preliminary database holdings and public “sampler” data releases, incremental data releases and finally the All Sky data release that achieved its milestone in March of 2003. Accordingly, the current sample is a mixture of these data releases, which are described in the 2MASS Explanatory Supplement, see URL <http://www.ipac.caltech.edu/2mass/releases/allsky/doc/explanatory.html>.

The Large and Small sources put in parentheses in Tables 1 and 2, respectively, are those that are only found in the All Sky working databases, and not in the subsequent, more reliable, public data releases. Only 23 of the 836 Large sources we selected from the working databases

do not occur in later data releases, as do 27 from the 2900 Small sources. Of these 50 non-confirmed sources, 41 have an entry in the PGC and 24 in other optical galaxy catalogues.

The situation is different for the 59 Faint sources, as these were selected for our survey using a dedicated LSB source detection routine (see Section 2.2), and none of them appeared in the working databases. Seventeen of them do appear in later public releases, however: see Table 3, where, for the sake of consistency, we have also put the names of the Faint sources that are not found in later public data releases in brackets.

The basic parameters listed in Tables 1, 2 and 3 are as follows:

1. No: the ‘work name’, used throughout the present series of papers, which consists of the type of the source (L: large; S: Small; F: LCSB (Faint source) processor) followed by its number and an indication of its inclusion in other catalogues (P: only in PGC (see Paturel et al. 1989, as updated continuously in LEDA), O: in other catalogue(s), N: not previously catalogued). Sources in parentheses did not appear in later public data releases (see above);
2. 2MASS: gives the J2000.0 right ascension and declination coordinates of the 2MASS source;
3. PGC: the PGC catalogue entry, if available;
4. Other: refers to entries in other galaxy catalogues;
5. μ_{K5} : the mean central surface brightness (in mag arcsec⁻²) measured within a radius of 5 arcsec around the source’s centre in the K_s band;
6. μ_{B25} : the mean B -band surface brightness (in mag arcsec⁻²) within the D_{25} blue isophotal diameter, at a level of 25 mag arcsec⁻², as listed in LEDA;
7. Obs: information on available observations: A for our Arecibo H I detections and ‘a’ for the non-detections (see paper II), N for our Nançay H I detections and ‘n’ for the non-detections (see paper III), O for other published H I detections (from LEDA, see paper V), and P for our $BVRI$ optical surface photometry data (see Paper IV).

4.1. 2MASS and comparison samples

To study the basic properties of our galaxy sample, we compared various subsets to existing samples of optically selected High and Low Surface Brightness galaxies. We compared near-infrared and optical data from LEDA for the objects in the following samples which were detected in 2MASS:

1. 2MASS L: our ‘Large’ LSB galaxies from the 2MASS survey catalogue with a 20 mag arcsec⁻² K_s -band isophotal radius $r_{K_{20}} \geq 20''$ [836 objects];
2. 2MASS S: same for the ‘Small’ objects, with $20'' \geq r_{K_{20}} \geq 10''$ [2900 objects];
3. 2MASS F: 2MASS sources with lower central surface brightness, extracted using the LCSB algorithm (see Sect. 2.2) [59 objects];

4. NGC L: ‘classical’ HSB galaxies from the NGC, with $r_{K_{20}} \geq 20''$ [1973 objects];
5. NGC S: same, with $r_{K_{20}} \leq 20''$ [252 objects];
6. LSB opt.: optically selected LSB galaxies from Impey et al. (1996) [83 objects].

For the last sample of 693 optically selected LSB galaxies (derived from the inspection of UK Schmidt photographic plates) 83 objects were found in the 2MASS working survey database (i.e., 12%). These LSBs found in the 2MASS database have a central surface brightness in B (measured as described by Sprayberry et al. 1996) between 18.2 and 25.0 mag arcsec $^{-2}$ with a mean value around 21.6 mag arcsec $^{-2}$ [i.e., the Freeman value for HSB spiral discs] compared to the other objects in the Impey et al. sample, which have a median value around 22.8 mag arcsec $^{-2}$.

4.2. Infrared surface brightness in the K_s band

In Figure 3 we compare several different measures of the K_s -band surface brightness for the subsets of the 2MASS LSB sample and the optically selected samples:

- **Central K_s -band surface brightness:** μ_{K_5} is the primary selection criterion for inclusion in our 2MASS LSBs sample, the mean surface brightness measured within a circle of $5''$ radius at the centre of each galaxy. Both the Large and Small 2MASS samples exhibit the highest counts at the 18 mag arcsec $^{-2}$ cut-off, while the sources detected with the LCSB algorithm peak about 1 mag arcsec $^{-2}$ lower. The 2MASS-selected sources span the lower surface brightness range of the optically selected LSBs detected by 2MASS. By contrast, the NGC sample objects are, on average, about 1.5 to 2 mag arcsec $^{-2}$ brighter than the Small and Large 2MASS samples, respectively. The difference between the two NGC samples appears to be due to the inclusion of more of the disc in the small galaxies within the $5''$ radius aperture.
- **Peak K_s -band surface brightness:** μ_0 is the highest surface brightness measured in any of the $2''$ camera pixels near the centre of the galaxy during the original observations. 2MASS made six observations in a dithered pattern so that one observation was likely to be well-centred on the galaxy nucleus and should normally have the highest surface brightness. The results for the various samples are approximately the same as for the central surface brightness, although the Large and Small 2MASS samples become better distinguished. The small galaxies have slightly higher peak surface brightness values on average because the $\sim 1''$ radius aperture is more dominated by the bulge than the $5''$ aperture, whereas the measurements of the larger galaxies were already more bulge dominated.
- **Mean isophotal surface brightness and mean face-on isophotal surface brightness:** $\mu_{K_{21}}$ and $\mu_{K_{21}}(i = 0)$ are, respectively, the average surface brightness measured within the ellipse fit to the K_s -band 21 mag arcsec $^{-2}$ isophotal contour and this value corrected to face-on ($i = 0^\circ$). The latter value simply uses the major axis diameter as a measure of the face-on radius. These definitions corresponds

to older, optical, definitions of surface brightness that used the $B = 25$ mag arcsec $^{-2}$ isophotal size, D_{25} . Note again that our 2MASS samples exhibit some of the lowest infrared surface brightness values of any of the samples. As this Figure shows, especially the Large sample is expected to contain a relatively many highly inclined, intrinsically quite LSB sources, due to selection effects (see Section 4.3). The optical LSB sample has relatively high surface brightness levels under this measurement scheme, because these galaxies may have a bright bulge even though their disc component has a low surface brightness, and a significant fraction may even have relatively bright discs, as the Impey et al. sample contains a significant number of non-LSB galaxies.

4.3. Other infrared properties

We compare a few other basic properties of the infrared emission in Figure 4:

- **K_s -band isophotal radius:** $r_{K_{20}}$ is the major-axis radius at the $K_s = 20$ mag arcsec $^{-2}$ elliptical isophote. Our 2MASS samples tend to be dominated by sources near the minimum radius, while the NGC samples are weighted toward angularly larger objects. The optical LSB sample is also dominated by smaller sources.
- **K_s -band isophotal magnitude:** K_{20} is the total magnitude within the $K_s = 20$ mag arcsec $^{-2}$ elliptical isophote. Here again the 2MASS and optical LSB samples are weighted toward sources nearer the completeness limits of 2MASS, while the NGC samples include relatively bright objects.
- **Infrared axis ratio:** b/a is determined from an ellipse fit to the co-addition of the J -, H -, and K_s -band images. The fit is made at the $3\text{-}\sigma$ isophotal level relative to the background noise in each image. (The Faint 2MASS LCSBs sample was not measured in this way because of the low S/N levels of the emission.) A sample of randomly oriented disc galaxies would exhibit a relatively flat distribution of b/a , while inclusion of elliptical galaxies and systems dominated by the bulge component tends to give a rising distribution toward larger values of b/a (e.g., Mihalas & Binney 1981). The NGC and optical LSB samples exhibit some tendency toward the distribution expected for bulge domination in the infrared, but the 2MASS samples show dominance by high-inclination systems, which is more pronounced for the Large sample than for the Small sources. This is due to the combined effects of the limits in observed central surface brightness and in apparent diameter, since, measured at a given isophotal level, highly inclined galaxies appear larger than more face-on objects with a similar intrinsic surface brightness profile. In particular the Large sample will contain an over-representation of highly inclined, intrinsically quite low surface brightness sources.
- **Infrared colour:** $(J - K)_{20}$ is the difference in J - and K_s -band magnitudes measured within the $K_s = 20$ mag arcsec $^{-2}$ elliptical isophote. The samples peak near $(J - K) = 1$, which is found quite generally for all galaxy types. The LCSB sample is bluer (0.9 mag), while the

Small 2MASS sample is somewhat redder (1.2 mag) than the average. Although these colour differences may partly reflect differences in the K-correction due to galaxy redshift (bluer for nearer, redder for more distant), these are estimated to be of the order of 0.1 mag at most, however, and cannot explain the much larger observed differences.

4.4. Optical-infrared colours

In Figure 5 we compare optical and optical-infrared colours of the 2MASS and optical samples. We show several combinations based on total corrected extrapolated magnitudes from 2MASS measured in the K_s band and from LEDA measured in the U , B , V and I bands.

The total corrected K_s -band infrared magnitudes, K_T , were derived by modelling the increase in flux with successively larger apertures and extrapolating to a total magnitude. No corrections were applied for inclination or extinction, as these are in practice negligible at this wavelength. The estimated uncertainty in the extrapolated K_T magnitude is of the order of 0.15 mag for $K_T \sim 13$ mag, a typical value for the sample.

The total corrected optical magnitudes from LEDA are mostly derived from isophotal magnitudes, with corrections for galactic extinction, inclination and extinction effects (see Paturel et al. 1997). As the extinction correction depends on the morphological type, only galaxies with a B_{T_c} value and a morphological type listed in LEDA were considered. This limits the percentage of useable 2MASS LSB galaxies in the Large, Small and Faint categories to 63%, 15% and 5%, respectively, and the optically selected LSBs to 60%.

In comparisons between the U , B , V , and I bands, both the Large and Small 2MASS samples tend to be bluer than the optical samples: the optical LSB sample (“LSB opt” in plot) is next bluest, and the NGC samples exhibit the reddest colours. (The LCSB Faint source sample had too few sources with LEDA optical magnitudes to show meaningful colour distributions in these plots.) It is well established that the average HSB galaxy tend to be redder than the average, non-dwarf LSB (e.g., O’Neil et al. 1997; Gerritsen & de Blok 1999; Burkholder et al. 2001). The presence in the Impey et al. “optical LSB” sample of a significant fraction of galaxies with relatively high central surface brightness, which can in fact be considered as HSBs, may well explain the intermediary colours found for this sample.

Regarding the $(B_{T_c} - K_T)$ colour, the Large and Small NGC galaxies have an average of 3.6 and standard deviations of 1.3 and 0.3, respectively, while the optical LSBs are slightly bluer, 3.2 ± 0.8 . Of the 2MASS samples, that of the Faint objects is the reddest on average, 3.2 ± 0.6 , while the Small sources are also fairly red, 3.0 ± 1.1 , but the mean of the Large 2MASS sample is 2.7 ± 0.9 . Thus the infrared LSBs are not necessarily optical LSBs, according to our working definition of $\mu_{B_0,d} > 22$ mag arcsec $^{-2}$, as the adopted K_s -band selection limit of 18 mag arcsec $^{-2}$

corresponds to a mean blue value of ~ 20.8 mag arcsec $^{-2}$ for their mean colour, though this includes the (unknown) contribution from the bulges.

5. Discussion and further observations

Through a simple definition of infrared surface brightness based on the magnitude in a small fixed aperture, we have identified a sample of infrared LSB galaxies. This definition has been shown to work well at selecting LSB galaxies in the Coma cluster and SA57 region (Jarrett et al. 1998), and we find that our sample has low infrared surface brightness levels compared to optically-selected samples of HSBs and LSBs detected by 2MASS.

We had initially expected an infrared-selected sample of LSB galaxies to have redder colours than optical samples, but instead it appears that by requiring $\mu_{K5} > 18$ mag arcsec $^{-2}$, we may have succeeded primarily in eliminating galaxies with significant bulge contributions. This already suggests that there is not a significant red population of LSB galaxies, although we note that the Large and Small 2MASS samples span a wide range of colours, particularly as measured in $B_{T_c} - K_T$.

To better understand the infrared LSB galaxies’ properties we have carried out a multi-wavelength study of subsets of manageable size. These results will be described in subsequent papers (II-V). For observations in the 21-cm HI line we selected two subsets: one of 367 Large, Small and Faint 2MASS LSBs for observations at Arecibo and another of 334 Large 2MASS LSBs for observations at Nançay, taking into account the difference in sensitivity and sky coverage of the two telescopes. The Arecibo and Nançay data will be presented in, respectively, Papers II and III of the present series. We have obtained CCD surface photometry of 35 objects in the B , V , R and I -bands using the 1.5-meter telescope at the San Pedro Martír Observatory in Mexico. These surface photometry data will be presented in Paper IV. Finally, in Paper V we will further analyse the infrared LSBs to better understand, e.g. their properties as a function of their colours, investigating whether there is a significant population of red LSB galaxies, and to see if these objects follow the ‘standard’ Tully-Fisher relation of HSB galaxies. In a related paper (Boissier et al. 2003), we present models of the evolution of samples of LSBs, including the 2MASS objects for which we obtained optical surface photometry.

Acknowledgements. We want to thank the referee, Dr. N. Bergvall, for his comments. This publication makes use of data products from the Two Micron All Sky Survey, which is a joint project of the University of Massachusetts and the Infrared Processing and Analysis Center, funded by the National Aeronautics and Space Administration and the National Science Foundation. This research also has made use of the Lyon-Meudon Extragalactic Database (LEDa), recently incorporated in HyperLeda, the NASA/IPAC Extragalactic Database (NED) which is operated by the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration and

the Aladin database, operated at the CDS, Strasbourg, France. We acknowledge financial support from CNRS/NSF collaboration grant No. 10637.

References

- Bergvall, N., Rönneback, J., Masegosa, J., & Östlin, G. 1999, *A&A*, 341, 697
- Bell, E., Barnaby, D., Bower, R., et al. 2000, *MNRAS*, 312, 470
- Boissier, N., Prantzos, N., Monnier Ragaigine, D., van Driel, W., Balkowski, C., & O’Neil, K. 2003, *MNRAS*, in press (astro-ph/0304313)
- Bothun, G. D., Impey, C. D., Malin, D. F., & Mould, J. R. 1987, *AJ*, 94, 23
- Burkholder, V., Impey, C., & Sprayberry, D. 2001, *AJ*, 122, 2318
- Chung, A., van Gorkom, J. H., O’Neil, K., & Bothun, G. D. 2002, *AJ*, 123, 2387
- de Blok, W. J. G., & McGaugh, S. S. 1996, *ApJ*, 469, 89
- de Blok, W. J. G., McGaugh, S. S., & van der Hulst, J. M. 1996, *MNRAS*, 283, 18
- de Blok, W. J. G., McGaugh, S. S., & Rubin, V. C. 2001, *AJ*, 122, 2396
- de Jong, R. S. 1996, *A&A*, 313, 45
- Disney, M. 1976, *Nature*, 263, 573
- Freeman, K. C. 1970, *ApJ*, 160, 811
- Galaz, G., Dalcanton, J. J., Infante, L., & Treister, E. 2002, *AJ*, 124, 1360
- Gerritsen J. P. E., & de Blok, W. J. G. 1999, *A&A*, 342, 655
- Hurt, R. L., Jarrett, T. H., Kirkpatrick, J. D., et al. 2000, *AJ*, 120, 1876
- Impey, C. D., Sprayberry, D., Irwin, M. J., & Bothun, G. D. 1996, *ApJS*, 105, 209
- Jarrett, T. 1998, Detection of Low Surface Brightness galaxies in 2MASS, in *The Impact of Near-Infrared Sky Surveys on Galactic and Extragalactic Astronomy*, ed. N. Epchtein (Kluwer, Dordrecht), 239
- Jarrett, T. H., Chester, T., Cutri, R., et al. 2000a, *AJ*, 119, 2498
- Jarrett, T. H., Chester, T., Cutri, R., et al. 2000b, *AJ*, 120, 298
- Jarrett, T. H., Chester, T., Cutri, R., et al. 2003, *AJ* (accepted)
- Knezek, P. & Wroten, J. 1994, *BAAS*, 185, No. 77.13
- McGaugh, S. S., & de Blok, W. J. G. 1997, *ApJ*, 481, 689
- McGaugh, S. S., Rubin, V. C., & de Blok, W. J. G. 2001, *AJ*, 122, 2381
- Mihalas, D., & Binney, J. 1981, in *Galactic Astronomy: Structure and Kinematics* (Freeman, New York), 338
- Monnier Ragaigine, D., van Driel, W., O’Neil, K., Schneider, S. E., Balkowski, C., & Jarrett, T. H. 2003a, *A&A*, submitted (paper II)
- Monnier Ragaigine, D., van Driel, W., Schneider, S. E., Balkowski, C., & Jarrett, T. H. 2003b, *A&A*, submitted (paper III)
- Monnier Ragaigine, D., Papaderos, P., van Driel, W., Testor, G., Plana, H., Balkowski, C., Schneider, S. E., & Jarrett, T. H. 2003c, *A&A*, in preparation (paper IV)
- O’Neil, K., Bothun, G. D., Schombert, J., Cornell, M. E., & Impey, C. D. 1997, *AJ*, 114, 2448
- O’Neil, K., & Bothun, G. 2000, *AJ*, 529, 811
- Paturel, G., Fouqué, P., Bottinelli, L., & Gougouenheim, L. 1989, *Monographies de la base de données extragalactiques*, No. 1, Vols. 1, 2 and 3 (Observatoires de Lyon et de Paris-Meudon)
- Paturel, G., Botinelli, L., di Nella, H., et al. 1997, *A&AS*, 124, 109
- Schneider, S., Huchra, J., Jarrett, T., & Chester, T. 1997, 2MASS Extragalactic Studies: Early Results from the Prototype Camer, in *The Impact of Large-Scale Near-IR Sky Surveys*, ed. F. Garzon et al. (Kluwer, Dordrecht), 231
- Spitzak, J. G., & Schneider, S. E. 1998, *ApJS*, 119, 159
- Sprayberry, D., Impey, C. D., & Irwin, M. J. 1996, *ApJ*, 463, 535
- van den Hoek, L. B., de Blok, W. J. G., van der Hulst, J. M., & de Jong, T. 2000, *A&A*, 357, 397
- van der Hulst, J. M., Skillman, E. D., Smith, T. R., et al. 1993, *AJ*, 106, 548
- van Zee, L., Haynes, M. P., & Salzer, J. J. 1997, *Star Formation Activity in High M/L Galaxies*, in *Dwarf Galaxies: Probes for galaxy formation and Evolution*, IAU GA Joint Discussion, Kyoto, Japan, 14

Table 1a. Large objects

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
L1P	0006240+465851	2290356		18.02	24.77	
L2P	0007208-280714	0571		18.22	24.32	
L3O	0010167+305057	0726	UGC 93	18.54	25.65	O
L4P	0013146+404632	2170755		18.29	24.6	n
L5O	0014007+125749	0924	UGC 132	19.15	24.38	
L6O	0014039-231054	0930	MCG -04-01-021	18.87	24.18	N,O
(L7O)	(0019092-243115)	1241	ESO 473-G11	18.47	22.95	
L8O	0019256-040456	1261	MCG -01-01-077	18.36	22.94	N,P
L9O	0020006-062008	1288	MCG -01-02-001	18.75	23.37	N
L10O	0021312+293944	1387	UGC 207	18.01	23.61	O
L11O	0022570+161510	1478	UGC 219	18.38	23.6	O
L12O	0023481+144101	1511	UGC 226	18.04	23.53	A,P
L13O	0024028+162911	1525	NGC 100	18.06	24.49	O
L14O	0026463-334037	1651	NGC 115	18.13	23.21	O
L15O	0028281-072324	1751	MCG -01-02-021	18.55	23.68	
L16O	0030298-084700	1862	MCG -02-02-033	18.02	23.04	O
L17O	0030459-292034	1879	ESO 410-G16	18.35	22.85	N
L18O	0031448-050908	1941	NGC 145	19.29	22.90	O
L19O	0032324+232342	1971	UGC 321	18.84	23.42	A,O
L20O	0033168-114120	170423	GSC 5271 01985	18.01	22.68	N,P
L21O	0034559+315655	2094	UGC 00346	18.02	23.39	O
L22O	0035274-104638	90484	FGC 63	18.56		
L23O	0037092-175743	2219	ESO 540-G5	18.54	23.65	n
(L24O)	(0037574-091509)	2269	MCG -02-02-073	18.03	22.99	O
L25O	0038324-242023	2305	IC 1561	18.66	23.09	O
L26O	0038478+142858	1459324		18.48	24.64	a
L27O	0040562-015202	90490	FGC 75	18.44	23.70	
L28O	0041449+362124	2493	NGC 218	19.69	24.12	O
L29O	0041576-325810	2510	ESO 351-G2	18.87	23.46	N
L30O	0044344-082048	2647	MCG -02-03-005	18.19	22.99	
L31O	0046244+293726	2711	CGCG 500-083	18.81	24.59	O
L32O	0046342+294330	1875902	CGCG 500-085	18.67	23.75	O
L33O	0055215+314038	3274	UGC 565	18.40	23.67	O
L34O	0056269+503720	3363	UGC 576	18.05	23.77	O
L35O	0058084-061459	3472	MCG -01-03-050	19.09	23.85	
L36O	0100136-304836	3595	ESO 412-G1	18.19	22.82	n
L37O	0101340-073517	3671	NGC 337A	19.33	25.29	O
L38O	0105048-061245	3853	MCG -01-03-085	18.07	24.28	O
L39O	0105188-052520	3861	MCG -01-03-089	18.13	23.74	N,P
L40N	0105335+353854			18.05		
L41P	0106015-060925	1036120		18.16	24.13	n,P
L42O	0109560+204617	4148	UGC 723	18.58	23.76	O
L43O	0109575-014458	4151	UGC 726	18.75	23.95	O
L44O	0110192-354410	4173	ESO 352-G15	18.24	23.42	O
L45O	0110374-031324	4192	MCG -01-04-006	18.62	23.28	N
L46O	0111215-181646	4272	MCG -03-04-025	18.99	23.45	n
L47O	0111312+231256	4278	CGCG 480-048	18.11	23.55	O
L48O	0112390+383020	4355	UGC 755	18.27	23.81	O
L49O	0114254-072842	4471	MCG -01-04-016	18.08	23.36	n
L50O	0114443+502709	4481	UGC 786	18.42	23.89	n
L51O	0115495+310448	4561	NGC 444	18.29	23.70	O
L52O	0115539-322838	4566	ESO 352-G30	18.29	23.28	N
L53O	0117369+490042	4650	UGC 825	18.24	24.26	N,O
L54O	0117515-015721	4659	UGC 830	18.99	24.80	O
L55O	0117520-361847	4661	ESO 352-G36	18.83	22.98	n
L56O	0118402+310209	4698	UGC 835	18.65	23.66	O
L57O	0119042-000819	4734	UGC 847	19.04	23.92	N,O
L58O	0120050-335400	4799	NGC 491A	18.80	23.49	O
L59O	0122228-363630	4991	ESO 352-G58	18.09	23.85	N
L60O	0124299+154603	5181	UGC 955	18.54	23.68	O
L61O	0128568-163059	5532	MCG -03-04-075	18.79	23.06	N
L62O	0129399-221927	5571	ESO 476-G14	18.21	23.65	N
L63O	0131267+141637	5673	UGC 1087	18.03	23.99	O
L64O	0133176+131956	5792	UGC 1110	18.93	24.26	O
L65O	0139339-120438	6141	MCG -02-05-032	18.64	23.27	n
L66O	0141070-053405	6228	MCG -01-05-017	18.15	23.55	O
L67O	0141493-281450	6257	ESO 413-G23	18.01	23.42	O
L68O	0142271+135836	6292	UGC 1195	18.72	24.16	O
L69O	0142483+130918	6309	UGC 1200	18.72	23.82	O
L70O	0143029-341114	6319	IC 1722	18.41	23.33	N
L71O	0147306+271952	6574	IC 1727	19.21	24.08	O
L72O	0148562-234730	6655	NGC 686	18.76	23.63	
L73O	0149098-100354	6667	UGCA 021	19.53	24.61	O
L74O	0149309+323510	6699	UGC 1281	19.30	23.09	O
L75O	0150124+271146	6756	IC 1731	18.03	23.77	O
L76O	0151084+215447	6833	IC 0167	18.20	23.99	O
L77O	0151519+170310	6893	UGC 1328	18.22	24.09	O
L78O	0154524-133915	7109	MCG -02-05-074	18.27	23.13	N,P
L79O	0155018+365511	7123	KUG 0152+366	18.26	24.01	O
L80O	0155289-310618	7176	ESO 414-G10	18.29	23.75	n

Table 1b. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs..
L81O	0155396+370219	7189	CGCG 522-068	18.05	23.27	a
L82O	0156210+372707	7254	UGC 1405	18.85	24.06	O
L83O	0157509+445503	7399	NGC 746	18.24	23.55	O
L84O	0158502-304004	7481	ESO 414-G19	18.03	23.12	N
L85O	0158518-080945	7485	KUG 0156-084	18.44	22.86	O
L86O	0159074-030859	7507	MCG -01-06-013	18.09	23.14	N
L87O	0159117-274838	7514	IC 1763	18.17	22.99	N
L88O	0200154-060530	7585	KUG 0157-063	18.16	22.86	N,P
L89O	0201122+194031	7663	UGC 1500	18.97	23.87	O
L90O	0201169+285025	7671	NGC 784	19.01	23.85	O
L91O	0201303-071731	7682	KUG 0159-075	18.15	22.88	N
L92O	0201351-311700	7690	ESO 414-G24	18.68	24.18	n
L93O	0201511-102803	7714	MCG -02-06-017	18.23	23.22	N
L94O	0203021-093919	7806	UGCA 023	18.02	23.46	O
L95O	0203201+183746	7826	UGC 1546	18.28	23.75	O
L96O	0203374+240432	7841	UGC 1551	18.77	24.44	O
L97O	0203412+261649	7843	CGCG 482-062	18.91	23.23	O
L98O	0206276+133952	1437074	FGC 243	18.78	25.57	n
L99O	0207082+425756	8078	UGC 1601	18.24	23.95	N,O
L100O	0207153+461519	90589	FGC 245	18.16	23.57	n
L101O	0208213+412846	8161	UGC 1626	18.07	24.11	O
L102O	0212026+462133	8424	UGC 1686	19.47	24.29	O
L103O	0212457+191107	8470	CGCG 461-061	18.31	23.83	O
L104O	0215387-100457	90602	FGC 269	18.92		
L105O	0216096-115551	8673	IC217	18.09	23.46	
(L106N)	(0217574+143306)	8775	NGC 877	18.52	22.93	
L107N	0218006-025823			18.69		n
L108O	0218050+380436	8782	UGC 1767	18.26	23.60	O
L109O	0218512+334327	8829	UGC 1778	18.06	23.49	O
L110O	0220230+404731	8906	UGC 1796	18.66	24.56	O
L111O	0221227+163354		KPG 065A	19.16		
L112O	0221252+252522	8954	UGC 1812	18.04	23.28	O
L113O	0223518-210138	9098	ESO 545-G12	18.32	23.42	
L114O	0224247-020944	9126	UGC 1862	18.73	23.44	O
L115P	0227117+414120	2185194		18.04	24.29	n
L116O	0228124-012046	9394	UGC 1945	18.62	23.77	O
L117O	0228454-103047	9431	NGC 948	18.09	23.42	N,O,P
L118O	0228569-222104	9442	NGC 951	18.62	23.56	n
L119O	0230312-041300	9545	NGC 963	18.05	22.50	
L120N	0232053-112516			18.08		N
L121O	0232180-350155	9658	ESO 355-G26	18.54	23.13	O
L122P	0233244+202330	1625902		18.04	24.73	A
L123O	0233281+220753	1664146	CGCG 484-009B	18.33	24.51	A
L124O	0234532-133938	9826	MCG -02-07-036	18.55	23.12	O
(L125O)	(0235204+405522)	9831	NGC980	18.55	24.11	N,O
L126O	0235327-070915	9846	NGC 991	18.16	23.88	O
L127N	0235567+322439			18.21		a
L128O	0236123+401210	9883	CGCG 539-059	18.10	25.53	n
L129O	0236321+313551	9902	UGC 2087	18.58	23.93	O
L130O	0238470+404155	10025	UGC 2126	18.30	24.06	O
L131O	0239425-211423	10085	ESO 545-G43	18.58	22.78	n
L132O	0240377+390326	10139	NGC 1023A	19.33	22.93	O
L133O	0241036-065558	10172	NGC1051	19.52	23.25	
L134P	0241261-033936	1068434		18.27	24.88	n
L135O	0241550+320518	10218	UGC 2171	18.80	24.63	O
L136O	0242063-005335	10224	UGC 2177	18.28	23.67	N
L137O	0242460-212802	10271	ESO 546-G11	18.57	23.65	N
L138O	0243380-315641	10326	ESO 416-G12	18.12	23.49	N
L139O	0245142+351119	10421	UGC 2223	18.07	23.46	O
L140O	0245505+162521	10456	CGCG 463-008	18.14	23.33	O
L141O	0246534-223846	10526	ESO 479-G42	18.31	22.67	O
L142O	0248042-135935	10595	IC 1853	18.04	23.18	O
L143P	0249148-284019	132985		18.58	23.65	
L144P	0251205-304655	10831		18.14	23.37	N
L145O	0255203+462016	11026	UGC 2383	18.01	24.55	O
L146N	0257297+195708			18.26		A
(L147N)	(0257331-090552)			18.21		n
L148O	0257535-022050	11202	IC 1870	18.33	24.08	O
L149O	0258215-020230	11245	UGC 2443	18.35	23.21	O
L150O	0258241-041743	11248	UGCA 47	18.36	24.01	O
L151P	0258245+443942	2249237		18.34	24.54	n
L152O	0300364+353745	11369	UGC 2466	18.12	24.38	O
L153O	0300373+401504	11371	UGC 2463	18.33	25.36	O
L154O	0302077+290623	11453	UGC 2497	18.32	24.40	O
L155O	0302385-185352	11480	NGC 1179	18.25	24.58	O
L156P	0303035-115056	145211		18.07	23.42	n
L157O	0303243-153725	11503	NGC 1189	18.35	23.59	N
L158P	0303285-095751	11510		18.15	24.39	
L159O	0304555+212235	11592	UGC 2520	18.33	24.48	O
L160O	0305530+160701	11630	UGC 2532	19.04	24.57	A

Table 1c. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs..
L161O	0306290-094332	11656	IC 1880	18.79	24.45	N
L162O	0306403-325147	11665	IC 1885	18.23	23.38	
L163O	0308272-230320	11750	IC 1892	18.83	23.33	O
L164N	0309131-141053			18.29		n
L165O	0309173+383857	11789	NGC 1213	18.81	24.73	O
L166P	0309401+365421	2089118		18.45	24.89	A
L167O	0310594+383932	11875	CGCG 524-060	18.35	24.39	
L168O	0313292+440753	12005	UGC 2596	18.03	24.34	O
L169O	0313315-151526	12008	MCG -03-09-010	18.05	22.95	N
L170O	0314054-214627	12034	NGC 1258	18.24	23.00	N
L171P	0315264+410418	2175237		18.47	25.44	n
L172O	0316055-130203	12139	MCG -02-09-021	18.91	23.29	O
L173P	0316422+400344	213184		18.06	23.99	n
(L174O)	(0316451+400025)	12177	IC 311	18.63	24.51	
L175O	0317246+363412	12216	UGC 2633	18.56	23.87	
L176O	0318004+413106	12270	NGC 1264	19.09	23.56	n
L177O	0318185+385958	12282	UGC 2647	18.34	23.81	
L178O	0318333-255004	12309	UGCA 064	18.32	23.57	O
L179O	0319344-322753	12404	IC 1913	18.31	23.66	O
L180O	0319538-033537	12439	FGC 410	18.09	23.83	n,O
L181O	0322416-041118	12650	NGC 1314	19.18	24.28	N
L182O	0322558-111207	12664	MCG -02-09-036	19.70	24.71	N,O
L183P	0323427+143037	1460054		18.32	24.58	A
L184O	0323483+403348	12702	UGC 2708	19.36	24.14	N
L185P	0324146+330920	2024928		18.10	25.53	A,P
L186O	0324484-212012	12754	NGC 1325A	18.21	23.61	O
L187O	0325247-161416	12798	UGCA 071	18.32	23.78	O
L188O	0327354-211341	12889	ESO 548-G21	18.66	23.43	O
(L189O)	(0329418-221644)	12989	NGC 1347	18.64	23.20	O
L190O	0329538+395020	12998	MCG +07-08-017	18.21	23.84	
(L191O)	(0330358-175630)	13029	ESO 548-G28	18.22	23.28	N
(L192O)	(0332576-210521)	13150	ESO 548-G34	18.66	23.43	N
L193O	0333131+361103	13158	UGC 2780	18.31	25.32	O
L194O	0333297+402156	13180	UGC 2782	18.11		O
L195O	0333475-192931	13190	NGC 1359	18.02	22.97	O
L196O	0334381-172833	13235	ESO 548-G46	18.85	24.03	n
L197O	0334573-323823	13250	ESO 358-G20	18.88	23.24	O
L198O	0336173-253616	13304	ESO 482-G11	18.54	23.35	N
L199O	0337432-225436	13381	ESO 482-G17	18.76	23.63	n
L200O	0338512-094411	13432	MCG -02-10-003	18.13	23.41	n
L201O	0339283-130656	13464	IC 340	18.60	24.22	
L202O	0339369+384123	13474	UGC 2808	18.36	23.61	
L203O	0340415-223904	13532	ESO 482-G31	18.30	23.63	N
L204O	0340571-214249	13543	NGC 1414	18.41	23.17	N
L205O	0341296-043956	13568	IC 344	18.22	22.89	
L206O	0342313-160005	13612	MCG -03-10-038	18.25	23.26	N
L207O	0343078-171106	13659	LSBG F549-029	18.37	23.53	n
L208P	0343516+414404	2185981		18.16	24.33	
L209O	0345051+204542	13754	UGC 2850	18.76	24.43	O
L210P	0346291-111959	967071		18.20	23.97	n
L211O	0346556-114820	961488	FGC 452	18.39	24.55	N
L212O	0348141-212827	13871	ESO 549-G18	18.19	23.94	O
L213O	0348514-185845	13889	ESO 549-G22	18.52	23.44	O
L214O	0350397-251646	13952	ESO 482-G47	18.17	23.44	N
L215O	0350433-025141	13951	MCG -01-10-041	18.22	23.30	N,P
L216O	0350531+373637	13961	UGC 2876	18.73	25.05	A
L217N	0351556+385252			18.66		
L218O	0352009-332803	13998	ESO 359-G3	18.43	23.51	
L219O	0353180-102645	14037	MCG -02-10-018	18.66	23.56	N
L220O	0355047-061316	14100	MCG -01-10-047	18.44	23.73	N
L221P	0355478+164649	1516836		18.55	23.97	A,P
L222P	0358337-111759	967495		18.15	23.66	n
L223O	0400416-304951	14271	ESO 419-G13	18.41	24.00	N
L224O	0401376+244919	90699	FGC 464b	18.26	23.60	A,O
L225O	0409253-040927	14571	MCG -01-11-003	18.04	24.10	N
L226O	0410502-295535	14607	ESO 420-G8	18.12	23.34	N
L227O	0410505-295527	14607	ESO 420-G8	18.94	23.34	O
L228O	0411006-312426	14617	ESO 420-G9	18.33	23.38	O
(L229N)	(0412300-385436)			18.08		
L230O	0413123+132519	14678	UGC 2984	19.03	24.77	O
L231O	0413589+365039	14709	UGC 2991	19.20		
L232O	0414140+243943	14714	CGCG 487-028	18.42	23.13	O
L233O	0419044+261055	14853	UGC 3009	19.32	24.18	
L234O	0419595-210502	14894	ESO 550-G22	18.14	23.48	
L235O	0423105-071259	90710	FGC 481	18.29		
L236O	0424492-010134	15057	UGC 3037	18.45	23.74	
L237O	0429408-272430	15292	NGC 1592	18.29	23.20	N
(L238O)	(0430487-215452)	15344	ESO 551-G10	18.09	23.66	
L239P	0430592-114510	177386		18.39	23.00	
L240P	0431513-293708	133177		18.07	23.32	n

Table 1d. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs..
L241O	0435219-085619	997298	FGC 494	18.04	25.88	
L242O	0436267-205043	15629	ESO 551-G18	18.06	22.77	
L243O	0437498-122635	15688	MCG -02-12-048	18.49	23.17	N
L244O	0440148-241907	15780	ESO 485-G6	18.30	23.38	N
L245O	0440254-020127	15789	UGC 3127	18.58	23.81	O
L246O	0440388+170825	15799	UGC 3129	18.50	26.45	O
L247O	0441457-070516	15831	IC 387	18.94	23.28	
L248O	0442290-214133	15858	ESO 551-G31	18.74	23.25	O
L249O	0443334-274006	15883	ESO 421-G13	18.06	24.34	N
L250N	0445255+182505			18.20		A
L251P	0446035-044309	1054464		18.02	23.57	
L252O	0446072-020438	15958	NGC 1657	18.02	23.62	N,P
L253P	0447309+242207	1705745		18.76	24.27	A
L254P	0448017+282610	1835693		18.40	24.49	a
L255O	0451183-055738	16163	MCG -01-13-021	18.64	23.52	N,P
L256O	0455154-120927	16329	MCG -02-13-023	18.22	23.92	N
L257O	0455430-072005	16341	MCG -01-13-036	18.14	23.05	
L258P	0458504-110500	178035		18.20	23.23	n
L259O	0459582-260137	16517	NGC 1744	18.78	24.36	O
L260O	0500455-295129	16543	ESO 422-G20	18.19	22.94	N
L261O	0501015-085726	16553	MCG -02-13-036	18.13	23.72	N,P
L262O	0501387-041533	16574	NGC 1741A	18.51	23.34	O
L263O	0502550-184609	16626	ESO 552-G56	18.48	23.28	
L264P	0504455-092536	991209		18.16	24.49	
L265O	0505070-314703	16702	ESO 422-G27	18.07	23.05	O
L266O	0507041-182521	16762	MCG -03-13-074	18.40		n
L267O	0507320-113905	16772	FGC 523	18.46	24.40	O
L268O	0508589-200044	16821	ESO 553-G11	18.76	23.42	
L269O	0510046-145652	16850	MCG -02-14-002	18.40	22.77	O
(L270O)	(0510143-292359)	16854	ESO 422-G40	18.10	23.16	N
L271O	0511070-010441	16876	CGCG 395-013	18.97	24.24	
L272O	0515387-224232	16990	ESO 486-G40	18.17	22.89	N
L273P	0517166+120504	1403526		18.45	25.72	A
L274O	0519270-324528	17098	ESO 362-G17	18.30	23.44	
L275O	0528140-160728	17323	MCG -03-14-017	18.41	23.58	O
L276O	0531505-230843	17402	IC 2129	18.08	22.95	O
L277O	0534068-282754	17455	ESO 423-G2	18.02	23.13	O
L278N	0539281-004439			18.19		n
L279O	0541197-181642	17597	ESO 554-G24	18.08	23.39	O
L280N	0541365+513558			18.48		n
L281O	0543136-183820	17655	ESO 554-G28	18.73	23.21	
L282O	0543282-302939	17662	IC 2147	18.29	22.99	O
L283O	0543523-191740	17668	UGCA 113	18.33	23.15	O
L284P	0545007+494013	2349901		18.76	24.17	n
L285O	0550539-144647	17978	UGCA 114	18.39	23.71	O
L286P	0551325-123801	949939		18.34	25.05	
L287O	0555507-224824	18099	ESO 488-G44	18.70	23.65	O
L288O	0557284-295735	18138	ESO 424-G41	18.25	23.45	n
L289O	0558023-125546	148136	NPM1G -12.0210	18.24		N
L290O	0601082-214412	18259	ESO 555-G22	18.22	23.322	O
L291N	0602236-030330			18.47		
L292O	0602426-122957	18315	IC 441	18.14	23.55	O
L293O	0603367-203915	18349	UGCA 118	18.46	23.76	O
L294O	0604429-260723	18377	UGCA 119	18.57	23.86	O
L295O	0608574-274806	18488	ESO 425-G10	18.02	22.73	O
L296P	0609212-140823	928447		18.83	24.13	N
L297O	0613188+530644	18651	UGC 3421	18.27		N
L298O	0613407+530619	18660	UGC 3424	18.01	24.75	
L299O	0614368-302536	18693	ESO 425-G16	18.60	24.21	n
L300P	0617238-213956	825316		18.13	24.73	
L301O	0623256-160943	18930	MCG -03-17-004	18.23	23.66	N
L302O	0624392-223549	18983	ESO 489-G50	18.53	25.05	N
L303O	0626230-314736	19047	ESO 426-G9	18.13	23.35	N
L304N	0627010-123153			18.24		N,P
L305O	0634277-274248	19269	ESO 426-G24	18.12	24.48	n
L306O	0640040-374548	19396	ESO 308-G24	18.43	23.35	n
L307O	0641352+501551	19440	CGCG 233-026	18.68	23.55	n
L308O	0643196-350925	19492	ESO 366-G11	18.12	23.27	N
L309O	0645516+452722	19561	CGCG 234-008	18.10	23.82	
L310O	0649460+293133	19674	UGC 3551	18.11	23.92	O
L311O	0649573+253820	19682	MCG +04-16-003	18.12	22.69	O
L312P	0657029+424635	2205935		18.12	24.83	n
L313O	0711155+311014	20346	CGCG 146-033	18.03	23.52	A
L314O	0711574-352518	20373	ESO 367-G4	18.55	24.06	N
L315O	0720064+530036	20700	UGC 3799	18.49	23.78	O
L316O	0720334+490518	20719	CGCG 235-007	18.19	23.53	n
L317O	0721267+231059	20782	CGCG 117-017	18.96		
L318O	0723447+332653	200234	UGC 3829	19.05	24.33	
L319O	0727477+202347	21056	UGC 3862	18.40	24.03	O
L320O	0729174+275402	21120	UGC 3876	18.54	24.064	O

Table 1e. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
L321O	0740336+341348	21555	IC 2203	18.19	23.645	O
L322O	0740350+260805	21549	CGCG 117-064	18.28	23.813	O
L323O	0746187+390359	21754	CGCG 206-022	18.57	23.801	
L324O	0748032+280141	21835	CGCG 148-026	18.16	24.324	A
L325O	0749057+283709	21881	CGCG 148-034	18.13	23.659	a
L326O	0753291+143641	22096	UGC 4077	18.61	24.24	O
L327O	0759220+180641	22389	UGC 4140	18.42	23.60	O
(L328O)	(0759559+472427)	22418	UGC 4136	18.50	23.80	n
L329O	0800062+130907	22433	UGC 4154	18.39	23.61	O
L330O	0801533+504415	22525	NGC 2500	18.06	23.30	O
L331O	0802121+321854	22545	KUG 0759+324	18.03	23.39	A
L332O	0804427+352357	22678	UGC 4201	18.50	23.70	O
L333O	0806112-031658	22748	CGCG 003-009	18.69	22.90	N
L334O	0813589+454434	23071	IC 2233	18.52	23.20	O
L335O	0815213+213330	23146	LSBC F561-02	18.03	23.28	O
L336O	0819021+211122	23319	UGC 4329	19.08	24.06	N,O
L337O	0819320+212339	23352	IC 2293	18.06	23.56	O
L338O	0820057-102913	23378	MCG -02-22-001	18.21	23.09	O
L339O	0820417-012455	23413	MCG +00-22-002	18.50	23.68	
L340O	0822287-010243	23485	UGC 4370	18.26	23.44	O
L341O	0823519+144507	23559	UGC 4385	18.33	23.13	O
L342O	0825577-114645	23658	MCG -02-22-012	18.20	22.94	N
L343O	0827340-124524	23723	MCG -02-22-017	18.09	23.36	O
L344P	0832158-104420	152753		18.37	23.96	
L345O	0832574-225403	23977	ESO 495-G17	18.49	23.53	N,O
L346O	0833230+293219	23998	NGC 2604	18.06	24.02	O
L347O	0833427-183153	24019	ESO 562-G16	18.56	22.18	n
L348O	0837450-191842	24246	ESO 563-G4	18.40	22.59	n
L349O	0839046-144423	24328	MCG -02-22-025	18.54	23	O
L350P	0839329-082901	1003139		18.48	23.86	N
L351O	0841204+535619	24421	CGCG 263-071	18.12	23.95	
L352O	0843157-203945	24489	ESO 563-G16	18.85	23.42	N,O
L353N	0843512-185652			18.68		
L354P	0843518-110808	969541		18.05	23.35	n
L355O	0844225-231255	24544	ESO 496-G5	18.35	23.93	n
L356O	0846355+190106	24656	UGC 4588	18.03	23.96	O
L357O	0851380-022159	24890	VV 041a	18.18	23.25	
L358O	0856563-203138	25141	ESO 563-G34	18.04	23.142	N
L359N	0858094-152210			18.53		n
L360O	0900144+354352	25281	NGC 2719	19.29	21.71	N,O
L361O	0901017+354542	25331	NGC 2724	18.79	25.34	O
L362O	0902438+252516	25406	UGC 4746	18.07	23.65	O
L363O	0903081+173932	90887	FGC 828	18.29	23.42	A
L364O	0904337+451730	25472	UGC 4753	18.96	24.22	N,O
L365O	0907390+283810	1841518	FGC 842	18.69	25.68	n
L366N	0909504+205912			18.46		a
L367O	0911336+511516	25910	UGC 4824	18.59	23.93	O
L368O	0913163+312130	25984	CGCG 151-023	18.30	23.85	A
L369O	0915145+223845	26097	CGCG 121-044	18.10	23.73	
L370P	0915558+175541	1545556		18.29	24.49	a
L371O	0917317+415932	26238	NGC 2799	18.43	22.95	N,O
L372O	0918125-182636	26276	ESO 564-G36	18.28	23.46	O
L373O	0918351+321611	26297	CGCG 151-053	18.01	23.17	O
L374O	0922337+501200	26541	UGC 4975	18.04	23.30	n
L375O	0923112+264900	26570	CGCG 151-073	19.55	23.58	O
L376O	0923370-102610	26609	NGC 2863	18.56	22.00	N
L377O	0926016+343911	26752	UGC 5020	18.76	24.58	O
L378O	0927073+423416	26802	CGCG 210-009	18.43	23.55	N
L379O	0927520+323912	26852	UGC 5041	18.14	23.60	O
L380O	0928590-144826	26905	MCG -02-24-027	18.09	23.03	O
L381O	0929175+302302	26915	CGCG 152-016	18.46	24.32	A
L382P	0929293-051228	1047805		18.28	24.02	n
L383O	0929352+243525	26944	CGCG 122-004	18.02	24.42	a,P
L384O	0935217+133255	27259	CGCG 63-015	18.33	23.61	A
L385O	0938552-045128	27515	MCG -01-25-011	18.04	23.42	n
L386O	0938557+354141	82492	KUG 0935+359	18.13	23.18	a
L387O	0940308-085636	27616	MCG -01-25-015	18.34	23.4	O
L388O	0940332+252921	27615	UGC 5156	18.17	23.22	A,O
L389O	0942232-061509	27747	MCG -01-25-024	18.77	23.13	O
L390O	0942492-160654	27774	MCG -03-25-016	18.60	23.24	
L391O	0943550+144807	27857	CGCG 92-035	18.33	25.17	
L392O	0945031-042947	90940	FGC 936	18.27		N
L393O	0949571-120548	28278	MCG -02-25-019	18.73		N
L394O	0951542-064916	28415	NGC 3035	18.50	22.70	O
L395O	0955464+322545	28645	UGC 5331	18.29	23.45	
L396O	0957042-075301	28734	MCG -01-26-003	18.21	22.97	
L397O	0958531+474411	28830	UGC 5354	18.81	24.51	O
L398O	1001090-192630	28995	ESO 567-G3	18.55	22.85	
L399O	1004261-282638	29216	NGC 3113	18.27	23.56	O
L400O	1005255-174753	29281	ESO 567-G12	18.11	23.15	N

Table 1f. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
L401P	1010413-074003	1015078		18.82	23.48	N
L402O	1014216+220728	29865	UGC 5524	18.48	23.94	O
L403O	1014436-204836	29894	ESO 567-G28	18.32	23.45	N
L404O	1015038+211026	29924	UGC 5529	18.31	23.60	O
L405O	1015134-150534	29929	MCG -02-26-041	18.51		O
L406O	1017251+170532	30052	UGC 5552	18.57	23.68	
L407O	1017478+215224	30068	NGC 3187	18.28	23.84	O
L408O	1020036+383656	30206	UGC 5577	18.10	23.33	O
L409O	1022407+461420	30386	UGC 5604	18.10	23.72	O
L410O	1023459+123349	30463	NGC 3230	18.56	24.23	N
L411O	1024175-054040	1041741	FGC 1062	19.17	25	n
L412O	1024241+280133	30508	NGC 3232	18.05	23.52	
L413O	1024388-021935	30529	CGCG 009-022	18.12	22.74	
L414O	1025056+170937	30560	NGC 3239	18.55	23.16	O
L415O	1027010+283824	30714	NGC 3245A	18.33	25.13	O
L416O	1028024-231522	30800	ESO 500-G44	18.03	22.84	N
L417O	1028208+223416	30818	UGC 5672	18.35	24.28	O
L418O	1031450+464018	31083	UGC 5714	18.47	23.68	N,P
L419O	1032167+274010	31122	NGC 3274	18.06	22.86	O
L420N	1032544+315657			18.13		
L421O	1033024+223429	91024	FGC 1093	18.04	24.30	
L422P	1033536+240119	31233		18.06	23.44	A,P
L423O	1036237+124226	31442	NGC 3299	19.31	23.94	O
L424O	1039469+475555	31720	UGC 5798	18.80	22.95	O
L425O	1042378-235608	31919	ESO 501-G80	18.39	23.12	O
L426N	1042485+132736			18.33		
L427O	1043061+202513	31945	UGC 583	18.08	23.86	O
L428O	1043353-100923	31978	MCG -02-28-002	18.49	22.92	N
L429O	1046559+464235	32201	KUG 1043+469	18.94	23.47	N
L430O	1046572+595452	32204	UGC 5879	18.47	23.55	N,O
L431O	1048294-213805	32311	ESO 569-G9	18.53	23.60	O
L432O	1050134-011724	32463	UGC 5943	18.47	23	O
L433O	1051009+361135	32519	UGC 5951	18.73	23.40	O
L434O	1053125-072543	32681	MCG -01-28-004	18.09	23.35	O
L435O	1053238+164624	32694	NGC 3447a	18.94	25.04	O
L436O	1055232-073912	32817	MCG -01-28-006	18.02	23.30	N
L437O	1057389-253013	32946	ESO 502-IG 006	18.04	23.75	
L438O	1059336-061646	156112	FGC 1176	18.01	23.58	N
L439O	1100237+164132	33163	UGC 6083	18.54	22.79	O
L440O	1100242-095842	33167	MCG -02-28-032	19.07	23.23	
L441O	1101510+163626	33276	UGC 6104	18.32	22.96	O
L442O	1103216-050030	1050535	FGC 1189	18.05	25.07	
L443O	1103433+285312	33408	NGC 3510	18.13	24.71	O
L444O	1109220-225232	33813	ESO 502-G20	18.40	23.26	O
L445O	1109530-234350	33860	IC 2627	18.11	23.23	N,O
L446O	1114298+222917	34247	UGC 6268	18.51		
L447O	1117402+380309	34497	UGC 6307	18.01	23.02	N,O
L448O	1118175+185049	34556	UGC 6320	18.32	23.10	O
L449O	1120011+360556	34681	UGC 6338	18.25	23.31	O
L450O	1120398+311319	34733	UGC 6355	19.00	24.24	
L451O	1125318+380337	35124	UGC 6433	19.15	23.71	O
L452O	1125453+240823	35138	CGCG 126-051	18.15	23.57	O
L453O	1127188+383951	35235	UGC 6454	18.16	23.82	O
L454P	1127189-053157	156602		18.22	23.20	
L455O	1128100+165531	35292	NGC 3691	19.17	22.09	N,O
L456O	1133382-154617	35704	FGC 1272	18.35	23.45	O
L457O	1133438+172346	35701	UGC 6546	18.24	23.54	O
L458O	1136263+581130	35900	UGC 6575	18.35	23.55	O
L459O	1137500+475255	36008	NGC 3769A	19.00	22.89	N
L460O	1138215-162630	36049	MCG -03-30-004	18.33	23.07	N
L461O	1138440+334817	36079	UGC 6610	18.89	23.92	O
L462O	1140466+174746	36231	NGC 3806	18.40	23.62	O
L463O	1140544+561207	36238	NGC 3794	18.21	23.84	O
L464O	1141559+201911	36293	MCG +04-28-029	18.06	23.09	
L465O	1142295+181955	36355	UGC 6670	18.05	23.55	O
L466O	1142394+244921	36363	UGC 6674	18.14	23.39	O
L467O	1143037+404935	36381	UGC 6679	18.34	23.22	n,O
L468O	1143297-122422	36422	MCG -02-30-025	18.74	23.47	N
L469O	1144148+550206	36506	NGC 3846A	18.52	24.2	O
L470O	1145261-100610	36643	UGCA 245	18.19	24.18	O
L471O	1145355+555312	36660	NGC 3850	18.70	23.83	O
L472O	1149238+163829	36929	UGC 6794	18.71	23.26	O
L473O	1150201+255742	36996	UGC 6806	18.27	23.55	O
L474O	1152308-035225	37196	IC 2969	18.42	22.28	N
L475O	1153508+332155	37308	IC 2973	18.27	23.61	O
L476O	1153544+204449	37311	UGC 6873	18.24	23.16	
L477O	1154176+325143	37346	UGC 6878	18.27	23.44	
L478O	1154547-271501	37377	ESO 504-G28	18.94	23.04	O
L479P	1155252-101703	170181		18.22		N
L480O	1155591+192652	91155	FGC 1335	18.18	23.51	

Table 1g. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
L481O	1156249-121000	37518	MCG -02-31-002	18.54	23.46	N
L482O	1157489+251615	37629	CGCG 127-114E	18.01	23.34	O
L483O	1158339+424402	37692	IC 749	18.02	23.28	O
L484O	1158432+250238	37703	VV 216b	18.12	21.04	
L485O	1158462-202001	37713	ESO 572-G33	18.34	22.80	
L486O	1200190+503910	37832	UGC 6992	18.47	23.44	N
L487O	1201107-011750	37914	UGC 7000	18.66	22.89	N,O
L488O	1202257-041821	38008	MCG -01-31-002	18.17	23.00	
L489O	1202463-290538	38037	ESO 440-G44	19.01	22.81	O
L490O	1203213+292510	38081	UGC 7031	18.27	23.91	O
L491O	1203348-252253	38114	ESO 505-G8	18.46	23.49	O
L492O	1204411-280658	38222	UGCA 267	19.23	23.73	O
L493O	1204495+321537	91167	FGC 1358	18.42	23.51	n
L494O	1206209+370050	38386	CGCG 187-007	18.24	23.67	
L495O	1212045+324405	38874	KUG 1209+33	18.01	23.38	
L496O	1212096+361014	38881	NGC 4163	19.06	24.09	O
L497O	1212205+291240	38897	NGC 4173	19.66	24.2	N,O
L498O	1212220+291218	38897	NGC 4173	19.27	24.2	O
L499O	1213447+363802	39023	NGC 4190	18.98	23.59	O
L500O	1215115-032628	39170	CGCG 013-112	18.68	23.39	
L501O	1215127-273937	39175	ESO 505-G28	18.43	22.88	N
L502P	1216418-251505	781011		18.45	23.49	N
L503O	1217092+122714	39390	IC 3099	18.29	23.73	O
L504O	1217346+223226	39432	UGC 7321	18.61	24.29	O
L505O	1218309+053334	39537	NGC 4252	18.31	23.53	O
L506O	1219242+121805	39664	IC 3149	18.03	23.70	
L507O	1219403+020446	39697	UGC 7370	18.50	23.28	
L508O	1220237+391418	39807	CGCG 215-061	18.62	23.80	
L509O	1220483+172914	39857	UGC 7399A	18.36	24.11	
L510O	1221321+143648	39950	NGC 4298	18.07	22.64	
L511O	1221387+154441	39965	IC 783	18.34	23.64	
L512O	1222290-043904	40092	IC 784	18.10	23.26	N,O
L513O	1223016+155420	40171	NGC 4323	18.65	23.39	
L514O	1225037+170055	40458	IC 3298	18.68	22.79	O
L515O	1227420+121855	40903	NGC 4436	18.08	23.47	
L516O	1228359-222950	41041	ESO 574-G2	18.79	23.39	n
L517O	1229365-082614	41184	MCG -01-32-016	18.18	23.06	
L518O	1230311+414200	41326	NGC 4485	18.09	22.78	O
L519O	1232032+164115	41531	NGC 4502	18.39	22.92	O
L520O	1232268+424217	41576	UGC 7690	18.47	23.02	O
L521O	1232418+140300	41608	IC 3476	18.21	23.38	O
L522O	1232480+373717	41620	UGC 7699	18.49	24.11	O
L523O	1233512+301639	41755	NGC 4525	18.04	23.65	O
L524O	1233567+152116	41763	IC 800	18.32	23.6	O
L525O	1234054+353108	41779	NGC 4534	18.57	23.89	O
L526O	1234492+174852	41853	IC 3530	18.41	23.76	
L527O	1236224+400019	42045	UGC 7774	18.98	24.57	O
L528O	1240129-054758	42429	NGC 4597	18.85	23.77	O
L529O	1241203+144201	42558	IC 3658	18.87	23.53	
L530O	1241229-030328	42559	CGCG 014-104	18.21	24.29	
L531O	1242007-241750	42623	ESO 507-G1	18.02	23.95	n
L532O	1242373+142126	42699	NGC 4633	18.53	23.11	O
L533O	1243582+321010	42863	NGC 4656	18.32	24.25	
L534O	1244035-054033	42868	DDO 142	18.86	24.03	O
L535P	1244398-052619	1044733		18.17	24.49	N
L536P	1244416-180312	873438		18.63	23.27	n
L537O	1244455+122105	42944	IC 3718	18.47	23.96	O
L538O	1244487-204706	42950	ESO 574-G28	18.39	24.05	O
L539O	1245319-003208	42999	NGC 4668	18.10	22.62	O
L540O	1245415-263802	43022	ESO 507-G8	18.23	23.22	O
L541O	1246148-132141	43071	MCG -02-33-006	18.63	23.26	N
L542O	1247545-215539	43199	ESO 574-G32	18.27	23.44	O
L543O	1248096-101111	43236	MCG -02-33-010	18.58	23.59	
L544O	1249231-100711	43345	MCG -02-33-015	19.11	24.21	O
L545O	1249368+305043	43359	UGC 7978	18.04	23.36	O
L546O	1249423-043447	43385	NGC 4678	18.71	22.91	N
L547O	1250294-105120	43458	DDO 151	18.13	23.87	O
L548O	1250345-093111	43465	MCG -01-33-022	18.20	23.60	N
L549P	1251090-035539	158144		18.10	23.23	N
L550O	1251598-263716	43608	ESO 507-G29	18.16	23.53	O
L551O	1253002-240330	43742	ESO 507-G36	18.52	25.02	
L552O	1253365-120104	43800	MCG -02-33-043	18.36	23.50	N
L553O	1254054-201102	43871	ESO 575-G21	18.08	23.18	O
L554O	1254191-034252	43894	CGCG 015-034	18.21	23.96	
L555O	1255126+000659	44014	UGC 8041	18.11	23.71	O
L556O	1258173+143325	44432	UGC 8085	18.10	24.13	O
L557O	1301487-270728	44930	ESO 507-G67	18.22	24.12	O
L558N	1305102-045012			18.04		
L559O	1307094-281340	45437	NGC 4965	18.08	23.09	O
L560O	1308377+540428	45561	UGC 8231	18.69	23.19	N

Table 1h. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
L561P	1309167-165311	892101		18.89	24.69	N
L562O	1309411-010253	45644	UGC 8238	18.27	23.49	O
L563O	1309507-241431	45666	ESO 508-G19	18.74	23.39	
L564O	1310044+341050	45684	UGC 8246	19.16	24.93	O
L565O	1312520+403237	45889	CGCG 217-018	18.89	22.52	N
L566P	1313504-024216	117609		18.13	23.8	P
L567O	1313541+421235	45992	UGC 8313	19.12	23.54	O
L568O	1316132+360446	46189	UGC 8341	18.34	23.18	N
L569O	1316562-163534	46256	MCG -03-34-040	18.44	23.09	N
(L570O)	(1318100-011437)	46336	UGC 8360	18.05	23.84	O
L571O	1320527+573832	46589	NGC 5109	18.11	22.56	O
L572O	1321499-131230	46664	NGC 5105	19.37	22.84	N,O
L573P	1325301-073549	1016275		18.60	24.85	n,P
L574O	1327562-312910	98330	ESO 444-G46	18.57	24.5	n
L575O	1328100+464019	47231	NGC 5169	18.16	25.09	O
L576O	1328253-315129	47255	ESO 444-G47	18.29	23.43	O
L577O	1328335+465538	47270	IC 4263	18.78	24.51	O
L578O	1329362+582506	47368	NGC 5204	18.22	23.42	O
L579O	1329480-234059	47390	ESO 509-G30	18.77	23.50	N
L580N	1329480-225220			19.39		n
L581O	1331046-150605	47514	MCG -02-34-061	18.23	23.25	
L582O	1332473+415155	47679	NGC 5214A	18.06	23.22	N
L583O	1334027+475455	47788	NGC 5229	18.77	24.55	O
L584O	1334394-234050	47844	ESO 509-IG 064	18.34	22.90	
L585O	1335530-045536	47949	MCG -01-35-002	18.45	23.45	
L586O	1337410-150615	48144	MCG -02-35-009	18.21	23.76	N
L587O	1340400+541958	48392	Holmberg V	18.04	23.49	O
L588O	1341173+334622	48441	UGC 8662	19.07	23.58	O
L589O	1343410+545707	91308	FGC 1661	18.17	24.22	n
L590P	1344086+292913	1867862		18.80	23.68	
L591O	1344498+592525	48726	MCG +10-20-021	18.79	23.92	n
L592O	1345380-055904	48786	MCG -01-35-010	18.02	22.70	O
L593O	1347012+335336	48862	UGC 8713	18.24	23.46	O
L594O	1347069+335251	48869	UGC 8715	18.51	23.95	O
L595O	1348563+595008	49016	UGC 8741	18.31	23.44	
L596O	1348567+595012	49016	UGC 8741	18.47	23.44	n
L597O	1349077-280016	49031	ESO 445-G48	19.30	23.67	N
L598O	1351472+505843	49215	IC 951	18.03	23.58	N
L599O	1352484+372926	49301	UGC 8795	18.66	23.43	O
L600O	1352545-010652	49308	NGC 5334	18.20	24.19	O
L601O	1353019+393449	49322	NGC 5346	18.21	24.53	O
L602P	1353346-270121	760834		18.26	24.51	N
L603O	1353376+360809	49370	NGC 5352	18.25	23.47	
L604O	1355595-011541	49533	UGC 8844	18.04	23.96	O
L605O	1357472-345006	89801	CSRG 0754	18.43	23.24	
L606P	1358022-341310	89802		18.22	23.63	N
L607O	1358550-263247		AM 1356-261	18.13		n
L608O	1359487+402248	49817	UGC 8917	18.63	23.86	O
L609O	1400288-343712	49855	ESO 384-G27	18.21	23.50	O
L610O	1401165+132448	49918	KUG 1358+136	18.87	23.76	
L611O	1401213-330346	49923	NGC 5398	18.45	24.19	O
L612O	1401408+334945	49950	ARP 111	18.05	23.00	
L613O	1405108-334539	50230	IC 4366	18.78	22.72	O
L614O	1406396-311249	50329	ESO 446-G9	18.16	22.87	N
L615O	1407054-311243	50360	ESO 446-G12	18.18	23.06	N
L616P	1407594-342215	89865		18.04		n
L617O	1409216+490215	50509	UGC 9056	18.04	23.04	O
L618O	1410030+541306	50581	UGC 9071	18.62	23.98	O
L619O	1411177+553043	50651	SBS 1409+557	18.38	23.62	
L620O	1413300-293540	50799	ESO 446-G31	18.35	23.17	O
L621O	1413498+574610	50803	MCG +10-20-084	18.16	23.83	n
L622O	1414108+210116	50844	CGCG 133-016	18.01		n
L623O	1414140-185218	50852	ESO 579-G5	18.13	23.23	N
L624O	1416304+574843	50990	IC 995	18.63	23.09	O
L625P	1419445-165008	892797		18.96	23.39	
L626O	1421293-331001	51304	ESO 385-G13	18.64	23.51	
L627P	1422231-174025	51343		18.05	23.83	O
L628O	1422565+402501	51372	NGC 5603B	18.45	23.86	O
L629O	1424566+250129	51483	UGC 9236	18.07	23.07	O
L630O	1427322-311417	51628	ESO 447-G5	18.93	24.40	n,O
L631O	1428183+134649	51685	IC 1014	18.29	24.24	O
L632O	1428368+385957	51713	UGC 9291	18.26	23.85	O
L633O	1430313+404929	51839	UGC 9337	18.79	23.30	N
L634O	1433205+261229	52012	KUG 1431+264	18.95	23.25	N,O
L635O	1435333+125430	52159	UGC 9389	18.33	24.09	O
L636O	1439499-004306	52395	NGC 5705	18.58	24.37	O
L637O	1440261+335920	52424	NGC 5727	19.02	24.73	O
L638O	1442458-002105	52550	NGC 5733	18.18	22.71	
L639O	1443558-182902	52612	ESO 580-G14	18.01	23.19	N,O
L640N	1445115-344405			18.34		N

Table 1i. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
L641O	1446510-315546	52775	ESO 447-G35	19.04	23.42	N
L642O	1447354-180414	52827	ESO 580-G30	18.27	23.57	O
L643O	1447561-141658	52853	MCG -02-38-015	18.63	24.10	N,O
L644O	1448271+314730	52874	IC 4509	18.11	22.32	N,P
L645O	1451123-202627	53035	UGCA 395	18.02	23.65	O
L646O	1453336+490807	53219	KUG 1451+493	18.14	23.30	n
L647O	1456333-243007	53412	ESO 513-G9	18.06	22.73	N
L648O	1502261-254847	53700	ESO 513-G14	18.46	23.47	N
(L649P)	(1502329-025150)	1081087		18.11		n
L650O	1505133+571907	53842	UGC 9704	18.35	23.67	
L651O	1506463+125101	53961	CGCG 077-007	18.11	23.29	N
L652O	1510407-220137	54155	ESO 581-G21	18.32	23.33	O
L653P	1516129-115252	120860		18.74	24.2	
L654P	1520526-285913	160462		18.28	23.61	N
L655O	1525169+532427	55047	UGC 9849	19.12	24.13	O
L656O	1526429+462639	55112	MCG +08-28-032	18.83	23.71	N
L657N	1527242-172215			18.32		
L658O	1531574-244621	55328	ESO 514-G22	18.05	23.61	O
L659O	1532027-273750	55335	ESO 514-G23	18.34	23.18	O
L660O	1538313+214925	91463	FGC 1927	18.11	23.01	
L661N	1540507-342101			19.26		N
L662O	1541121+153422	55793	IC 1133	18.17	23.32	O
L663O	1543242+142609	55867	UGC 9991	19.06	24.26	O
L664O	1543242+142609	55867	UGC 9991	19.06	24.26	O
L665O	1601211+161824	56700	UGC 10134	18.04	23.80	
L666N	1601551-222731			18.21		n
L667O	1602162+491211	56778	UGC 10150	18.58	23.67	
(L668O)	(1602345-254823)	56802	ESO 516-G2	18.01	23.36	N
L669O	1603106+492502	56846	MCG +08-29-040	18.11	23.60	n
L670O	1603469-224417	56889	ESO 516-G5	18.08	23.05	N
L671N	1604570-321710			18.64		n
L672O	1608396+120038	57275	CGCG 079-058	18.16	24.63	
(L673O)	(1608463+164541)	57278	CGCG 108-158	19.20	23.30	n,O
L674O	1609297-290013	57312	ESO 451-G11	18.14	23.71	
L675O	1610296+195715	57368	UGC 10243	18.10	23.29	O
L676O	1610443+572743	57384	NGC 6088	18.35	22.37	
L677O	1610528+223732	57391	CGCG 137-051	18.50	24.25	
L678O	1611002-322043	57399	ESO 451-G15	18.37		O
L679O	1615288+185427	57627	UGC 10297	18.39	23.66	O
L680O	1620008+333245	57852	KUGX 1618+336	18.03	23.05	
L681P	1625543+435127	2230836		18.06	23.66	n
L682O	1628587+422511	91536	FGC 2039	18.49	24.00	n
L683O	1630074-303245	58369	ESO 452-G4	19.14	23.66	O
L684O	1631215+224149	58424	UGC 10435	18.05	23.94	O
L685O	1635100+461257	58544	IC 1222	18.42	23.77	O
L686O	1637275+465005	58624	MCG +08-30-036	18.22	24.44	n
L687O	1645574+395908	91553	FGC 2067	18.45	23.85	n
L688O	1650234+555018	59093	UGC 10589	18.42	24.19	N
L689O	1650561+594308	59109	UGC 10590	18.16	23.18	n
L690N	1651111-160153			18.22		
L691O	1652580+533858	91565	FGC 2082	18.17	23.79	n
L692N	1653219-161713			18.48		N
L693O	1654470+363007	59244	NGC 6255	18.65	24.29	O
L694O	1656034+393844	59274	NGC 6257	18.03	24.37	O
L695O	1656105+345011	59276	UGC 10615	18.03	23.86	
(L696O)	(1656166+550154)	59280	IC 1237	18.41	24.26	
L697O	1702254+311308	84819	KUG 1700+312	18.26	23.27	
L698O	1705335+382219	2125127	FGC 2107	18.34	25.57	
L699O	1714474+522317	59921	CGCG 277-031	18.06	23.61	n
L700O	1716548+313139	59999	CGCG 170-010	18.69	23.99	
L701N	1717133-125141			18.44		
L702O	1718321+414006	91591	FGC 2126	18.05	23.80	
L703O	1718514+495302	60052	UGC 10806	18.59	23.76	O
L704O	1718547+295122	60049	UGC 10799	18.03	22.77	O
L705O	1719223+490202	60073	VV 010b	18.96	23.89	N
L706P	1727232+121230	1405561		18.83	25.38	n
L707N	1727479+295117			19.07		n
L708N	1728392+152716			18.06		n
L709P	1729247-120739	957265		18.11	23.71	n
(L710O)	(1731392+321355)	60436	UGC 10890	18.58	23.20	
L711O	1753367+582100	61058	UGC 11036	18.93	24.20	O
L712O	1803021+292225	61320	CGCG 171-049	18.01	23.85	N
L713O	1805048+171601	61377	UGC 11107	18.05	24.09	O
L714O	1807275+353348	61423	UGC 11124	18.71	24.41	O
L715O	1815469+252233	61657	UGC 11179	18.22	24.33	
L716O	1817190+125646	61685	CGCG 084-032	18.22	23.62	
L717O	1817566+303905	61699	UGC 11195	18.09	22.60	
L718P	1818215+221224	1665576		18.08	25.23	
L719O	1819580+143940	61746	MCG +02-47-001	18.02	23.80	
L720O	1822530+122554	61802	UGC 11214	18.59		O

Table 1j. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
L721O	1831460+310523	61994	UGC 11264	18.05	23.43	
L722O	1842201+460618	62282	CGCG 255-010	18.72	23.92	N
L723O	1846363+230247	2812817	CGMW 5-07537	18.74		
L724O	1850074-342648	62474	ESO 396-G5	19.01		
L725O	1853188+330359	62532	IC 1296	18.18	23.92	
L726O	1900033+432620	62661	CGCG 229-012	18.17	23.63	N
L727O	1907080+414449	62784	CGCG 229-017	18.85	23.97	N
L728O	1908006+412547	62802	CGCG 229-020	18.25	23.74	
L729O	1908189+430407	62807	UGC 11406	18.19	23.6	O
L730P	1909399+472538	2297982		18.69	23.79	
L731P	1916324-384024	606434		18.49	24.01	
L732O	1926373+494530	63212	IC 1301	18.12	23.56	O
L733O	1929177-205510	63275	ESO 594-G1	18.78	23.73	n
(L734O)	(1933188-330857)	63352	ESO 398-G8	18.37	23.13	N
L735O	1937276-172718	63425	ESO 594-G8	18.27	23.78	N,O
L736O	1940424-221613	63511	ESO 594-G11	18.44	22.60	N
L737O	1941463+503602	63534	CGCG 257-007	19.17	23.17	n
L738O	1948132-233029	63678	ESO 526-G6	18.53	23.60	N
L739O	1952561-250900	63776	ESO 526-G11	18.41	23.48	N,O
L740O	1957362-001406	63868	CGCG 372-002	18.25	23.92	N
L741O	2002039-273339	64007	ESO 461-G33	18.01	22.76	N
L742O	2005378-250842	64077	ESO 527-G8	18.04	23.02	n
L743O	2007377-210733	64140	ESO 595-G14	18.16	22.79	O
L744O	2015134-183910	92575	FGCE 1448	18.32	23.65	n
L745O	2017027-120651	64414	MCG -02-51-007	18.19	22.96	N
L746O	2018231-272726	64448	ESO 462-G7	18.73	23.31	N,O
L747O	2021261-220721	64521	ESO 596-G20	18.46	22.96	n
L748O	2021304-202516	64525	ESO 596-G21	18.74	22.97	
L749O	2023389-281639	64605	ESO 462-G16	18.02	23.03	O
L750O	2027128-370947	64712	ESO 400-G23	18.76	24.44	
L751N	2036015-335250			18.76		n
L752O	2042431-024601	91678	FGC 2286	18.69		N,O
L753O	2045178-351427	65312	ESO 401-G7	18.36	23.86	n
L754O	2047422-095712	65391	MCG -02-53-004	18.18	23.31	
L755O	2048122-035221	65413	MCG -01-53-009	18.30		N,P
L756O	2052005+132950	65594	CGCG 425-015	18.13	23.78	A
L757O	2055062-310529	65707	ESO 463-IG 034	18.32	23.94	
L758O	2055067-310530	65707	ESO 463-IG 034	18.18	23.94	N
L759P	2058016-354925	132331		18.12	23.18	n
L760O	2118531+154101	1490846	UGC 11719	18.23	25.24	n
(L761N)	(2123183+273431)			18.49		n
L762O	2132419-000724	66940	CGCG 376-008	18.80	23.90	
L763O	2134186+331523	66980	CGCG 492-003	18.16	24.12	a
L764O	2136106+170341	67035	UGC 11774	18.61	24.06	O
L765O	2136162-224404	92680	FGCE 1622	18.32	23.65	N
L766O	2145578-344857	67310	ESO 403-G23	18.32	23.16	N
L767O	2158057-075042	140989	GSC 5802 00065	18.07		N,P
L768O	2203289-201901	67943	NGC 7188	18.14	23.12	O
L769O	2203532-165049	91725	FGC 2359	18.82		N
L770O	2208329-183728	68125	ESO 601-G23	18.25	23.99	n
L771O	2209116-202838	68158	ESO 601-G24	18.03	23.23	N
L772O	2209344-060651	68177	MCG -01-56-002	18.23	24.07	O
L773O	2209370-271447	68176	ESO 532-G23	18.49	23.22	N
L774O	2210507+411525	68221	UGC 11936	18.17	23.95	n
L775P	2212462+383404	2130585		18.08	23.93	n
L776P	2213271+371102	2094709		18.15	24.31	a
L777P	2216009-095612	984498		18.16	23.73	N
L778O	2218472-032946	68549	MCG -01-56-00	18.09	22.71	N
L779O	2219313+411422	68571	UGC 11986	18.43	24.19	O
L780O	2219384-251956	68576	ESO 533-G13	18.73	23.66	N
L781O	2221508+425704	68645	UGC 11999	18.57	23.70	N,O
L782O	2222356-040720	68691	NGC 7257	18.46	23.30	
L783O	2223055-285716	68718	NGC 7259	18.04	22.57	N
L784P	2223348+344727	2054604		18.55	25.47	a
L785O	2225354-095658	68831	MCG -02-57-004	18.40	23.85	
L786O	2228253+301736	68941	NGC 7292	18.74	23.14	O
L787O	2228469-150411	68958	MCG -03-57-008	18.09	23.98	O
L788O	2229599-050657	68996	IC 1447	18.68	22.68	N,O
L789O	2230420-283840	69027	ESO 468-G4	18.25	23.55	
L790O	2230502+363348	69034	CGCG 514-048	18.15	23.22	A
(L791O)	(2233495-285406)	69159	ESO 468-G14	18.36	23.85	n
L792O	2241023+192012	89517	FGC 2408	18.32	23.64	O
L793O	2241263+391732	69498	UGC 12156	18.32	23.57	O
L794O	2244347-225930	69635	ESO 534-G21	18.92	23.45	N
L795O	2245142-224344	69653	ESO 534-G24	18.61	23.26	O
L796O	2246055-192455	69678	ESO 603-G12	18.14	23.87	O
L797O	2249207-145013	91756	FGC 2421	18.29		n
L798O	2254252-202144	69969	IC 5261	18.15	23.32	O
L799N	2254424+435539			18.24		
L800O	2257390+125458	70108	UGC 12264	18.85	23.91	O

Table 1k. Large objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
L801O	2258011-034609	70127	MCG -01-58-009	18.95	22.65	
L802P	2258027+322757	2800849		18.15		O, a
L803O	2258100+141832	70131	NGC 7437	18.65	23.76	O
L804O	2258283-103331	91765	FGC 2436	18.85		
L805O	2258394+190407	1579500	FGC 2438	18.01	25.81	
L806O	2259125+133620	70175	UGC 12281	18.21	24.27	O
L807O	2259414+240429	70197	UGC 12289	18.16	24.95	A,O
L808O	2300177+190733	70228	UGC 12296	18.01	23.82	O
L809O	2300483-352212	70253	IC 5269C	18.73	23.65	
L810O	2302463+220545	70322	UGC 12326	18.12	24.52	O
L811O	2302489+215226	70323	IC 5282	18.20	24.04	O
L812O	2305201+165159	70433	UGC 12350	18.79	24.446	O
L813P	2312022+204721	1635906		18.47	23.91	
L814O	2314126+133454	70761	NGC 7535	18.24	23.89	O
L815O	2314595+145919	70809	MCG +02-59-012	18.71		A
(L816O)	(2316000-015049)	70876	UGC 12466	18.58	23.16	
L817O	2320116-015119	71118	UGC 12521	18.46	23.18	O
L818O	2320126+253547	71119	KUG 2317+253	18.04	23.28	O
L819P	2320521+432418	2219987		18.04	23.94	n
L820O	2321419+270414	71190	UGC 12545	18.57	23.99	O
L821O	2324336+235908	71354	UGC 12583	19.06	23.50	O
L822O	2325102+121820	71383	CGCG 431-060	18.21	23.19	a
L823O	2330015+270500	71597	UGC 12631	18.40	23.31	
L824O	2333410+322303	71750	UGC 12666	18.04	23.15	O
L825O	2334383+231327	71785	UGC 12675	18.39	23.85	O
L826O	2341425-341212	72135	ESO 408-G16	18.08	23.54	
L827O	2342309+280239	1824788	FGC 2526	18.41	24.83	O
L828P	2343174+444626	2251718		18.13	24.94	
L829O	2347570+280747	91822	FGC 2536	18.42	23.86	A
L830O	2348568-163225	72499	NGC 7759A	18.12	22.25	
L831O	2349195+475507	72523	UGC 12796	18.02	23.75	O
L832O	2355418+315358	72892	UGC 12845	18.50	24.96	O
L833O	2356097-272800	72933	ESO 471-G44	18.20	23.12	N
L834O	2356492-032058	72985	MCG -01-01-006	18.07	23.22	
L835O	2359367+144824	73177	NGC 7800	18.08	23.48	O
L836P	2359437-290935	132729		18.55	23.36	n

Note: Obs: information on available observations: **A** for our Arecibo H I detections and 'a' for the non-detections, **N** for our Nançay H I detections and 'n' for the non-detections, **O** for other published H I detections, and P for our *BVRI* optical surface photometry data. No: Source names in brackets are not found in later versions of the public 2MASS database (see Sect. 4).

Table 2a. Small objects

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S1P	0000033-104315	974615		18.26	24.99	
S2N	0000179+513620			18.73		
S3O	0000222+343657	29	CGCG 517-010	18.47	23.22	O
S4P	0001187-351729	650806		18.79	26.09	
S5O	0001539-301043	198768	DUKST 409-039	18.11	24	
S6P	0002295+515310	2401995		18.20	24.29	
S7P	0002452-250217	783321		18.14	23.5	
S8O	0002495-315155	189	ESO 409-G8	19.38	23.61	
S9O	0003379+202723	251	KUG 0001+201	18.19	24.16	a
S10O	0003512-275442	198774	DUKST 409-045	18.48	23.76	
S11O	0004197-061138	90450	FGC 2	18.04	24.21	
S12O	0005243-043015		NPM1G -04.00044	18.48		
S13P	0005314-025329	1080508		18.45	25.53	
S14P	0005315-302228	132721		18.33	22.95	
S15O	0005483-073743	412	MCG -01-01-032	18.60	24.05	
S16P	0006469-131829	939737		18.92	23.92	
S17P	0007111-013549	1114975		18.48	25.16	
S18P	0008072-004646	1134911		18.42	24.19	
S19P	0008078-015802	1105227		18.14	23.91	
S20O	0010423-320708	198794	DUKST 409-066	18.64	24.89	
S21P	0010472-350542	653413		18.69	23.85	
S22O	0011006-352508	199316	DUKST 349-062	18.07	24.21	
S23P	0011013+212455	1649524		18.44	24.25	a
S24P	0011068-311705	706986		18.17	24.06	
S25P	0011542+473115	2299686		18.61	24.52	
S26O	0011559+230124	828	KUG 0009+227	18.81	23.23	O
S27O	0012089+221948	834	MCG +04-01-037	18.55	23.17	
S28P	0012357-201907	134617		18.47	22.91	
S29P	0014164-072333	1019747		18.44	23.99	
S30N	0015169+143659			19.20		
S31N	0015221+125906			18.24		
S32P	0015248+174101	1538879		18.21	24.79	
S33N	0015554-095011			18.85		
S34P	0016288+173214	1535162		18.38	24.41	
S35P	0016304-001602	1147615		18.30	23.21	
S36O	0016316+161126	1088	CGCG 456-051	18.02	23.39	a
S37O	0016358-013619	1096	KUG 0014-018	18.99	23.74	
S38P	0017140-102240	978948		18.73	24.34	
S39P	0017345+165932	1521966		18.70	24.45	a
S40P	0017503-283454	143406		18.54	23.38	
S41P	0017526+190918	1582373		18.19	24.93	
S42P	0018424-264951	133680		18.03	23.7	
S43O	0019429+295607	1266	MCG +05-01-073	18.42	23.37	a
S44O	0020308+383418	1312	CGCG 518-023	18.72	23.81	A
S45N	0020319-082301			18.86		
S46O	0020326+152050	1316	CGCG 434-002	18.54		a
S47P	0020329-243551	788249		18.54	23.73	
S48P	0021154-012612	1118692		18.92	24.28	
S49P	0021196-343008	661370		18.34	24.56	
S50P	0021351-311207	707944		18.02	24.07	
S51P	0021410+000135	1155202		18.84	24.53	
S52O	0021477+220136	1662109	CGCG 479-014B	18.58	24.16	
S53O	0022014+234934	1694421	IRAS F00193+2332	18.26	24.57	
S54P	0022107+231626	1684511		18.66	23.99	
S55P	0022159-004524	143475		18.54	23.60	
S56N	0022220-001726			18.70		
S57P	0022280+221330	1665927		18.04	23.43	
S58P	0022374+145628	1471031		18.60	24.4	
S59P	0022507+144348	1465666		18.46	24.87	a
S60P	0023025-270211	760663		18.90	24.78	
S61P	0023071-162523	898344		18.12	24.78	
S62P	0023114-052550	1044813		19.12	24.21	
S63P	0023118-014002	1113269		18.86	24.99	
S64P	0023423-014523	1110936		18.17	23.37	
S65P	0023464-012950	1117287		18.04	23.88	
S66P	0023483-035120	1066013		18.16	23.34	
S67O	0023507+160655	1501056	NPM1G +15.0013	18.02	23.63	
S68P	0024052+154132	1490999		18.25	24.53	
S69P	0024238+370225	2091822		18.08	24.08	
S70P	0024490-334241	131857		18.23	23.07	
S71P	0025279-010037	1129046		18.40	23.59	
S72O	0025599+405822	1617	MCG +07-02-003	18.16	23.60	
S73P	0026293+450157	2257486		18.33	24.89	
S74P	0027372+520547	2406677		18.15	24.59	
S75P	0027596+483216	2319724		18.44	24.51	
S76O	0028023-145618	1728	MCG -03-02-014	18.25	22.92	
S77P	0028117-172603	134657		18.20	23.45	
S78O	0028229-305720	198821	DUKST 410-044	18.64		
S79P	0028490+130510	1422600		19.19	24.6	
S80P	0029184-270106	133676		18.80	23.28	

Table 2b. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S81O	0029264+172905	1803	MCG +03-02-014	19.30	24.19	a
S82O	0029331-150549	1812	MCG -03-02-017	19.16	23.26	
S83O	0030294-164131	1856	MCG -03-02-018	18.16	23.33	
S84P	0030392+360536	2074861		18.50	24.61	
S85P	0030514-154504	906981		18.73	23.53	
S86O	0031492-023153	1940	MCG -01-02-028	19.20	24.60	
S87P	0031573-050807	1048844		18.19	24.01	
S88P	0032015+213035	1651478		18.42	23.86	
S89P	0032017+261515	1769117		18.64	24.49	
S90P	0032436+130904	1424098		18.19	24.18	
S91P	0032551+151522	1479643		19.08	24.8	a
S92P	0033142+120600	1403781		18.67	24.37	
S93O	0034139-212811	2046	ESO 540-G2	18.29	23.17	
S94O	0034160-071732	2049	MCG -01-02-033	18.35	23.20	
S95O	0034199-073600	2059	IRAS 00318-0752	18.15	23.08	
S96P	0035569-030552	143639		18.19		
S97P	0036017-300858	720800		18.16	23.88	
S98P	0036485-111619	967861		19.13	23.92	
S99P	0036508-070838	1023784		18.87	24.24	
S100P	0037177-022142	1094204		18.35	23.56	
S101P	0037325-252439	198207		18.14	23.8	
S102P	0037398-064226	1029742		18.40	24.63	
S103P	0039008-075902	1010025		18.99	24.59	
S104P	0039182-285252	736261		18.32	24.82	
S105P	0040215+223301	1672036		18.36	24.92	
S106P	0040367-111950	967100		19.40	24.35	
S107P	0042334-275245			18.21		
S108N	0043197+235920			18.51		
S109O	0043208-121100	2576	MCG -02-02-096	18.87	23.55	
S110P	0044372+215509	1659934		18.46	23.64	
S111P	0044419+181155	1552854		18.62	24.83	
S112O	0045065+254657	2655	CGCG 479-068	18.44	23.89	O
S113N	0046292-094848			18.16		
S114P	0047112+430545	2212912		18.20	24.45	
S115O	0048458-114553	2853	MCG -02-03-020	19.16	24.45	
S116P	0048586-302050	718310		18.64	24.02	
S117P	0049023-324122	172953		18.47	23.35	
S118N	0049147+503647			18.82		
S119P	0050234+300335	1888602		18.40	24.09	
S120P	0050581-055057	1039689		18.21	23.62	
S121O	0051299-125039	3014	IC 56	18.56	23.18	O
S122P	0051365-175136	876298		19.00	24.68	
S123P	0051478+154022	1490543		18.45	24.79	
S124O	0052068+342503	73446	KUG 0049+341	18.53	23.75	
S125O	0052156-272058	3061	ESO 411-G24	18.13	22.93	
S126P	0052221-263420	3068		18.14	23.43	
S127P	0052560+154707	1493287		18.80	24.41	a
S128P	0053029-031406	173059		18.48	23.84	
S129P	0053134-071506	173068		18.14	23.85	
S130P	0053351-074534	1013464		18.45	24.91	
S131O	0054049+302044	3184	CGCG 501-035	18.07	23.50	O
S132P	0054350+312706	1947795		18.34	24.28	
S133O	0054467-325535	3223	ESO 351-G19	18.21	23.39	
S134P	0055064-065310	1027407		18.29	25.13	
S135P	0055079-115716	959641		18.20	23.84	
S136O	0055182+314349	3269	UGC 566	18.42	24.50	O
S137P	0055337+294438	1876630		19.03	25.01	a
S138O	0055355-100524	3288	MCG -02-03-045	18.16	23.51	
S139O	0056127-003548	1139461	GIN 023	18.21	24.48	
S140P	0056468+300825	1891795		18.44	25.16	a
S141P	0057249+312836	1949020		18.92	24.58	
(S142P)	(0057363-165350)	891955		19.04	24.16	
S143P	0057395+461818	2278901		18.35	24.37	
S144O	0057519-194434	851100	IRAS F00553-2000	18.64	23.78	
S145P	0058049-323616	689119		19.06	24.53	
S146N	0058089-214553			18.18		
S147P	0058191+135450	1443996		18.15	23.99	
S148P	0059147-163527	896189		18.29	23.69	
S149P	0100013-302452	132845		18.77	23.12	
S150O	0101339+495955	2359814	NPM1G +49.0010	18.09	23.86	
S151P	0101437+270654	1798205		18.74	24.85	a
S152P	0101471-210845	832085		19.24	23.75	
S153P	0101511-031718	1073389		18.60	23.57	
S154P	0102130-353133	131901		18.65	22.96	
S155P	0102205+325840	2019367		18.45	24.36	a
S156P	0102426+172514	1532359		18.48	24.73	
S157N	0102471-115159			18.58		
S158P	0103218-355251	73553		18.87	23.57	
S159P	0103323-212622	828271		18.49	24.25	
S160O	0103488+311152	3787	UGC 653	18.78	23.40	O

Table 2c. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S161P	0104249+211110	1644665		18.46	24.39	a
S162P	0105186+333615	2035469		18.37	23.98	
S163P	0105482-115855	959259		18.97	24.43	
S164P	0105535-231852	133732		18.32	23.47	
S165P	0106075-042525	1058390		18.32	25.02	
S166P	0106310-181122	871475		18.17	23.76	
S167O	0106380+365325	3935	KUG 0103+366	18.36	23.32	
S168P	0107133-355737	173492		18.12	23.13	
S169O	0107519+321521	197572	AGC 111070	18.70	24.05	
S170P	0108172+320523	1979705		18.02	23.45	a
S171P	0108187+321335	1986786		18.90	24.3	
S172O	0108469-123632	4076	MCG -02-04-003	18.56	23.69	
S173P	0108470-150621	73655		18.78	23.60	
S174P	0108537-153030	73662		18.08	23.90	
S175P	0109025-160033	4100		18.38	23.40	
S176O	0109028-173223	134713	APMBGC 541-045-121	18.22	23.18	
S177P	0109032-064752	1028539		19.35	24.12	
S178P	0109059+144521	1466339		18.29	24.28	a
S179O	0109114-013443	4107	MCG +00-04-012	18.18	23.70	
S180P	0109362+211616	1646522		18.65	23.92	
S181O	0110020+180629	1550388	IRAS F01073+1750	18.15	24.19	
S182O	0110290+431716	4184	UGC 728	18.21	23.98	O
S183O	0111564+284742	4304	KUG 0109+285	18.21	23.78	
S184P	0112094+214022	1654829		18.62	24.44	
S185O	0112150-334648	173575	GSN 150	18.06	23.69	
S186P	0113004-071010	1023413		18.23	23.82	
S187P	0113408-054100	1041659		18.21	23.53	
S188P	0114502-310128	710125		18.32	24.49	
S189O	0115021-330115	4506	ESO 352-G29	18.21	23.56	
S190O	0115097+334726	4516	KUG 0112+335	18.42	23.83	O
S191O	0116238+421144		NPM1G +41.0027	18.03		
S192P	0117080-183227	866867		18.51	25.41	
S193P	0117554-153002	910412		18.09	24.25	
S194P	0118008+465350	2289010		18.50	24.53	
(S195P)	(0118172-171816)	885445		18.46	25.1	
S196P	0118316+143224	1460788		18.16	24.66	
S197O	0118579+445839	4702	MCG +07-03-027	18.36	23.56	
S198O	0119329+145218	4753	NGC 46	18.05	22.71	
S199P	0119348+341238	2045594		18.45	24.75	
S200O	0119375+182634	4766	CGCG 459-029	18.39	22.83	O
S201P	0119547+355606	2072274		18.31	24.96	
S202O	0119564+435444	2232147	NPM1G +43.0035	18.05	23.82	
S203O	0120146+174948	4807	CGCG 459-032	18.77	23.28	O
S204P	0120175+394043	2153933		18.46	24.58	
S205O	0120320-364055	199441	DUKST 352-051	18.31	24.11	
S206O	0120393-350437	653641	GSN 179	18.58	25.11	
S207O	0120539-011949	4859	MCG +00-04-091	18.23		
S208P	0121214-115801	959478		18.02	24.91	
S209P	0121285-270533	133805		18.37	23.41	
S210P	0121286+263201	1779780		18.02	23.83	
S211P	0121386-261219	770327		18.85	23.21	
S212O	0121476+390940	2144534	NPM1G +38.0030	19.14	24.19	
S213O	0122015+372403	4971	UGC 909	18.21	24.14	O
S214P	0122032+500220	212729		18.11	24.29	
S215P	0122195-081722	1005642		18.92	24.75	
S216P	0122218-374454	618295		18.21	24.21	
S217P	0122400+470648	2292575		19.04	24.08	
S218O	0123163-104634	973895	NPM1G -11.0055	18.36	23.43	
S219O	0123593-350738	5142	NGC 527B	18.23	24.60	
S220P	0124426-192431	855652		18.39	24.55	
S221P	0124587-031040	1075106		18.52	23.43	
S222P	0125094-280928	745123		18.23	23.99	
S223P	0125524-320335	697417		18.72	24.02	
S224P	0125561+500858	2364336		18.68	24.89	
S225P	0126077+503713	5327		18.48	24.11	O
S226P	0126162-205556	834955		18.25	24.6	
S227O	0126491-170240	5378	MCG -03-04-066	18.18	23.19	
S228P	0126499-172435	883743		19.04	24.47	
S229P	0126581-373322	621317		18.10	23.25	
S230P	0127040-071142	1022962		18.11	23.79	
S231P	0127383+331015	2025379		18.30	24.86	a
S232N	0127498+335256			18.82		a
S233P	0127533-135700	931026		18.44	24.75	
S234P	0128008+481106	2312147		19.27	24.18	
S235O	0128131-354007	5483	ESO 353-G4	18.48	23.12	
S236P	0128318-383626	109094		18.36	24.5	
S237O	0128341-015333	166794	AGC 410583	19.15	23.38	
S238O	0128557-014909	5534	UGC 1060	18.86	23.38	
S239P	0128569-041339	144152		18.57	23.52	
S240O	0129142-091307	5547	MCG -02-04-059	18.01	23.56	

Table 2d. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S241O	0130201-121433	5606	MCG -02-04-061	18.01	23.78	
S242O	0131238-123727	5659	IC 128	18.58	23.33	
S243O	0131243+313045	5668	KUG 0128+312	18.11	22.95	A
S244P	0131265+332122	2030200		18.12	23.92	
S245P	0131364-215638	87856		18.34	24.19	
S246O	0131483+303030	5694	KUG 0128+302	18.14	23.02	
S247P	0131569-162125	899185		18.95	24.88	
S248P	0132092-035837	1064545		18.66	23.71	
S249N	0132395+353324			18.63		
S250P	0132452-305910	710612		18.58	24.25	
S251N	0132502-353622			18.68		
S252N	0132574-325910			18.18		
S253P	0133003+322559	1996634		18.11	24.54	
S254P	0133341-094933	985942		18.95	23.08	
S255P	0134529+265648	1793228		18.13	23.87	a
S256P	0136280-004152	1136936		18.94	24.17	
S257O	0137135-133851	6000	MCG -02-05-021	18.27	23.42	
S258O	0137512-175932	6037	ESO 543-G3	18.69	23.15	
S259P	0138128-233929	133770		18.02	23.57	
S260O	0138215-225824	133767	MBG 01360-2313	18.47	23.17	
S261P	0138238-232716	133768		18.30	23.09	
S262P	0138270-091133	994075		18.06	23.89	
S263P	0138282-074201	1014474		18.18	24.04	
S264P	0138302-141035	928026		18.32	23.82	
S265P	0138385+184014	1566633		18.08	25.06	a
S266O	0140056-185440	6168	ESO 543-G10	18.11	23.73	
S267P	0140173-274937	173941		18.30		
S268P	0141012-082326	144233		18.22	23.62	
S269O	0141021-092023	90557	FGC 186	19.28	23.57	
S270P	0142093+345804	2057359		18.08	23.65	
S271P	0142099-280642	745704		18.83	24.29	
S272P	0143018-064631	1028865		18.60	24.18	
S273N	0143117-103055			18.48		
S274O	0143168+352804	6333	KUG 0140+352	18.81	23.88	
S275P	0143537+312628	1947338		18.13	24.49	
S276P	0144051-052832	1044255		18.22	24.64	
S277P	0144058+251544	1730587		18.50	25.1	a
S278P	0144593+384845	2137189		18.45	23.73	
S279P	0145141-225405	807346		18.60	24.38	
S280P	0145223-221938	133812		18.66	23.27	
S281P	0145233+173903	1538003		18.60	24.87	a
S282P	0145556+334650	2038677		18.32	24.29	
S283P	0146209+301531	1896659		18.51	25.01	
S284P	0146393+320629	1980643		18.53	25.26	
S285P	0146569+323024	2000119		18.87	24.78	a
S286O	0147180-300903	132938	CSRG 0164	18.09	23.39	
S287O	0147181-323418	131952	DUKST 353-016	18.38	23.13	
S288P	0147250-334108	672906		18.28	25.18	
S289P	0148296-152153	912193		18.05	24.5	
S290P	0148304-150059	916840		18.21	24.87	
S291P	0148396-181122	871479		18.15	24.47	
S292O	0149234-082629	6680	MCG -02-05-054	18.22	23.39	
S293O	0149450-214905	6713	MCG -04-05-009	18.62	23.32	
S294P	0149500-284536	198965		18.06		
S295O	0150072+340805	6745	KUG 0147+338	18.47	23.64	
S296P	0150566-343320	95467		18.90	24.29	
S297P	0151172+232530	1687132		18.75	24.56	a
S298P	0151249+223539	212849		18.50	24.19	A
S299P	0151528+123606	1412562		18.47	23.85	a
S300P	0153227+340703	2044135		18.65	24.2	
S301O	0154576+372034	7124	UGC 1380	18.88	24.12	O, A
S302P	0154583+364544	2086489		18.39	24.25	
S303P	0155035-330952	680035		18.22	24.59	
S304P	0155058+350930	2060317		18.36	24.18	a
S305N	0155246+293208			18.39		a
S306P	0155299-081241	1006667		18.57	24.48	
S307P	0155334-190810	859333		18.73	23.69	
S308P	0155337-072126	1020355		18.46	24.5	
S309O	0155488-103421	7205	KUG 0153-108	18.96	22.95	
S310O	0156238+371256	7263	UGC 1404	18.70	24.69	O
S311P	0156522-075004	1012284		18.03	24.07	
S312P	0157544-355751	642430		18.91	23.85	
S313P	0157570-061048	1035869		18.37	24.16	
S314P	0158011+405256	2172376		18.19	24.41	
S315P	0158045-074331	1014020		18.05	23.78	
S316P	0158191-105016	973138		18.56	24.45	
S317P	0159422-024619	174599		18.11	23.14	
S318P	0159429-105249	174602		18.18	23.12	
S319P	0200008-192636	855168		18.26	24.55	
S320O	0200470+174249	7637	UGC 1495	18.42	24.03	O

Table 2e. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S321P	0202002+202546	1627043		18.47	24.33	a
S322O	0202320+445748	7767	UGC 1516	18.38	23.63	
S323O	0202354-242752	7777	MCG -04-06-002	18.28	22.73	
S324P	0203036-031111	1074951		18.35	23.59	
S325P	0203387+460113	2274085		18.38	23.56	
S326P	0203408-255155	133880		18.03	23.40	
S327P	0203465-083326	1002196		18.17	24.38	
(S328P)	(0203497-041049)	1061767		18.64	23.91	
S329N	0204041+481832			18.78		
S330P	0204355-135004	932618		18.28	23.97	
S331P	0204422-115651	959754		18.58	25.22	
S332P	0205242-105155	972785		18.04	23.36	
S333P	0205529-093727	988597		18.36	23.64	
S334P	0206477+153308	1487658		18.92	24.48	a
S335P	0206547+214910	1657954		18.61	23.59	
S336O	0208012-102119	8142	KUG 0205-105	18.84	23.24	
S337P	0208015-191703	857341		18.26	24.5	
(S338P)	(0208099-245329)	198344		18.09		
S339N	0209081+355129			18.57		a
S340P	0209178-121902	954598		18.24	23.86	
S341O	0209596-085009	8274	KUG 0207-090	18.36	22.61	
S342P	0210142-215918	820848		18.42	24.86	
S343P	0211014+453808	2268147		18.45	24.24	
S344P	0211135-063219	1031695		18.03	23.25	
S345P	0211272-050201	1050210		18.48	23.85	
S346N	0212509-043551			18.73		
S347P	0212560-054620	1040585		19.02	24.71	
S348P	0213180+410927	2176597		18.44	25.23	
S349P	0213298-223231	133850		18.44	23.06	
S350O	0213339+382521	8514	VI Zw 188	18.16	24.40	
S351P	0213466-210751	174913		18.36	23.05	
S352P	0213575-152903	910639		18.24	24.36	
S353N	0214024+120347			19.00		a
S354P	0214504+440601	2236595		18.15	23.97	
S355P	0215021-161910	174985		18.94	23.01	
S356O	0215370-134310	8640	MCG -02-06-044	18.27	23.01	
S357P	0215476-134754	933091		18.38	23.39	
S358O	0217067-270931	91970	FGCE 0229	18.51	23.83	
S359O	0217377+123032	8752	IC 1790	18.19	23.27	O
S360O	0217549-344811	8772	ESO 355-G4	18.16	23.04	
S361O	0218025-274906	8781	ESO 415-G17	18.32	23.21	
S362N	0218178+494822			18.02		
S363N	0218220+243343			18.23		a
S364O	0218378-065345	8816	MCG -01-06-087	18.34		
S365O	0218500-263236	91974	FGCE 0234	18.11	23.33	
S366O	0219186-114757	8858	MCG -02-07-001	18.48	23.37	
S367P	0219203+371329	2095670		18.99	23.52	a
S368P	0219264-105337	972456		18.22	24.17	
S369P	0219270-112546	8861	KUG 0217-116	18.12	22.95	
S370N	0219284+164731			18.86		a
S371P	0219285+344638	2054374		18.70	24	a
S372P	0221101-121757	954850		18.86	24.78	
S373P	0221246+291221	1858979		18.73	23.39	a
S374O	0221511+172741		NPM1G +17.0095	18.51		a
S375P	0221555+370429	2092488		18.72	24.87	a
S376N	0223056+455845			18.27		
S377P	0223454-190306	134921		19.06	23.60	
(S378P)	(0224043-243951)	133857		18.18	23.40	
S379P	0224095+431549	212968		19.15	25.06	
S380N	0224134+374826			18.05		
S381O	0224417-114632	9146	KUG 0222-120	18.15	23.09	
S382O	0225042-194831	9175	ESO 545-G14	18.02	22.77	
S383P	0225056-062805	1032505		18.77	23.44	
S384P	0225148+270156	1795794		18.01	25.32	A
S385P	0225272+451538	2261877		18.23	24.28	
S386P	0225381-134526	933698		19.16	23.68	
S387O	0225395+271743	9220	CGCG 483-038	18.01	23.36	O
S388O	0225429+284034	9223	KUG 0222+284	18.18	24.01	a
S389P	0226467+244228	1714313		19.09	25.08	A
S390P	0226511-122252	953656		18.12	25.32	
S391N	0227189+210523			18.30		a
S392P	0227455+152616	1484626		18.53	25.11	a
S393P	0228308-291920	730732		18.20	24.67	
S394P	0229037-335219	670382		18.50	23.49	
S395P	0229148-053609	1042634		18.25	24.66	
S396N	0229235+280905			18.39		A
S397P	0230362-232214	133892		18.04	22.99	
S398P	0230486-235042	796415		18.07	23.81	
S399P	0230536-142532	924760		18.26	24.36	
S400O	0231185+425236	9592	UGC 1989	18.57	24.92	O

Table 2f. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs..
S401P	0232496+230820	1682146		18.44	23.95	a
S402O	0232538+231938	9707	UGC 2020	18.53	23.56	O
S403P	0233273+425109	2207509		18.42	24.16	
S404P	0234072-261601	133938		18.04	23.78	
(S405P)	(0234244-084454)	999709		18.42	24.79	
S406P	0234296+412032	2179618		18.48	24.48	
S407P	0234361-002452	175238		18.39	23.44	
S408P	0234434+373626	2104891		18.85	23.35	a
S409P	0236015-283201	175287		18.69	24.90	
S410P	0236299-211602	830478		18.42	24.34	
S411P	0237009+404103	2169424		18.43	24.45	
S412P	0237043-140149	929902		18.57	24.22	
S413P	0237323-340707	88008		18.29	24.17	
S414O	0238141-271537	9990	MCG -05-07-010	18.60	23.19	
S415P	0239475+410720	2176034		18.24	23.96	
S416P	0239567-154319	175371		18.38	23.66	
S417P	0239580+411911	2179231		19.23	24.6	
S418P	0240025+174100	1538874		18.14	24.07	a
S419O	0240251+383347	10124	UGC 2157	19.00	23.89	O
S420N	0240466+201104			18.15		a
S421N	0241014-280601			18.79		
S422P	0241214-142806	924251		18.21	23.4	
S423P	0241548-275451	748156		18.39	24.73	
S424P	0241575-030119	144981		18.02	24.72	
S425O	0242013-150324	144985	NPM1G -15.0140	18.14	23.03	
S426O	0242306-213504	10253	MCG -04-07-025	18.88	23.05	
S427P	0243239+330042	2020570		18.43	24.57	a
S428P	0243255-080808	1007817		18.52	23.88	
S429P	0243270-114829	961464		18.88	24.33	
S430P	0243369-354514	145000		18.30	23.728	
S431N	0243504-280514			18.73		
S432O	0244200-344134	199586	DUKST 356-045	18.68	24.16	
S433P	0244306-101204	981129		18.61	25.01	
S434P	0245036-260624	771484		18.32	23.27	
S435P	0246201-245830	784047		18.13	24.92	
S436P	0246272-003930	1137865		18.07	24.17	
S437P	0246541-003355	1140234		18.06	23.55	
S438P	0247051-002652	1143065		18.07	24	
S439O	0247222-144727	10564	MCG -03-08-026	18.72		
S440P	0247269-314857	74204		18.69	23.58	
S441P	0247354-310626	74210		18.10	23.21	
S442P	0247409+353952	2068054		18.15	24.97	a
S443P	0247577-004503	145053		18.64	23.20	
S444O	0247598-220004	10590	MCG -04-07-045	18.14	23.53	
S445N	0248004-013753			18.83		
S446P	0248590+151241	1478344		19.07	24.3	a
S447P	0249372+355358	2071747		18.75	25.15	A
S448P	0251239+415733	197724		18.22		
S449P	0251314+125629	1419356		18.48	24.11	a
S450P	0251415-095748	984146		18.28	23.13	
S451P	0252469-351149	652051		18.51	25.29	
S452O	0253357+255645	10920	MCG +04-07-029	18.71	23.67	A
S453P	0253434-174942	876818		18.35	24.49	
S454P	0253470-260310	91994		18.29	23.58	
S455P	0253544+414026	197761		18.16	23.78	
S456P	0254471+220418	1662967		18.72	24.99	a
S457O	0255592-120028	11078	IC 271	18.83	23.49	
S458P	0256537-155511	904744		18.84	24.03	
S459P	0256563+404816	197822		18.35	23.87	
S460P	0257121+390900	2144325		18.66	24.27	
S461P	0257418+425833	2210242		19.26	24.87	
S462P	0257476-090807	994764		18.42	23.89	
S463P	0257557-090103	996293		19.03	25.05	
S464P	0257582-064153	1029847		18.41	23.91	
S465O	0257591+252526	11212	CGCG 484-026	18.76	22.85	O
S466P	0258115+460457	2275064		18.22	25.2	
S467P	0258283+250313	1724074		18.55	24.67	a
S468P	0259136+442215	2242768		18.06	24.4	
S469P	0259324+445026	2253204		18.67	24.11	
S470P	0259404+233100	1688741		18.13	24.88	a
S471P	0300104-011935	1121356		18.99	24.4	
S472O	0300249-105338	145178	NPM1G -11.0111	18.32	23.06	
S473O	0301389-265253	92001	FGCE 286	18.73	23.87	
S474P	0302524+162718	1509176		18.06	24.86	A
S475P	0303350+354438	138596		18.13	24.6	a
S476P	0303350+355730	2072652		18.58	24.87	a
S477P	0304098-145825	917468		18.02	24.29	
S478O	0304556-273028	11589	MCG -05-08-014	18.79	22.53	
S479P	0305120-274127	133009		18.34	23.42	
S480P	0305159-255519	773606		18.75	24.33	

Table 2g. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs..
S481P	0305300-023502	11618		19.06	24.02	O
S482O	0305365+413408	213161	UGC 2528	18.57	25.25	
S483P	0305414-014413	1111454		19.08	24.07	
S484P	0306128-042000	1059697		18.14	24.47	
S485P	0308121-225329	807492		18.18	24.4	
S486P	0308123-244129	198434		18.75	24.49	
S487O	0308157-244020	11738	ESO 480-G35	18.21	22.80	
S488O	0308226-284820	199040	DUKST 417-031	18.10	24.99	
S489P	0308455+424214	2204372		19.48	24.89	
S490P	0308466+242048	1705247		18.06	23.89	A
S491P	0308586-115528	960038		18.18	24.44	
S492P	0309045+440226	2235142		18.10	24.11	
S493P	0309074+233902	1691142		18.79	24.41	a
S494N	0309078-083044			18.04		
S495P	0309078-235510	133947		18.58	23.43	
S496P	0309202-234459	797474		18.15	24.88	
S497O	0309331-020046	11811	CGCG 390-011	19.10		
S498P	0309406-262815	767439		18.07	24.53	
S499P	0309426+412626	2181130		18.09	25.47	
S500P	0309433-252254	779599		18.11	24.49	
S501P	0310268-000045	1154156		19.00	25.34	
S502P	0310312+191406	1585156		18.79	24.01	A
S503N	0310370+210938			18.40		A
S504P	0310591+423849	2203202		18.55	25.29	
S505P	0310591-312446	705459		18.39	23.57	
S506P	0311032-240350	794002		18.05	23.88	
S507P	0311112+202114	1624788		18.61	24.71	a
S508P	0311147+210223	1641398		18.03	24.15	a
S509P	0311186-250631	11891	ESO 481-G5	18.49	23.25	
S510P	0311300-191053	858770		18.42	23.98	
S511P	0311462+244837	1717065		18.49	24.81	a
S512P	0311541-272331	755637		18.15	23.64	
S513P	0311544-223836	810971		18.53	23.75	
S514P	0311563-021648	1096537		18.46	25.08	
S515P	0311568+201712	1622716		18.24	24.88	a
S516P	0312211-234649	797115		18.52	23.54	
S517O	0312247-243246	11940	ESO 481-G11	18.11	23.56	
S518P	0313176-134708	933261		18.73	24.5	
S519O	0313190-122244	90664	FGC 398	18.41	23.99	
S520N	0313382+293751			18.62		a
S521O	0314030-072349	175975	NPM1G -07.0121	18.69	24.56	
S522O	0314079-061722	12037	KUG 0311-064	18.56	22.73	
S523P	0314378-053033	1043831		18.86	24.37	
S524N	0314466-290823			18.19		
S525O	0314497-064215	170045	GSC 4714 01132	18.03		
S526P	0314566-190102	860855		18.46	24.09	
S527P	0315538-022549	1092239		19.20	24.75	
S528P	0316152+364746	2087153		18.32	23.88	a
S529P	0316488+270654	1798183		18.77	24.99	A
S530P	0318208-224823	198450		18.30	24.49	
S531P	0318494+404939	2171539		18.01	24.42	
S532P	0318579+413805	12360		18.01	24.09	
S533P	0319104+400132	2159426		18.30	24.14	
S534P	0319161-101300	980956		18.27	23.51	
S535P	0319182+395430	2157614		18.16	24.44	
S536P	0320099-074304	1014161		19.34	24.61	
S537P	0320099+425745	2209936		18.35	24.45	
S538P	0320409+342131	2047947		18.48	24.71	a
S539O	0321124-252612	12573	ESO 481-IG 024	18.72	23.91	
S540P	0321140+392755	2150261		18.38	23.8	
S541P	0321214+410128	2174500		18.56	23.9	
S542N	0321240+404615			18.66		
S543N	0321357-163343			18.39		
S544P	0321500-144955	919365		18.56	23.87	
S545P	0322015-075258	1011541		18.07	25.15	
S546N	0322247+294309			18.81		A
S547O	0322272-214144	824949	NPM1G -21.0116	18.06	23.48	
S548P	0323095-202908	841076		18.51	23.79	
S549O	0323372-354642	12691	ESO 357-G25	18.50	24.40	
S550N	0323598+121455			19.05		A
S551O	0324039+150608	90673	FGC 418	18.52	23.70	
S552O	0324073+174513	12719	UGC 2716	19.44	24.40	O
S553N	0325228+382538			18.31		
S554O	0325255+404623	12796	UGC 2724	18.46	24.23	
S555P	0325481+352504	2064213		18.03	23.92	a
S556O	0326029+411451	12830	UGC 2733	19.26	23.81	
S557O	0326130-344838	132173	FCCB 0359	18.06	23.20	
S558P	0326160-260832	771068		18.14	23.79	
S559P	0326240-263027	176172		18.15	23.78	
S560P	0326302+403207	213214		18.73	25.31	

Table 2h. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs..
S561P	0326355-012207	176180		18.33	23.70	
S562P	0326367-284021	738890		18.01	24.41	
S563P	0327077-194926	135058		18.66	23.05	
S564P	0327257-021304	1098383		18.34	24.39	
S565P	0327261-033736	176219		18.33	24.12	
S566P	0328112+355443	2071937		18.80	24.8	a
S567P	0328251-291842	730840		18.22	23.3	
S568N	0328366+390550			18.65		
S569O	0329088+412308	12967	CGCG 541-014	18.31	23.48	
S570O	0330021-152058	912390	NPM1G -15.0189	18.55	23.55	
S571O	0330496-343846	659447	FCCB 0676	18.40	24.21	
S572N	0331139-284709			18.72		
S573P	0331310-101701	980135		18.57	24.67	
S574O	0331383-250030	13094	ESO 482-G2	18.03	23.28	
S575O	0331455-334906	671105	FCCB 0739	18.33	23.62	
S576N	0332265+415857			18.02		
S577P	0333098+404615	2170678		18.33	24.3	
S578N	0333114+372306			18.26		a
S579N	0333218+363754			18.08		a
S580N	0333315+383346			18.27		
S581O	0333492-101502	13200	MCG -02-10-002	18.52	23.05	
S582P	0334037-193203	135049		19.25	23.67	
S583N	0334078-234336			18.65		
S584P	0334189+133015	1432686		18.62	24.62	a
S585P	0334273-231137	176350		19.01	23.17	
S586O	0334309-183944	13231	ESO 548-G45	18.09	23.92	
S587P	0334448-024651	1083042		18.63	24.55	
S588P	0334506-161502	900553		18.07	23.98	
S589P	0335004-003931	1137854		18.64	24.07	
S590O	0335467-300321	133048	APMBGC 418-077+005	18.47	23.30	
S591O	0336353-215514	135065	APMBGC 548-055+107	18.54	23.29	
S592P	0337054+262739	1777125		18.12	25.01	a
S593P	0337181-055515	1038883		18.63	25.08	
S594O	0337452-301258	133046	APMBGC 418-100+014	18.30	23.47	
S595N	0338017+352013			18.36		a
S596P	0338251-283145	740583		18.64	24.23	
S597P	0338269+124840	1416658		18.14	24.32	A
S598O	0338276-241213	134070	APMBGC 482+045-039	18.35	24.13	
S599O	0338330-052802	13421	MCG -01-10-014	18.44	24.03	
S600O	0338562+301522	13438	UGC 2807	18.84	24.61	O
S601O	0339214-212456	13460	MCG -04-09-043	18.79	23.17	
S602P	0339259-020133	1103619		18.22	23.59	
S603O	0339313-330639		FCCB 1339	18.80		
S604O	0339347+204231	1634156	NPM1G +20.0119	18.45	24.4	A
S605P	0339484+413210	2182626		18.80	24.58	
S606N	0339586+370010			18.47		a
S607N	0340131+410247			18.58		
S608O	0340343-011836	135683	KUG 0338-014	18.64	23.00	
S609P	0341024+421955	2196795		18.84	24.53	
S610P	0341049-152606	911276		18.49	23.73	
S611P	0342200+300939	1892676		18.08	24.28	A
S612O	0342295-205413	135043	APMBGC 548-130+053	18.35	22.99	
S613O	0342575-190111	13648	ESO 549-G2	19.15	23.78	O
S614P	0343306-195229	849334		18.27	23.63	
S615P	0345017+402601	2165718		18.22	24.29	
S616P	0345413-134418	933941		18.81	24.11	
S617N	0346139+223529			18.21		a
S618O	0346241-280736	133073	APMBGC 419+067-098	18.73	23.29	
S619P	0346273-035531	1065164		18.02	25.04	
S620O	0346353-274041	133072	APMBGC 419+065-122	18.43	23.23	
S621P	0348104-140456	929223		18.57	24.95	
S622P	0348449+122942	1410586		18.56	24.56	A
S623P	0349149+160505	90695		18.38		O
S624P	0349467-095611	984515		18.09	24.62	
S625P	0349496+143540	1462056		18.57	24.78	a
S626O	0350041-174513	13936	ESO 549-G27	18.56	23.72	
S627N	0350107+345319			18.90		a
S628P	0352040-061801	1034463		18.91	24.66	
S629P	0352275-062050	1033917		18.60	24.1	
S630P	0352541+192745	1593172		18.05	24.27	
S631N	0353196-315250			18.15		
S632O	0353382-335214	14046	ESO 359-G4	18.92	23.45	
S633P	0353405-164557	893853		18.44	23.89	
S634O	0354051-235311	142604	APMBGC 483+123-055	18.15	23.82	
S635O	0354154+363032	14068	UGC 2893	18.87	25.10	O
S636P	0354275-160333	902999		18.60	24.65	
S637P	0354437-091613	993120		18.89	24.69	
S638P	0355096+282040	1833185		18.08	24.32	A
S639N	0355523+395417			18.89		
S640P	0356435-172434	883745		18.41	23.69	

Table 2i. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs..
S641P	0357026-164640	893654		18.23	23.9	
S642P	0357115-272958	754047		18.15	24.46	
S643P	0357260-172604	883314		18.51	23.55	
S644P	0357438-191414	857979		18.59	24.58	
S645P	0358036+124505	1415508		18.66	24.44	a
S646N	0358047+384654			18.10		
S647N	0358052+123215			18.74		a
S648P	0358066+143907	1463532		18.12	24.65	a
S649O	0358108-223400	14180	ESO 483-G3	19.27	23.18	
S650N	0358386-020202			18.15		
S651P	0358443+281647	1831323		18.48	24.31	a
S652O	0359552+323649	14246	UGC 2915	18.10		O
S653P	0400345-195830	847928		18.58	24.03	
S654O	0401207+264925	14301	UGC 2924	18.35	23.87	O
S655P	0401554+230551	1681378		18.40	24.19	a
S656P	0402225+160138	1498974		18.58	24.44	a
S657P	0402296+163915	1513823		18.03	25.27	a
S658P	0402598+134515	1439552		18.15	25.63	a
S659P	0403121-282442	741998		18.71	24.36	
S660O	0403122-252754	134102	LSBG F483-013	18.76	23.57	
S661N	0403481-024459			18.38		
S662P	0404018+195936	1612699		18.71	23.85	A
S663P	0404260-105316	972528		18.13	24.57	
S664O	0404326-101802	14417	MCG -02-11-015	18.92	23.66	
S665P	0405286-155046	146055		18.89	23.15	
S666O	0405361-151137	146056	NPM1G -15.0204	18.12	23.32	
S667O	0405559-150858	14456	MCG -03-11-010	18.23	22.84	
S668N	0406181-032325			18.09		
S669P	0406267+204843	1636442		18.29	24.52	
S670N	0406535-013656			18.22		
S671P	0407357-265733	761688		18.61	24.72	
S672P	0407376-311718	176929		18.45	23.54	
S673P	0407531-220920	818435		18.83	24.47	
S674P	0408365-210352	135142	NPM1G -21.0135	18.05	24.05	
S675N	0408494-035237			18.18		
S676N	0409533+243427			18.78		a
S677N	0410098+251006			18.18		
S678N	0412312+371943			18.66		a
S679N	0412357+254402			19.06		A
S680N	0412434-021255			18.67		
S681O	0413129-122012	954325	NPM1G -12.0139	18.60	23.36	
S682P	0413159+232625	1687428		18.13	24.52	a
S683N	0413211+361816			18.92		A
S684P	0413455-161736	899985		18.28	24.14	
S685N	0413468+291419			19.03		a
S686O	0414013+264500	90703	FGC 470	18.99	23.41	A
S687P	0414170-290832	732831		18.13	23.5	
S688P	0414481-350814	652836		18.54	24.45	
S689P	0415596-072730	1018639		18.82	25.21	
S690N	0417090+200810			18.13		
S691P	0417277-065540	1026831		18.31	25.58	
S692P	0417283-033230	1069873		18.77	24.76	
S693P	0417297-134045	934702		18.50	23.45	
S694N	0417350-010744			18.22		
S695N	0418166+244733			18.43		a
S696N	0418169-155049			18.52		
S697P	0418219-144833	919662		18.11	23.79	
S698P	0419038-083040	1002779		18.06	25.06	
S699P	0419256-043728	1055625		18.51	23.85	
S700O	0419269-010124	14872	MCG +00-11-054	18.12	23.42	
S701P	0419438-014917	1109135		18.05	24.83	
S702N	0419465-003916			19.08		
S703O	0420037-140528	929115	NPM1G -14.0202	18.03	23.55	
S704P	0420342-120004	958996		18.56	23.32	
S705P	0421151-152431	911598		18.34	25.1	
S706P	0421290-024406	1084171		18.32	23.32	
S707P	0421373+323323	2002312		18.36	24.57	
S708N	0422078+351728			18.68		A
S709N	0422350-015812			18.41		
S710P	0422371-032249	1072075		18.38	23.81	
S711P	0423039-283821	739268		18.26	24.41	
S712N	0423115+270553			18.06		a
S713N	0423419+270952			18.63		a
S714P	0423486-183055	867176		18.20	24.37	
S715P	0423579-183235	866841		18.48	24.75	
S716O	0424115-121618	15030	MCG -02-12-012	18.50	23.22	
S717P	0424117-275613	146251		18.59	23.03	
S718N	0424412+161626			18.07		
S719N	0424437+170356			18.48		a
S720N	0424443+250341			18.08		a

Table 2j. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
(S721N)	(0424456+215937)			18.50		a
S722P	0425313-251205	781582		18.07	24.25	
S723P	0425439-072349	146281		18.01	23.27	
S724P	0425443-110928	969266		18.68	24.91	
S725P	0425540-100324	982946		18.46	24.06	
S726N	0426056-092627			18.58		
S727P	0426153-123952	138728		18.46	24.06	
S728P	0426586-184513	864155		19.02	24.13	
S729P	0427047-053801	1042265		18.28	25.45	
S730P	0427059-220911	818489		18.59	24.56	
S731O	0427154-375444	92074	FGCE 400	18.18	23.60	
S732P	0427394+125244	1418001		18.31	25.3	a
S733P	0428281-265147	762967		18.49	24.46	
S734P	0428484-012407	1119498		18.11	24.93	
S735O	0430120-125053	177353	AGC 440514	18.62	23.25	
S736P	0430343-295954	146341		18.38	23.32	
S737O	0430596-020012	15356	UGC 3070	18.44	23.66	O
S738O	0431375-321445	15400	ESO 421-G7	18.09	23.50	
S739N	0432265-134523			18.70		
(S740N)	(0432268-123902)			18.62		
S741N	0432467+163006			18.64		a
S742O	0433016-104846	15500	VV 468	18.04	23.39	
S743O	0433199-233923	798548	LSBG F484-005	18.29	24.44	
S744P	0435122-350658	653129		18.74	24.44	
S745P	0436174-334824	671292		18.07	23.99	
S746P	0436347-310641	709050		18.21	24.78	
S747N	0436386-140453			18.30		
S748N	0437210+205834			18.42		a
S749P	0438154-125015	177603		18.31	23.91	
S750P	0438350+294115	1874555		18.07	25.33	
S751O	0439016-183906	135148	IRAS 04368-1844	18.04	23.24	
S752N	0439319+193411			18.28		a
S753P	0439522-143529	922649		18.13	23.84	
S754N	0440041-360609			18.07		
S755N	0440089+251236			18.65		a
S756P	0440232-355559	642817		18.45	24.14	
S757P	0440409-091548	993201		18.30	23.83	
S758P	0440414-083931	1000846		18.46	24.43	
S759P	0441100-091225	993896		18.19	24.18	
S760P	0441329-370052	629621		18.16	24.57	
S761P	0441402-373933	619665		18.34	23.19	
S762P	0441444-014652	213291		19.07	24.47	
S763P	0442008-383700	607039		18.05	24.36	
S764O	0442189-261923	134212	APMBGC 485+069+072	18.24	23.21	
S765P	0442524-220153	146494		18.57	22.89	
S766N	0443104+290143			18.77		A
S767P	0443141-255044	134199		18.14	23.05	
S768P	0443198-153028	910290		18.54	23.93	
S769P	0443408-135421	177748		18.12	23.70	
S770P	0444190-154518	906921		18.31	24.07	
S771P	0444270-001315	1148837		18.69	24.21	
S772P	0444432-160117	903469		18.38	23.9	
S773N	0444445-150223			18.90		
S774P	0444465-162929	897469		18.16	23.65	
S775P	0444529-044639	1053623		18.04	24.94	
S776N	0446027+284054			18.74		a
S777O	0446327-115545	15979	MCG -02-13-003	19.29	23.23	
(S778P)	(0446362-255215)	774143		18.55	24.6	
S779N	0447562+235010			18.48		
S780P	0448356-235001	134178		19.08	23.10	
S781N	0448386+265821			18.22		a
S782O	0448583-320732	16073	ESO 421-G18	18.22	23.27	
S783P	0449007-331912	677941		18.82	24.12	
S784P	0449046-371328	626586		18.74	24.76	
S785N	0449068+171009			18.46		A
S786P	0449077-211955	146539		18.13	23.83	
S787P	0449235-093444	146559		18.51	23.71	
S788P	0450015-220442	819580		18.46	23.38	
S789N	0451145-194946			18.21		
S790O	0451172-300120	16161	ESO 422-G3	18.74	23.76	
S791N	0451218+271254			18.17		A
S792P	0451312+173814	1537658		18.07	25.11	A
S793O	0452478-141135	927809	NPM1G -14.0221	18.35	23.21	
S794P	0452566-064429	1029339		18.79	24.96	
S795P	0453089-091508	993352		18.05	23.68	
S796O	0453095-174222	16249	ESO 552-G18	18.81	23.7	
S797N	0453276-024122			18.32		
S798P	0453346-071910			18.26		
S799N	0453465-154634			18.64		
S800O	0454535-371915	16317	ESO 361-G19	18.60	24.10	

Table 2k. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S801P	0455166-195955	847586		18.85	23.64	
S802O	0455167-224338	16334	ESO 485-G24	18.45	23.27	
S803N	0455251-212015			18.06		
S804P	0456398-364736	632556		18.34	24.64	
S805P	0458179-141253	927507		18.71	24.81	
S806P	0458394-004856	1134023		18.93	24.54	
S807P	0459077-110532	970083		18.91	23.79	
S808N	0459090-211457			19.02		
S809N	0459137-065553			18.40		
S810P	0459156-113041	964862		18.20	23.47	
S811P	0459309-183931	865357		18.93	23.89	
S812P	0500008-384824	605007		18.53	23.99	
S813P	0500043-062024	1033995		18.61	24	
S814N	0500071-075804			18.49		
S815N	0500120-081159			18.30		
S816N	0500139-094101			18.24		
S817P	0500217-340845	146819		18.37	22.89	
S818N	0500437-092745			18.11		
S819O	0500484-363441	16546	ESO 361-G24	19.07	23.79	
S820O	0501048-354742	132279	APMBGC 361-123+045	18.01	23.06	
S821N	0501105-115036			18.36		
S822P	0501106-113644	963738		18.09	24.91	
S823O	0501414-200247	16577	MCG -03-13-056	18.03	21.87	
S824P	0502554-212108	829395		18.27	23.59	
S825P	0502598-183119	867094		18.09	24.21	
S826O	0503207-202649		GIN 238	18.53		
S827N	0503285-202711			18.19		
S828P	0503350-003652	1138967		18.23	23.72	
S829P	0503370-205119	836093		19.44	24.07	
S830P	0503448-232316	801451		18.38	23.25	
S831P	0503454-205850	834286		18.28	23.5	
S832P	0503513-232910	800364		18.55	24.61	
S833N	0503531+190758			18.19		a
S834P	0504190-010510	1127133		18.16	23.65	
S835P	0504279-010506	1127160		18.31	24.72	
S836N	0504398-045907			18.31		
S837O	0505480-194854	16727	ESO 552-IG 070	18.94	22.89	
S838N	0505489-075919			18.04		
S839P	0505520-211051	831622		18.45	23.27	
S840P	0505548-181415	870772		18.47	25.05	
S841P	0505560-270406	760239		18.78	24	
S842O	0506022-274804	16736	ESO 422-G29	18.08	22.66	
S843P	0506080-351111	652208		18.63	23.93	
S844O	0507352-162901		NPM1G -16.0208	18.11		
S845P	0507364-063456	1031174		18.08	24.01	
S846O	0507406-015848	92883	FGC 80A	18.34	24.55	
S847O	0507417-110507		NPM1G -11.0179	18.61		
S848O	0507448-193726	16782	ESO 553-G6	19.16	23.63	
S849P	0508198-255213	774145		18.61	24.13	
S850P	0508426-165745	16809	MCG -03-14-004	18.30		
S851P	0508448-370916	627601		18.57	23.74	
S852P	0509564+162522			19.15		
S853P	0510046-352033	650140		18.16	24.66	
S854P	0510065-005853	1129847		18.08	23.79	
S855P	0510307-080701	147079		18.24	23.16	
S856P	0510337-202336	842381		18.80	23.13	
S857N	0511570+134808			18.50		
S858N	0512141-211008			18.88		
S859P	0514388-302027	718370		18.08	24.2	
S860P	0514543-261946	769023		19.01	24.8	
S861N	0514566+191925			18.67		
S862P	0515110-192246	856050		18.85	24.09	
S863P	0515328-183852	865508		18.14	23.52	
S864P	0516215-225937	92123	FGCE 475	18.58	24.19	
S865P	0518154-101435	980621		18.22	24.52	
S866N	0520289+161402			18.32		a
S867N	0520534+145547			18.01		
S868P	0522199+174913	1542586		18.27	25.03	A
S869P	0523068-262930	767248		18.67	24.43	
S870P	0523425-224502	809420		18.13	24.34	
S871P	0523467-121134	956376		18.39	23.23	
S872P	0524076-084040	147433		18.14	22.88	
S873N	0524511-291424			18.87		
S874P	0525099-351254	651796		18.27	23.72	
S875P	0525330-313051	704285		18.26	23.52	
S876P	0525363-312419	705558		18.93	23.12	
S877N	0526006-322829			18.41		
S878N	0526165-312435			18.78		
S879P	0526192-282726	741444		18.28	23.9	
S880P	0526237-252547	147516		18.26	23.13	

Table 21. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs..
S881P	0526376–265141	762993		19.00	23.14	
S882P	0527141–150430	178449		18.12	23.33	
S883N	0527377–315755			18.04		
S884P	0528288–340630	667027		18.66	24.42	
S885P	0528384–223125	812892		18.44	24.39	
S886O	0528539–205613	17337	ESO 554-G1	18.33	23.31	
S887P	0528577–252541	779102		18.75	24.78	
S888P	0529075–195601	17340	ESO 554-G2	18.53	23.41	
S889P	0529123–344613	657788		18.35	24.37	
S890N	0529128–341344			18.02		
S891N	0529149–240714			18.17		
S892N	0530038–083153			18.23		
S893N	0530500–120358			18.19		
S894O	0532147–213253	17406	ESO 554-G8	18.05	22.79	
S895N	0533249–010624			18.22		
S896N	0534309–105353			18.41		
S897O	0536049–325452	17499	MCG -05-14-008	18.20		
S898N	0536113+513705			18.50		
S899N	0536472–003914			18.47		
S900O	0537139–203358	17522	ESO 554-G21	19.06	23.65	
S901P	0538224–261220	770321		18.62	24.63	
S902P	0539069–113001	965017		18.20	24.43	
S903O	0539215–292221	17559	ESO 424-G5	18.62	23.25	
S904P	0541171–150658	915505		18.78	23.8	
S905O	0543523–262758	17669	ESO 488-G2	18.02	22.88	
S906N	0544052–035519			18.13		
S907P	0544134–190613	147841		18.70	23.08	
S908N	0544144–111627			18.59		
S909N	0544308–064649			18.08		
S910N	0545001–110929			18.46		
S911P	0545043–255026	17719		18.28	23.65	
S912N	0545569–091903			18.53		
S913P	0546185–255036	75412		18.21	24.25	
S914N	0546584–025352			18.20		
S915P	0547041–222910	813492		18.40	24.48	
S916P	0547262–193158	147979		18.25		
S917P	0549411–341556	664796		18.40	23.82	
S918P	0549416–045955	1050665		18.20	25.07	
S919P	0549576–251729	17955		18.08	23.99	
S920P	0550314–134344	934063		18.65	24.64	
S921P	0550416–321159	695473		18.24	24.2	
S922P	0550430+475826	2307986		18.42	24.67	
S923P	0551346–045813	1051035		18.25	24.82	
S924P	0551385–243102	2800796		18.01		
S925P	0551448–252941	778316		18.41	24.45	
S926P	0554544–003828	148100		18.14	24.23	
S927N	0555151–064144			18.67		
S928N	0556388–001531			18.21		
S929P	0556522–052308	178737		18.38	23.41	
S930P	0601223–204425	837594		18.26	23.73	
S931P	0603368+465108	2288239		18.09	23.39	
S932P	0603500–130001	944517		18.36	24.17	
S933P	0604013–270525	759949		18.74	23.62	
S934P	0605102–215550	821692		19.39	24.31	
S935P	0606436–031705	1073450		18.21	24.7	
S936N	0607466–035426			18.64		
S937P	0608015–191725	857281		18.57	25.03	
S938N	0608195–122406			18.03		
S939P	0608550+432510	2220328		18.30	24.37	
S940P	0609335–204052	838374		18.05	23.98	
S941O	0612083–233217	18601	ESO 489-IG15	18.03	22.73	
S942P	0612316+434435	2228094		18.17	23.89	
S943N	0614258+453940			18.46		
S944P	0614408+504356	2380781		18.36	25.32	
S945P	0615572–155805	904095		18.94	25.12	
S946P	0616048–131026	148592		18.23	23.31	
S947P	0616224–132716	937774		18.04	23.26	
S948P	0616307+465823	2290233		18.09	24.32	
S949P	0617168+492346	2341755		18.16	24.37	
S950P	0618494–242207	790691		18.26	23.97	
S951O	0619597+512537	18825	UGC 3443	18.81	24.24	
S952P	0620216+532424	2440232		18.18	24.88	
S953P	0622381–230802	804390		18.01	23.96	
S954P	0624563–354330	179432		18.26	23.23	
S955P	0625254–325441	683988		18.45	23.56	
S956P	0625505–223417	812170		18.69	23.8	
S957P	0630168+391833	2147453		18.24	24.6	
S958P	0632422+445932	2256653		18.89	25.28	
S959P	0634169–333417	674568		18.42	24.97	
S960P	0634273–240239	794243		18.41	23.46	

Table 2m. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs..
S961P	0634292-342401	662842		18.35	23.91	
S962P	0634533-221855	816078		18.63	24.23	
S963P	0635066+531344	2435179		18.07	24.16	
S964P	0635071+510910	2389278		18.59	24.76	
S965P	0636367+512920	2394958		19.23	24.56	
S966P	0640168-365545	630799		18.15	24.71	
S967O	0640200-170224	75942	CGMW 1-0300	18.96	24.81	
S968P	0640428+300108	1887003		18.01	25.59	a
S969P	0641189+533505	2445168		18.41	24.79	
S970N	0642211+530411			18.46		
S971P	0643019-361312	179758		18.89	22.93	
S972P	0645081-301758	718916		18.01	23.58	
S973P	0646153+434328	2227656		18.12	23.83	
S974P	0647170+324132	2008383		18.09	24.44	
S975P	0650548+470838	2293097		18.16	23.32	
S976O	0651209-293533	19733	ESO 427-G14	18.76	23.48	
S977N	0652072+325615			18.54		a
S978P	0652083+240320	1698831		18.38	24.98	
S979P	0652101+420646	2192609		18.52	23.91	
S980P	0653510-265952	76219		18.32	23.59	
S981P	0654159+250610	1725530		18.39	24.19	
S982P	0654443-344135	658790		18.38	25.21	
S983P	0655127+472718	2298519		19.00	24.65	
S984P	0655480-365427	631074		18.48	23.17	
S985P	0656009-353349	647359		18.57	24.64	
S986P	0656158+392645	2149910		18.81	24	
S987P	0656329-384800	605083		18.66	25.15	
S988P	0656368+214708	1657240		19.14	24.4	
S989P	0656387+195403	1609491		18.29	24.28	a
S990P	0657589+425933	2210576		18.03	24.66	
S991N	0658094+222151			18.27		a
S992P	0658098+220545	1663418		18.32	24.21	a
S993P	0658166+441216	2239051		18.36	24.13	
S994P	0700514+473556	2301026		18.57	23.71	
S995P	0702304-283218	740471		18.63	23.65	
S996P	0702577-381154	611796		18.34	23.59	
S997P	0704128+184613	1569747		18.71	23.95	a
S998P	0704239+205518	143088		18.42	25.12	O
S999P	0704252+245205	1718701		18.37	25.23	a
S1000P	0704335+475336	2306394		18.26	23.62	
S1001P	0704363+261643	1770102		18.39	24.25	a
S1002N	0705213+223658			18.69		a
S1003P	0705392+403102	2166972		19.06	24.72	
S1004P	0705430-312613	86012		18.30	23.57	
S1005P	0706340+204200	1633959		18.14	23.96	a
S1006O	0706520+441627	86344	KUG 0703+443	18.82	24.18	
S1007P	0706538+455536	2272589		18.88	24.09	
S1008P	0707055+413904	2184556		18.76	24.19	
S1009P	0708345+350120	2058199		18.44	24.21	a
S1010P	0709506-353024	648054		18.09	23.86	
S1011P	0709531-381919	610296		18.39	25.26	
S1012P	0710189+522120	2412889		19.11	24.87	
S1013P	0710286-344558	657847		18.18	23.89	
S1014N	0710351+504742			18.57		
S1015P	0711116+233146	1688965		18.23	23.63	A
S1016P	0711168+453839	2268299		18.57	23.55	
S1017O	0711278+311121	20355	CGCG 146-036	18.12	23.34	A
S1018P	0711352+435336	2231700		18.57	25.79	
S1019O	0712255+234310	200233	UGC 3737	18.60	24.65	
S1020P	0713033+232356	1686712		18.27	24.16	a
S1021P	0713075+445541	2255222		18.22	23.71	
S1022P	0713331+455913	2273524		18.93	24.64	
S1023P	0713355+340149	2042757		18.85	24.49	
S1024P	0715280+235241	1695360		18.05	23.73	a
S1025P	0715472+193058	1595261		18.66	24.31	A
S1026P	0716199+372950	2102178		18.40	25.09	
S1027N	0717407+462431			18.59		
S1028P	0718097+431625	2216897		18.37	24.61	
S1029N	0718419+380206			18.69		
S1030P	0719128+401333	2162618		18.51	24.88	
S1031P	0719193+225836	1679277		18.07	24.76	
S1032P	0720051+504312	2380517		18.03	23.71	
S1033P	0720185+234903	1694275		18.14	24.26	a
S1034N	0720375+481255			18.19		
S1035O	0721585+292950	20814	CGCG 147-013	18.08	23.61	a
S1036P	0722426+200807	1617572		18.05	24.34	a
S1037P	0726545-385059	604523		18.34	24.36	
S1038P	0727573+302753	1904896		18.15	24.52	
S1039O	0729439+334124	21136	UGC 3879	18.57	24.48	O
S1040P	0730350+181644	1555098		19.01	23.69	a

Table 2n. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs..
S1041P	0731059+474555	2304003		18.79	24.85	
S1042P	0731070+412539	2180950		18.10	24.39	
S1043O	0732327+361206	21241	KUG 0729+363	18.21	23.32	A
S1044O	0733006+392506	139027	B3 0729+395 ID	18.11	24.24	
S1045O	0734342+212549	1649818	NPM1G +21.0165	18.02	23.7	a
S1046O	0734512+333218	21324	UGC 3913	18.59	24.23	
S1047P	0735148+230634	1681613		19.16	24.31	A, P
S1048P	0736480+270247	1796259		18.81	24.46	
S1049P	0739164-001041	1149933		18.57	24.22	
S1050O	0739291+181044	21504	CGCG 087-025	18.33	23.87	A
S1051O	0740051+435403	2231876	NPM1G +44.0081	18.03	23.4	
S1052P	0740139+440517	2236313		18.79	23.77	
S1053O	0741001+125828	1420032	NPM1G +13.0153	18.03	23.48	a
S1054P	0742289+310556	1931577		18.84	24.6	
S1055P	0742599-011132	1124570		18.19	23.6	
S1056P	0743221+000441	1156518		18.87	24.38	
S1057O	0744364+380240	21686	CGCG 177-045	18.37	23.30	
S1058P	0745277+341023	2045032		18.12	24.37	A
S1059O	0746143+464455	21746	KUG 0742+468	18.41	23.77	
S1060P	0747007+264315	1786279		18.96	25.38	
S1061P	0747033+181120	1552617		18.47	24.81	A
S1062O	0747163+265703	21796	IC 0476	18.41	23.23	A
S1063P	0747231+222040	1668196		18.25	23.53	a
S1064O	0747553+340212	78450	KUG 0744+341	19.35	23.41	
S1065O	0748160+183255	21842	CGCG 087-040	18.42	23.44	a
S1066O	0748516+362320		FGC 663	18.32		
S1067P	0750442+302046	1900121		18.10	24.24	
S1068O	0751037+175745	21978	UGC 4058	18.93	24.77	O
S1069O	0752015+440100	22038	CGCG 206-034	18.12	23.39	
S1070P	0752123+313800	1956684		18.18	24.25	
S1071P	0752172-054407	78753		18.23	23.20	
S1072P	0752339-045624	78777		18.44	22.73	
S1073P	0752471+150449	1474712		18.60	24.18	a
S1074P	0753295+140122	1447100		18.19	24.02	A,P
S1075O	0754177-042211	1059136	NPM1G -04.0235	18.50	23.78	
S1076P	0754330+230346	1680751		18.78	24.21	a
S1077O	0754519+454920	22164	KUG 0751+459	18.24	22.93	
S1078N	0755037+135034			18.66		a
S1079O	0755068+425727	90804	FGC 681	19.09	24.23	
S1080O	0755104+142213	22178	CGCG 058-070	18.77	24.31	A
S1081P	0755273+440145	2234838		18.25	24.68	
S1082P	0756012+214745	1657432		18.36	24.56	a
S1083O	0756250+292809	22241	CGCG 148-070	18.93	23.41	A
S1084P	0757354+292500	1865628		18.01	24.65	
S1085N	0757595+460048			18.31		
S1086P	0758032+144144	1464653		18.86	23.89	a,P
S1087P	0759352+241455	1702995		18.28	24.22	a
S1088N	0800243-043030			18.17		
S1089N	0800437+520842			18.03		
(S1090O)	(0800463+294452)	22472	CGCG 148-090	18.87	22.99	A
S1091O	0801222-091100	994202	NPM1G -09.0244	18.19	24.3	
S1092P	0802223-051410	1047423		18.09	23.86	
S1093P	0802276+305301	1922147		18.27	24.47	a
S1094P	0802290-001647	1147327		18.39	25.08	
S1095P	0802395+162202	1507084		18.80	24.56	a
S1096P	0803069-000511	1152265		18.48	23.74	
S1097P	0804058-110718	969716		18.51	24.39	
S1098P	0804593-020846	180510		18.54	23.69	
S1099O	0805041+294321	22688	CGCG 148-109	18.39	22.98	A
S1100O	0805478+301350	22726	CGCG 148-111	18.45	23.67	a
S1101P	0806432-035639	1064945		18.46	24.86	
S1102O	0806581+460822	22774	MCG +08-15-039	18.90	23.96	
S1103P	0807110+154513	1492534		18.09	24.11	a
S1104N	0807146+152700			18.02		a
S1105P	0807392+474802	2304648		18.18	24.11	
S1106N	0808130+162210			18.17		a
S1107O	0808232+333322	79944	KUG 0805+337	18.95	24.21	a
S1108P	0808498-064105	1030022		18.82	23.2	
S1109O	0809021-123326		CGMW 1-2239	18.28		
S1110P	0809057-094455	986932		18.29	24.7	
S1111O	0810474+465445	22941	UGC 4258	19.70	24.57	O
S1112P	0810524+473111	2299663		18.16	24.8	
S1113O	0811132+393817	2153267	FGC 723	18.08	25.5	
S1114P	0811236+420803	2193062		18.77	25.21	
S1115P	0812431+492745	2343686		18.01	23.66	
S1116P	0813405+515314	2402017		18.35	24.54	
S1117P	0814239+511510	2391035		18.84	24.25	
S1118N	0814488-054035			18.49		
S1119N	0815140-073246			18.71		
S1120P	0815274+440413	2235891		18.10	24.64	

Table 2o. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
S1121P	0815524-105034	973066		18.31	25.15	
S1122N	0816236+222258			18.02		a
S1123P	0817159+245356	1719550		19.38	24.2	a
S1124N	0817345+433025			18.88		
S1125P	0817587-011430	1123431		18.32	23.74	
S1126P	0818014+200941	1618445		18.25	24.12	a
S1127P	0818435-051612	1046998		18.15	23.6	
S1128N	0818491-073016			18.35		
S1129P	0819082+215047	1658479		18.62	24.11	
S1130P	0820036+392834	2150452		18.29	25.03	
S1131P	0820233+352443	2064113		18.08	24.17	a
S1132P	0820542+352929	2065321		18.31	25.42	a
S1133P	0820559+410804	2176220		18.12	23.96	
S1134O	0822442-081821	180710	NPM1G -08.0239	18.21	22.96	
S1135P	0822532-090326	180715		18.43	23.48	
S1136P	0823238+193101	1595283		18.01	24.12	a
S1137N	0823253-154415			18.53		
S1138O	0823396+181800	23554	CGCG 089-013	18.48	24.36	A
S1139P	0823474-000845	180741		18.36	23.37	
S1140O	0824027-002219	23571	CGCG 004-012	18.19	23.09	
S1141O	0824171+302908	23583	KUG 0821+306	18.24	24.08	A
S1142N	0824374+122230			18.16		
S1143P	0824599-100849	180848		18.31	23.72	
S1144O	0826055+214003	23661	UGC 4400	18.99	23.80	O
S1145O	0826194+225235	23671	KUG 0823+230A	18.63	23.71	O
S1146P	0827121-145738	917650		18.21	23.58	
S1147P	0827149-155220	905375		18.31	23.24	
S1148P	0827263-013125	1116646		18.44	24.07	
S1149P	0827300+452934	2265861		18.76	24.66	
S1150O	0828162+220205	23757	KUG 0825+222	19.34	24.14	O
S1151O	0828404+385721	23783	MCG +07-18-006	18.67	22.59	
S1152O	0828513+135937	1446299	NPM1G +14.0160	18.06	24	a
S1153P	0829166+174040	1538701		18.38	24.34	a
S1154P	0829183-073456	152639		18.51	23.45	
S1155P	0829353+192901	1593979		18.72	24.18	A,P
S1156P	0829527-105256	972595		18.23	25.44	
S1157O	0830541+201452	23882	CGCG 089-038	18.72	24.03	A
S1158O	0832194+311127	23946	KUG 0829+313	18.76	23.45	A
S1159P	0832351+262617	1776283		18.46	23.82	a
S1160P	0832397+340802	2044400		18.01	25.21	
S1161P	0833064+211848	1647457		18.59	24.81	a
S1162P	0834014-081032	1007193		18.58	23.76	
S1163O	0834174+143251	24056	CGCG 089-048	18.38	24.02	a
S1164P	0834570+322655	1997387		18.22	24.74	a
S1165P	0835453+384449	2135485		18.21	23.81	
S1166P	0836082-202308	842484		18.24	24.21	
S1167P	0836098-150543	180971		18.25	23.41	
S1168N	0836278-131900			18.21		
S1169N	0836372-131856			18.11		
S1170P	0836599+471102	2293811		18.67	24.48	
S1171P	0837150-124755	947443		18.86	24.06	
S1172P	0837180-014138	1112579		18.22	23.75	
S1173P	0837214-130042	944336		18.63	24.5	
S1174P	0837290-055324	1039227		18.93	23.81	
S1175P	0838095-195338	849093		18.72	24.22	
S1176O	0838337+355458	24300	KUG 0835+360	18.57	22.10	
S1177P	0838597+371929	2098041		18.43	24.29	
S1178P	0839382+253418	1741441		18.65	23.89	a
S1179O	0839409+390007	90863	FGC 777	18.77	23.56	
S1180P	0839420-070911	1023643		18.91	23.12	
S1181P	0839549-065618	1026702		18.13	24.48	
S1182P	0841354-064132	153130		18.17	23.29	
S1183O	0843343-102524	978396	NPM1G -10.0264	18.66	23.13	
S1184O	0844080+504423	24514	MCG +09-15-004	18.43	23.63	
S1185P	0844122+425930	2210554		18.19	24	
S1186P	0844460-164035	895147		18.91	23.9	
S1187P	0844519-133427	181132		18.07	23.69	
S1188O	0844575-201154	24578	ESO 563-G18	19.13	23.18	
S1189P	0846189+283336	1839359		18.11	24.37	a
S1190N	0846444-150545			18.59		
S1191P	0847019-173745	880134		18.90	23.23	
S1192O	0847070+275224	24677	CGCG 150-030	18.73	23.76	A
S1193P	0848107-094515	986861		18.04	24.04	
S1194O	0848176+165733	24738	CGCG 090-013	18.18	24.28	A
S1195O	0848187-030109	24737	CGCG 005-008	18.54	23.60	O
S1196P	0848449+110655	1389012		18.16	23.78	
S1197P	0849521+265311	1791318		18.33	24.78	a
S1198P	0850403-150733	915373		18.40	25.13	
S1199P	0851105-054229	1041372		18.07	24.76	
S1200P	0851348-045247	1052248		18.41	23.83	

Table 2p. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K_5}	$\mu_{B_{25}}$	Obs.
S1201P	0851505+192933	1594342		18.71	23.81	
S1202P	0852380-052522	1044922		18.24	25.18	
S1203N	0853537-205523			18.09		
S1204O	0854301-095314	985162	NPM1G -09.0290	18.25	23.83	
S1205P	0854548-160918	901755		18.24	23.76	
S1206O	0855023+264031	25028	CGCG 150-045	18.35	23.08	
S1207P	0855230-163031	897214		18.11	24.56	
S1208O	0856118+310754	25091	CGCG 150-046	18.84	23.62	a
S1209O	0856151+374520	86872	KUG 0853+379	18.45	23.33	
S1210P	0856176+461047	2276776		18.23	23.94	
S1211P	0856439+445349	2254496		18.57	23.83	
S1212N	0856498+214950			18.73		a
S1213P	0857172+201758	1623132		18.85	24.43	a
S1214P	0857301-182745	867856		18.45	24.07	
S1215P	0857312-050402	153314		18.38	22.92	
S1216P	0857383-190238	153320		18.45	23.00	
S1217O	0857549+200713	25183	MCG +03-23-023	18.06	23.00	a
S1218P	0858375-103746	975804		18.49	23.82	
S1219P	0859147+455146	2271597		18.60	23.87	
S1220P	0859471+131904	1428041		19.27	24.51	
S1221P	0900176+200724	1617163		18.36	24.36	
S1222O	0900316+172239	25301	UGC 4724	19.03	23.24	O
S1223N	0900332+161408			18.43		a
S1224O	0900416+173717	25309	UGC 4729	18.52	23.60	O
S1225N	0901085+172720			18.64		
S1226O	0901122+130240	25336	CGCG 061-039	18.41		A
S1227P	0902071+342936	2050068		18.88	24.56	a
S1228P	0902086+204030	1633380		18.55	24.63	
S1229P	0902301-185807	153390		18.35	22.97	
S1230O	0902449-204251	25407	ESO 564-G10	18.54	23.36	
S1231P	0903115+272939	1809811		18.83	24.58	a
(S1232O)	(0903531-102638)		NPM1G -10.0280	18.43		
S1233P	0903584+204346	1634616		18.29	23.29	
S1234P	0904356-094519	153427		18.27	23.03	
S1235P	0904504+421519	25492		18.01	23.55	
S1236N	0905034+430256			18.46		
S1237P	0905090-071509	1022035		18.75	25.23	
S1238P	0905254+231056	1682899		18.19	23.78	a
S1239N	0905266-113525			18.44		
S1240P	0906454+194546	1604594		18.51	24.98	
S1241O	0906584+175748	25576	CGCG 090-075	18.16	23.56	a
S1242P	0907019+133229	1433735		18.71	25.28	
S1243O	0907047+360646	86893	KUG 0903+363B	18.32	23.76	a
S1244P	0908268+380636	2118055		18.62	24.51	
S1245P	0908571+213243	1652257		18.11	24	a
S1246P	0908571+205445	1638637		18.83	24.67	
S1247P	0909214+185231	1573168		18.65	24.42	
S1248O	0909251-014432	25789	CGCG 006-009	18.20	22.63	
S1249P	0911010-090922	25891		18.21	23.16	
S1250P	0911052+200410	1615268		18.08	24.29	
S1251P	0911564+474501	2303729		18.63	24.73	
S1252P	0912037-103056	977240		18.85	24.29	
S1253P	0912124-165334	181642		18.47	23.40	
S1254P	0912198-171755	885533		18.49	24.33	
S1255P	0912441+395653	2158213		18.12	24.57	
S1256O	0913216+452114	25995	KUG 0910+455	18.63	23.22	
(S1257P)	(0914349-092128)	992068		18.01	23.28	
S1258O	0914393+264158	26061	CGCG 151-033	18.23	23.1	a
S1259P	0915232+312107	1943146		18.26	24.18	a
S1260P	0915305-012252	1120001		19.10	24.2	
S1261O	0915317-051711	90906	FGC 864	18.62	23.81	
S1262O	0916040+585844	26137	MCG +10-13-070	18.58		
S1263N	0916114-004150			18.32		
S1264O	0916473+342547	26189	NGC 2793	18.02	22.27	
S1265N	0917001+541041			18.72		
S1266P	0917154+280333	1825184		18.22	23.78	
S1267O	0917168+320109	26225	UGC 4908	18.05	23.67	
S1268P	0917207-052306	1045403		19.10	24.84	
S1269P	0917494+235708	1696766		18.47	24.17	
S1270P	0918002+533702	2446097		18.09	24.25	
S1271O	0918030+541131	26264	UGC 4911	18.84	23.89	
S1272P	0918413-091924	992476		18.37	23.57	
S1273N	0918509-233732			18.46		
S1274P	0919166-070155	1025402		18.80	24.97	
S1275O	0919588+171617	26393	CGCG 091-071	18.81	23.89	A
S1276O	0920116+163149	26405	CGCG 091-072	18.58	23.62	a
S1277O	0920127+540628	2459974	CGCG 264-101	19.09	23.79	O
S1278P	0920200+273120	1810622		19.10	24.79	
S1279P	0921126+435124	2230803		18.25	24.32	
S1280P	0921241-102503	978468		18.54	24.09	

Table 2q. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K_5}	$\mu_{B_{25}}$	Obs.
S1281P	0922183+403404	2167756		18.27	23.98	
S1282P	0922268+230544	1681359		18.17	23.44	
S1283O	0922354+205106	86616	LSBC F565-01	18.64	23.56	O, A
S1284P	0923013-010302	1128010		18.44	24.35	
S1285P	0923019-024450	153935		18.22	23.36	
S1286P	0923252-024614	1083293		18.38	24.28	
S1287P	0923531+200242	1614452		18.10	24.04	
S1288P	0924006+573128	2567217		18.15	24.45	
S1289P	0924021+185856	1576619		18.22	24.25	
S1290P	0925159+165633	1520768		18.25	24.42	a
S1291P	0925234-132444	938322		19.06	24.39	
S1292P	0925238+150502	1474814		18.62	24.37	
S1293P	0925378-103503	976412		18.97	24.11	
S1294O	0925499+470537	82392	KUG 0922+473	18.13	23.31	
S1295O	0927160-200958		NPM1G -19.0285	18.78		
S1296P	0927230-231047	803855		18.23	23.23	
S1297O	0927248+334154	26814	MCG +06-21-038	18.34	24.13	
S1298P	0927574-055002	26861		19.02	24.48	
S1299P	0929205+305041	1920457		18.34	24.07	
S1300P	0930409-074505	1013597		18.39	24.16	
S1301O	0931383+305832	27052	KUG 0928+311	18.95	22.59	
S1302P	0931464+325634	2018166		18.23	24.9	
S1303O	0932452+333820	82424	KUG 0929+338	18.57	23.76	a
S1304O	0933170+343734	82426	KUG 0930+348	18.37	23.58	a
S1305O	0933543+340342	27171	KUG 0930+342	18.01	23.87	a
S1306O	0934227-142901	924050	NPM1G -14.0305	18.25	24.46	
S1307P	0935289-141518	926979		18.79	24.05	
S1308P	0935300-170050	890137		18.01	23.09	
S1309N	0935464-120751			18.02		
S1310O	0936142+172905	27320	CGCG 092-009	18.65	22.73	A
S1311O	0936581+311952	27367	KUG 0934+315A	18.74	23.83	a
S1312N	0937153-212506			18.30		
S1313O	0937307+351019	82482	KUG 0934+353	18.14	24.26	
S1314O	0937562-031604	27433	CGCG 007-014	18.43	23.45	
S1315O	0938427-122007	954341	IRAS F09362-1206	18.39	24.52	
S1316P	0938549-185042	154163		18.28	23.29	
S1317O	0939167+321838	27534	KUG 0936+325A	18.74	21.31	A
S1318P	0939406+402506	2165499		18.39	23.96	
S1319O	0939535+272848	27577	KUG 0936+277	18.13	23.39	
S1320O	0939559-230311	27578	ESO 498-G18	19.34	24.43	
S1321O	0940318+285809	27613	UGC 5154	18.20	24.25	O
S1322P	0940365+240310	1698776		18.07	24.31	
S1323O	0940379+193449	27618	CGCG 092-027	18.04		A
S1324O	0940505+265531	27633	CGCG 152-046	18.29	23.12	
S1325P	0941142-223645	811497		18.49	25.15	
S1326O	0942002+192507	27710	CGCG 092-031	19.33	25.19	A
S1327P	0942555-205517	181805		18.19		
S1328P	0943557-175741	874775		18.97	24.09	
S1329P	0944233+344457	2053971		18.27	24.29	
S1330O	0944381+393300	27906	KUG 0941+397	18.32	23.56	
S1331O	0945141-024220	1084837	NPM1G -02.0238	18.17	23.36	
S1332O	0945301-030158	27963	CGCG 007-029	18.48	23.04	
S1333O	0945454+335212	27987	UGC 5217	19.12	24.27	A
S1334P	0945560+433354	2223801		18.18	24.19	
S1335N	0946084+172442			18.32		
S1336P	0946171-005726	1130445		18.21	24.51	
S1337P	0946174-010339	1127764		18.16	24.44	
S1338O	0947046+322912	82532	KUG 0944+327	18.16	23.71	
S1339P	0947234+201429	1621140		18.54	23.64	
S1340O	0948411+342300	82540	KUG 0945+346	18.49	23.40	
S1341P	0949465+472220	2297006		18.28	24.77	
S1342O	0950100+342453	28304	KUG 0947+346	18.94	24.05	A
S1343P	0951272+174830	1542262		18.60	24.65	
S1344O	0951286-050134	28392	MCG -01-25-051	18.20	23.52	
S1345O	0951538+145555	28409	CGCG 092-059	18.54	22.94	A
S1346P	0952413-060610	1036726		18.53	24.28	
S1347P	0952424-184111	864975		18.45	24.58	
S1348P	0952513-112216	966595		18.70	23.88	
S1349P	0954051-025343	1080438		18.28	24.04	
S1350P	0954294-161227	901109		18.58	23.61	
S1351P	0954311-153810	908508		18.20	24.28	
S1352P	0954411+392853	2150534		18.38	24.19	
S1353O	0954413+462216	28585	KUG 0951+466	18.05	23.12	
S1354N	0955204+244552			18.15		
S1355P	0955454+220442	1663073		18.86	24.84	
S1356P	0956024-015929	1104589		19.21	23.56	
S1357O	0956042+163053	1510621	LSBC F637-01	18.01	24.03	A
S1358P	0956112-015219	181948		18.17	23.79	
S1359P	0956336+270132	1795626		18.03	23.34	
S1360P	0956520+260106	1759380		18.89	24.39	

Table 2r. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K_5}	$\mu_{B_{25}}$	Obs.
S1361P	0957323+362028	2079003		18.35	24.84	
S1362P	0957582-102515	978434		18.49	24.26	
S1363O	0958061+371733	28795	UGC 5349	19.27	24.33	O
S1364N	0958191+380712			18.35		
S1365P	0958310+400342	2159976		18.03	23.77	
S1366P	0958448-105033	973069		18.90	24.02	
S1367O	0958591+452936	82562	KUG 0955+457	18.24	23.63	
S1368P	0959284-190251	182057		18.46		
S1369P	0959306-194214	851652		18.73	24.54	
S1370P	0959561-074046	1014843		18.55	23.44	
S1371P	1000110-072622	1018967		18.34	23.11	
S1372P	1001314-200235	847030		18.17	23.96	
S1373P	1001367-211153	831383		19.23	23.08	
S1374O	1001471-190444	92279	FGCE 0789	18.83	24.23	
S1375P	1002242-050508	182087		18.35	23.42	
S1376O	1002292-030214	29074	CGCG 008-026	18.91	23.01	
S1377P	1004122+115133	1399915		18.66	25.22	
S1378P	1004152-025120	1081317		18.35	24.55	
S1379P	1005373-163725	895797		18.44	24.51	
S1380N	1007219-140800			18.10		
S1381P	1007587+464822	2287474		18.63	23.91	
S1382P	1010483-164427	894202		19.36	23.14	
S1383O	1011535-000337	29700	CGCG 008-065	18.14	23.00	
S1384P	1011568-002825	1142468		18.51	24.67	
S1385O	1012342-024802	112646	LCLG -03 006.03	18.12	23.4	
S1386P	1013053-001129	82609		18.25	23.13	
S1387P	1013351+233359	1689615		18.39	23.85	
S1388O	1013451-024839	29817	CGCG 008-076	18.34	23.51	
S1389O	1014065-024904	112663	LCRS B101134.2-023410	18.35	23.7	
S1390P	1014176-005713	29859		18.28	24.06	
S1391O	1014285+155410	29866	UGC 5526	18.42	23.64	
S1392P	1014289-011352	82635		18.45	23.33	
S1393P	1014378+154135	1491035		18.31	24.85	
S1394P	1014512+122957	1410655		18.13	24.41	
S1395P	1015200+204622	1635601		19.36	24.91	
S1396P	1015460-083452	154988		18.21	23.16	
S1397O	1015510-023853	1086290	LCRS B101318.7-022356	18.90	23.76	
S1398P	1016048+470846	2293140		18.49	24.24	
S1399O	1016143-030941	1075396	FGC 1044	18.80	25.25	
S1400O	1016155+410959	29990	KUG 1013+414	18.50	23.45	
S1401P	1016351-083315	1002231		18.17	23.76	
S1402O	1017093+361206	86920	KUG 1014+364	19.00	24.90	
S1403P	1017327-043201	1056912		18.02	24.77	
S1404O	1017498+192748	91005	FGC 1048	18.71	24.15	O
S1405P	1018187+280106	1824055		18.14	23.68	
S1406O	1019015+211701	30133	LSBC F567-01	18.59	23.78	O
S1407P	1019381-112445	182195		18.02	23.40	
S1408P	1019385+424340	2204908		18.42	23.72	
S1409O	1019506-034345	1067599	LCRS B101718.7-032840	18.63	23.73	
(S1410P)	(1019554-040228)	1063675		18.47	24.48	
S1411N	1020078+250756			18.18		
S1412O	1020095+131946	30213	CGCG 065-001	18.76	23.57	O
S1413N	1020114-153507			18.15		
S1414P	1020506+145926	1472369		18.26	24.89	
S1415O	1021010-063141	82842	LCRS B101830.5-061634	18.39	24.19	
S1416P	1021094-081003	82849		18.25	23.47	
S1417P	1021213+155653	1497115		18.78	24.35	
S1418P	1021246+252745	1737408		18.90	24.13	
S1419O	1021327+223247	30305	UGC 5592	18.80	24.26	
S1420O	1022046+124110	139304	NPM1G +12.0226	18.32		
S1421O	1022076+252915		NPM1G +25.0220	18.20		
S1422O	1022129+164806	30356	CGCG 094-013	18.65	23.61	
S1423P	1022243+272951	1809906		18.29	24.16	
S1424O	1023331+224745	87216	LSBC F500-V01	18.52	24.25	
S1425O	1023443+373828	30461	KUG 1020+378B	18.59	24.38	
S1426O	1024461+465918	30539	CGCG 240-038	18.17	23.61	
S1427P	1025305-142524	924800		18.20	24.2	
S1428P	1026270+170108	1522583		18.34	24.12	
S1429P	1026402-100547	982420		18.56	24.95	
S1430O	1029439+271515	30920	CGCG 154-021	18.38	23.79	
S1431O	1030290+122746	1409990	FGC 1083	18.74	25.17	
S1432N	1031092-172226			18.32		
S1433P	1031119-171127	887336		18.52	24.03	
S1434O	1031141+430814	31040	UGC 5707	19.06	25.11	O
S1435P	1031251-172112	884688		18.13	23.93	
S1436P	1031377-082728	1003469		19.09	23.69	
S1437O	1031419-165106	91021	FGC 1090	18.53	23.56	
S1438P	1032133+411133	2177125		18.45	23.73	
S1439O	1032551+214542	1656710	FGC 1092	19.07	25.61	
S1440P	1033091+265750	1793768		18.71	24.46	

Table 2s. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K_5}	$\mu_{B_{25}}$	Obs.
S1441P	1033103+215105	1658590		19.21	24.07	
S1442P	1034434+202138	1624987		18.07	25.49	a
S1443P	1035320+373858	2105986		18.01	24.33	
S1444O	1035350+261531	31375	CGCG 154-027 NED02	18.43	24.46	
S1445O	1036107-030151	1077732	LCRS B103338.2-024615	18.16	23.55	
S1446P	1036586+255441	1754829		18.32	24.4	a
S1447O	1037098+204914	1636639	IRAS F10344+2105 ID	18.48	23.47	
S1448P	1037513+133931	1436904		18.18	23.49	
S1449P	1039554+263311	1780483		18.33	25.11	
S1450O	1040034-113115	964738	LCRS B103734.4-111536	18.40	24.9	
S1451O	1041432+182022	31853	CGCG 094-103	18.37	23.40	
S1452O	1041594+343147	31873	KUG 1039+347A	18.25	23.614	
S1453O	1042375+183744	1565271	IRAS F10399+1853	18.21	23.74	a
S1454P	1043396-084514	155758		18.44	23.27	
S1455P	1043597-071826	1021175		18.34	24.15	
S1456O	1044086-023242	1089038	LCRS B104135.8-021658	18.83	23.45	
S1457P	1044166+000138	100304		18.78	23.37	
S1458O	1045092+185821	1576325	CGCG 095-012	19.15	24.73	
S1459O	1045268+214853	1657843	IRAS F10427+2204	18.32	23.82	A
S1460P	1045427+140729	1449861		18.99	25.43	P
S1461P	1045462-182023	869347		18.45	23.71	
S1462P	1047187-044252	1054496		18.63	23.67	
S1463O	1048114+331131	32283	KUG 1045+334	19.25	23.40	
S1464P	1048515-141723	926505		18.77	23.84	
S1465P	1049267-040423	1063235		18.20	24.67	
S1466P	1049454-084426	182413		18.12	22.8	
S1467O	1049481-015700	32422	GNB 091	18.68	23.44	
S1468O	1049551-053313		LCRS B104723.3-051721	18.14		
S1469O	1051500-055123	1039597	LCRS B104918.2-053527	18.06	24.06	
S1470O	1052341+391656	32646	UGC 5987	18.12	23.39	
S1471N	1052429+312042			18.12		
S1472P	1052431+205946	1640487		18.57	24.38	a
S1473P	1052543+181909	1556271		18.71	23.91	
S1474P	1053060+283411	1839643		18.21	24.06	
S1475O	1053214+120506	32689	CGCG 066-057	18.05	23.87	
S1476O	1054223-061549	1034903	LCRS B105150.7-055949	18.48	23.98	
S1477N	1054326+400717			18.88		
S1478O	1055085-064645	103904	LCRS B105237.0-063044	18.57		
S1479O	1055502-030029	1078156	LCRS B105317.4-024428	18.55	24.91	
S1480P	1056366-214510	824172		18.07	23.26	
S1481N	1057167+302813			18.57		
S1482O	1057167-090803	83385	GNX 025	18.69	23.58	
S1483P	1057171+370646	2093226		18.58	24.72	
S1484N	1057271+324050			18.25		
S1485P	1058570+400159	2159528		18.75	23.47	
S1486P	1059423+232316	1686533		18.65	24.22	
S1487P	1059486+424658	2206083		18.60	24.92	
S1488P	1059560+423557	2202177		18.88	24.83	
S1489O	1100161+371424	33155	KUG 1057+375	18.20	23.40	
S1490P	1100289+115423	1400657		18.64	24.5	
S1491O	1100485+153609	33200	CGCG 095-090	18.57	23.51	
S1492O	1101124-055045		LCRS B105840.4-053437	18.66		
S1493O	1101130-031733	1073318	LCRS B105840.2-030127	18.75	25.08	
S1494N	1102452+195439			19.22		A,P
S1495O	1102548+351420	33352	KUG 1100+355	19.02	23.64	
S1496P	1103048-043129	1057047		18.26	24.74	
S1497P	1104343+315815	1973601		18.97	24.13	
S1498P	1104419+343118	2050492		18.72	23.5	
S1499O	1104468-031537	1073847	LCRS B110214.1-025927	19.06	24.96	
S1500P	1105321+465807	2290170		18.43	23.68	
S1501O	1105325+173822	33523	ARK 276	18.31	21.67	
S1502O	1105462+303138	33543	MCG +05-26-051	18.24	23.89	
S1503P	1105556+311323	1937241		18.54	24.32	
S1504O	1106184-060115	1037681	LCRS B110346.3-054502	18.14	23.6	
S1505P	1106210+422402	2198153		18.25	24.59	
S1506O	1106589+230021	33630	UGC 6164	18.88	24.00	
S1507P	1107082-052235	1045517		18.11	23.33	
S1508O	1107131-194907	33657	ESO 570-IG 005	18.71	22.89	
S1509P	1107234-015404	1106929		19.52	24.82	
S1510O	1107319+232246	33685	MCG +04-26-032 NED02	18.53	22.98	
S1511P	1107380-192042	856520		18.55	24.63	
S1512P	1108127+333231	2034214		18.25	25.18	
S1513P	1109052+290755	1856677		18.62	24.99	
S1514P	1109087+265814	1793973		18.42	23.87	
S1515P	1109091+280435	1825647		18.28	23.98	
S1516P	1110209+223105	1671434		19.09	23.65	
S1517O	1110250+400309	33908	KUG 1107+403	19.19	23.89	
S1518P	1110319+263153	1779724		18.55	24.46	
S1519O	1110346+122709	33925	CGCG 067-023	18.83	24.52	O,P
S1520P	1110518+255205	1752988		18.41	24.83	

Table 2t. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K_5}	$\mu_{B_{25}}$	Obs.
S1521P	1111564-133937	182495		18.26	23.01	
S1522P	1112086+384557	2135997		18.23	23.67	
S1523P	1112197+253250	1740545		18.17	23.9	
S1524O	1112197+283414	1839660	NRGs 117.79	18.46	23.89	
S1525O	1112223-175530	875318	FGC 1206	18.04	23.91	
S1526O	1112423+231828	34108	CGCG 126-004	18.84	23.67	
S1527P	1112554+234705	1693662		18.69	24.25	
S1528P	1113008-012238	1120098		18.07	23.66	
S1529P	1113409+200035	1613290		18.52	24.5	a
S1530P	1113583+423310	2201241		18.24	25.09	
S1531P	1114055+433350	2223785		18.76	24.61	
S1532P	1114211-155620	904515		18.84	23.56	
S1533P	1115052+221128	1665284		19.02	24.8	
S1534P	1115528-160832	901924		18.58	24.44	
S1535P	1116053-152559	911300		18.46	23.96	
S1536P	1116259+155311	1495603		18.73	23.68	
S1537P	1116269+200501	1615782		18.34	23.74	
S1538O	1116291+410441	34399	CGCG 213-039	18.73	23.69	
S1539O	1116353+180706	34407	MCG +03-29-018	18.45	25.70	
S1540P	1117511+154922	1494157		18.37	23.87	
S1541O	1118051+173858	34536	IC 2703	18.05	23.85	
S1542O	1118112+315916	34531	KUG 1115+322B	18.35	23.21	
S1543P	1118140-022514	1092531		18.84	24.31	
S1544P	1118147+222520	1669585		19.15	24.61	
S1545P	1118186+233815	1690913		19.13	25.26	
S1546P	1118216+222906	1670796		18.14	23.39	
S1547O	1118429-002142	34598	CGCG 011-050	18.13	22.98	
S1548O	1118512-025200	114705	LCRS B111618.1-023536	18.20	24.1	
S1549P	1118583-272533	755082		18.27	24.45	
S1550O	1119020+325941	87012	KUG 1116+332	19.00	23.70	
S1551P	1119399-144115	921317		18.18	24.65	
S1552O	1120438+464916	34732	MCG +08-21-019	18.40	23.49	
S1553O	1120514+443550	34740	MCG +08-21-020	19.32	24.14	
S1554P	1122137+180408	1549306		18.08	23.87	
S1555O	1122329-173416	34904	MCG -03-29-006	18.72	22.72	
S1556P	1122413-252615	778990		18.50	24.79	
S1557P	1123261+470123	2291044		18.64	24.47	
S1558N	1124005-255032			18.04		
S1559P	1124021-042305	1058903		18.14	24.94	
S1560P	1126068+421605	2195512		18.42	24.07	
S1561P	1126515+370823	2093796		18.79	24.27	
S1562O	1128186+171408	35310	CGCG 096-051	18.72	24.03	
S1563O	1128222-011532	35311	CGCG 011-105	18.73	23.10	
S1564O	1128367+504922	35331	CGCG 268-038 NED01	18.39	23.24	
S1565O	1130018+444105	35430	CGCG 242-041	18.26	23.20	
S1566P	1130059+441114	2238650		18.86	23.7	
S1567P	1130524-033205	1069972		18.72	24.22	
S1568P	1131040-160814	901993		18.67	23.83	
S1569N	1131129-144145			18.19		
S1570P	1131210+463225	2282947		18.57	24	
S1571O	1131316+512438	35530	MCG +09-19-103	18.75	23.10	
S1572O	1131586-000301	35563	CGCG 012-004	19.06	23.87	
S1573P	1132021-140841	928391		18.66	25.1	
S1574P	1132149+451915	2262995		18.07	25	
S1575P	1132201-124003	182736		18.27	23.20	
S1576P	1132253+143712	1462712		18.17	23.87	
S1577P	1132421+444942	2252983		18.23	24.58	
S1578P	1133038+584348	2582117		18.14	23.94	
S1579O	1133055+544057	35651	MCG +09-19-116	19.18	23.77	
S1580P	1133075+464341	2286149		18.38	24.65	
S1581O	1134262+375826	35752	KUG 1131+382	18.01	22.91	
S1582P	1134289+552010	2498497		18.47	23.26	
S1583P	1134370+545329	213858		18.19	24.22	
S1584O	1134539+135641	1444849	NPM1G +14.0283	18.22	23.36	
S1585P	1134587-051033	182787		18.45	23.48	
S1586O	1135006-233036	35794	ESO 503-G26	18.47	23.3	
S1587P	1135021+473204	2299930		18.64	24.96	
S1588P	1137353-182546	156760		18.04		
S1589P	1137542-183443	866399		18.98	23.47	
S1590P	1138137+352112	2063210		19.07	24.22	
S1591P	1138231-253445	777347		18.06	24.27	
S1592O	1138399+551534	36077	MCG +09-19-144	18.17	23.27	
S1593O	1139292-034942	1066349	LCRS B113655.9-033306	18.01	23.85	
S1594O	1139496+165848	36168	CGCG 097-042	18.44	24.11	O
S1595O	1140000-120506	957883	LCRS B113727.6-114828	18.08	24.06	
S1596P	1141190+230541	1681348		18.52	23.74	
S1597P	1141546+465656	2289853		18.12	23.61	
S1598N	1142196+283521			18.12		
S1599P	1142318+252802	1737610		18.11	24.31	
S1600P	1142456+190627	1580750		18.48	23.9	

Table 2u. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
S1601P	1142550+115847	1401817		18.11	24.32	
S1602N	1142593-251801			18.20		
S1603O	1143085+240015	36390	MCG +04-28-036	19.01	23.88	
S1604P	1143183+345840	2057510		18.01	24.12	
S1605N	1143185-072310			18.63		
S1606O	1143200-114013	36400	MCG -02-30-022	19.00	23.99	
S1607P	1143210+201547	1621951		18.77	23.9	
S1608P	1143258-112306	966428		18.08	24	
S1609P	1143520+165412	1519844		18.14	23.95	
S1610O	1144258-282743	36531	ESO 440-G1	18.17	23.43	
S1611P	1144298+553440	83480		18.01	23.92	
S1612O	1145030+561030	83484	IRAS F11423+5627	18.74	23.72	
S1613P	1145046+203625	1631768		19.25	24.48	
S1614P	1145237+205231	1637854		18.02	24.6	
S1615P	1145254+203636	139691		18.42	23.63	
S1616P	1145315+330421	2022440		18.29	23.94	
S1617P	1145389+211904	1647531		19.00	23.97	
S1618O	1145451+554759	83487	NPM1G +56.0124	18.16	23.23	
S1619P	1145585+194811	1606051		18.17	24.31	
S1620P	1146033+395111	2156697		18.24	23.95	
S1621P	1146089+202651	213880		18.33	23.68	
S1622P	1146119+195110	1607774		18.27	23.89	
S1623P	1146253-164858	893142		18.14	23.11	
S1624P	1146387+354142	2068576		18.03	24.58	
S1625O	1146436+345955	36731	KUG 1144+352	18.53	23.44	
S1626O	1146463+143158	36739	UGC 6753	18.58	23.88	
S1627O	1146519+330904	36746	KUG 1144+334	19.27	23.79	
S1628O	1146532-142906	36744	MCG -02-30-029	18.67	23.70	
S1629O	1147014+570533	36751	UGC 6756	18.49	23.6	
S1630P	1147186-112524	965963		18.55	23.98	
S1631P	1148314+172236	1531284		19.04	24.31	
S1632O	1148324+124218	36871	CGCG 068-073	18.99	22.63	
S1633P	1148363+163021	1510383		18.23	24.4	
S1634P	1148437+210054	1640902		18.92	23.72	
S1635O	1148514-025726	1079127	LCRS B114617.9-024047	18.61	24.29	
S1636O	1148577-065218	157017	LCRS B114624.4-063537	18.27	23.31	
S1637O	1149019-010609	36903	CGCG 012-090	18.21	23.03	
S1638P	1149282+562900	2538227		18.75	24.27	
S1639O	1149465-212840	36959	ESO 572-G3	18.29	23.6	
S1640P	1149568+593612	2592316		18.55	24.48	
S1641O	1150319-114915	961327	LCRS B114758.8-113229	18.25	24.12	
(S1642O)	(1150476+562722)	37037	UGC 6816	19.17	23.70	O
S1643O	1152380+241827	37214	UGC 6847	18.72	23.58	O
S1644P	1152495+125903	1420255		18.29	24.07	
S1645O	1153310+203525	37277	KUG 1150+208	19.11	23.59	
S1646O	1153420+351008	37292	KUG 1151+354	18.50	23.76	
S1647P	1154263-051642	1046875		18.12	24.2	
S1648P	1154312-151002	914856		19.07	24.13	
S1649P	1154378-151518	913620		18.65	23.72	
S1650O	1155157-115238	104513	LCRS B115242.4-113555	18.35	24.9	
S1651O	1155192+330845	37412	KUG 1152+334	19.03	23.44	
S1652P	1156456-143843	921906		18.09	24.58	
S1653O	1157296-035320	91157	FGC 1337	18.82	23.81	
S1654P	1157330+204538	1635303		18.62	23.62	
S1655P	1157565+221657	1667017		18.06	23.25	
S1656P	1158011-021038	135786		18.24	23.75	
S1657P	1158494+435142	2230947		18.57	25.02	
S1658O	1159130+204930	37746	KUG 1156+211	18.39	23.06	
S1659P	1159303+275555	93644		18.14	24.56	
S1660P	1159378-230355	805320		18.73	23.88	
S1661P	1200004+313615	1955203		18.48	24.87	
S1662O	1200063+190312	37821	KUG 1157+193	18.59	23.29	
S1663O	1200502+121003	37890	CGCG 069-022	18.72	23.66	
S1664P	1201035+134537	1439726		19.20	23.59	
S1665O	1201097-064438	1029300	LCRS B115836.1-062757	18.18	23.66	
S1666O	1202002+344016	2052774	NPM1G +34.0238	18.13	24.03	
S1667P	1202498+275600	1821853		18.30	24.16	
S1668O	1203537+252601	38132	UGC 7040	18.75	24.38	O
S1669P	1204127+382945	2128685		18.17	23.73	
S1670P	1204237-175329	157323		18.22	23.90	
S1671N	1205116-030934			18.37		
S1672P	1205484-072902	157360		18.25	23.09	
S1673N	1206556-050836			18.17		
S1674P	1207489+132307	1429691		18.47	25.13	
S1675O	1208461+471321	38569	MCG +08-22-072	18.33	23.26	
S1676O	1209175+440524	38619	UGC 7135	18.09	23.37	
S1677O	1209564+362603	38685	KUG 1207+367	19.34	24.12	
S1678O	1210053+432632	38700	CGCG 215-043	18.69	23.47	
S1679O	1211172-062457	38810	MCG -01-31-007	18.31	23.39	
S1680O	1212018+352416	2064003	NPM1G +35.0244	18.16	23.85	

Table 2v. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
S1681O	1212032+145416	38868	VCC 040	19.23	23.62	O
S1682N	1212065-261943			18.58		
S1683O	1213053+293311	1870005	CS 0982	18.31	23.76	
S1684O	1213115+244300	38981	KUG 1210+249	18.73	23.00	
S1685O	1213469+405411	39026	KUG 1211+411	18.43	24.48	
S1686O	1214180+593655	39082	NGC 4195	18.70	25.23	O
S1687O	1214190+433206	2223089	CG 1542	18.50	24.18	
S1688P	1214443+243646	1711729		18.90	23.62	
S1689N	1214595+570337			18.54		
S1690P	1215031-141025	157540		18.15	23.42	
S1691O	1215051-131402	39155	MCG -02-31-025	18.65	23.51	
S1692O	1215370+541953	2466447	IRAS F12131+5436	18.28	23.87	
S1693P	1215376+583634	2580725		18.25	24.42	
S1694O	1216011+593029	39267	MRK 1468	18.34	23.35	O
S1695P	1216055-225706	806755		18.25	23.46	
S1696O	1217052+121720	39381	IC 3100	18.51	24.91	
S1697O	1217196+115636	39405	IC 3101	18.76	23.48	
S1698O	1217476-130215	943918	NPM1G -12.0399	18.24	23.13	
S1699O	1217558+055210	39473	VCC 262	18.74	23.43	O
S1700N	1218037+042756			18.53		
S1701N	1218095+121656			18.66		
S1702P	1218462+480255	2309494		18.54	24.6	
S1703P	1218549-133437	936072		18.47	24.33	
S1704O	1219063-123240	951282	LCRS B121631.5-121601	18.23	23.51	
S1705P	1219119+535624	2455226		18.24	24.21	
S1706P	1219178+571337	2560542		18.29	23.92	
S1707N	1219291+255355			19.01		
S1708P	1219350+282114	1833415		18.39	23.92	
S1709O	1219441+293449	213975	CS 1023	18.45	23.61	
S1710P	1220053-025616	1079557		18.85	23.4	
S1711O	1220131-031637	1073559	LCRS B121739.1-025959	18.06	23.6	
S1712O	1220234+554400	39828	MCG +09-20-150	18.77	23.96	
S1713P	1220596+204339	1634563		18.70	24.37	
S1714P	1221114-234206	798050		18.24	23.51	
S1715O	1221165+362004	39921	KUG 1218+366	18.12	21.78	
S1716N	1221210+182438			18.49		
S1717P	1221294+385323	2138934		18.07	23.73	
S1718O	1221586+340836		CG 1021	18.14		
S1719O	1222101+181604		IRAS F12196+1832	18.79		
S1720P	1223216-195431	157641		18.33	22.83	
S1721P	1224428-103309	976767		18.38	24	
S1722P	1225071-014607	1110574		19.18	24.04	
S1723O	1225340+360855	91198	FGC 1430	18.29	24.58	
S1724N	1226074+254455			18.67		
S1725O	1226348+525934	40716	UGC 7543	18.28	23.52	
S1726P	1227254-170829	888181		18.51	25.01	
S1727O	1228417+125457	41054	IC 3393	18.20	23.61	
S1728P	1229009-192100	856448		18.67	24.84	
S1729P	1230121-132908	937389		18.42	23.92	
S1730O	1230419-195535	41341	ESO 574-G6	18.85	23.71	
S1731P	1231276-205233	835782		18.28	24.76	
S1732P	1232072-040738			19.33		
S1733P	1232087+344719	2054564		18.40	24.59	
S1734O	1232156+373141		IRAS F12297+3748	18.05		
S1735N	1232234+343248			18.18		
S1736P	1232323+431902	2217881		18.16	23.94	
S1737P	1232434+493049	2345252		18.89	25	
S1738O	1233289+264416	86323	IC 3498	19.05	23.82	
S1739O	1234012+365204	41767	KUG 1231+371A	18.09	23.92	
S1740O	1234055+384002	41771	MCG +07-26-026	19.46	23.71	
S1741P	1234377-082500	1004007		18.89	25.02	
S1742O	1234434+465728	41851	UGC 7744	18.47	23.66	
S1743P	1234447+472011	2296414		18.42	24.26	
S1744P	1234525+472834	2298905		18.83	24.91	
(S1745O)	(1235296+475220)	41938	MCG +08-23-062	19.30	23.95	
S1746O	1235527-122019	954297	LCRS B123317.0-120349	18.46	23.53	
S1747P	1236459-104728	973710		18.25	23.87	
S1748N	1237015+433834			19.66		
S1749O	1237417+320512	42162	KUG 1235+323	18.81	23.63	
S1750O	1239040+132149	42307	IC 3611	18.25	23.46	O
S1751P	1239459+130245	1421624		18.52	24.42	
S1752O	1241103-054353	1041105	LCRS B123835.4-052728	18.19	24.11	
S1753N	1242149+173206			18.28		
S1754P	1243123-020012	1104254		18.32	23.69	
S1755O	1244276-281443	42906	ESO 442-G18	18.23	23.41	
S1756O	1244342-241631	42905	ESO 507-G6	18.57	23.37	
S1757P	1244511-052838	1044233		18.82	25.26	
S1758O	1245092+230221	214024	CGCG 129-022	19.12	24.56	
S1759P	1245147+332838	2032871		18.81	24.36	
S1760O	1245306+204857	42995	IC 3740	18.43	23.75	

Table 2w. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
S1761P	1245551+181019	1552147		18.52	25.25	
S1762O	1246019-103813		NPM1G -10.0446	18.30		
S1763P	1246266-153000	910420		18.97	25	
S1764P	1246272+434743	2229294		19.13	23.99	
S1765P	1246419+431831	2217710		19.22	24.17	
S1766P	1246432-004237	1136650		18.03	23.97	
S1767P	1246449-131030	158088		18.51	23.53	
S1768N	1246465+425620			18.62		
S1769P	1247068-075026	1012192		18.30	24.33	
S1770P	1247110+472434	2297663		18.66	24.04	
S1771O	1247381-055202	183277	MCG -01-33-007	18.15	23.54	
S1772P	1248392-220522	819410		18.79	23.99	
S1773P	1248483+270206	1795939		18.06	24.13	
S1774O	1248494+292526	1865865	CS 1153	18.98	24.19	
S1775P	1248583+465114	2288278		18.09	24.29	
S1776O	1249014+271044	43317	NGC 4702	18.77	23.42	
S1777P	1249020-012317	1119805		18.28	24.03	
S1778P	1249042+312633	1947384		18.27	23.98	
S1779P	1249133-211036	831684		18.64	24.41	
S1780P	1249282-293303	728005		18.71	24.34	
S1781O	1249285-115936	183307	LCRS B124651.9-114316	18.23	24.26	
S1782P	1250568-085000	998596		18.48	24.37	
S1783P	1251530-171044	183338		18.35		
S1784P	1251538+454026	2268721		18.64	23.86	
S1785P	1252004-160958	901622		18.01	25.12	
S1786P	1252076-081942	183352		18.90	23.31	
S1787N	1252265-011250			18.77		
S1788P	1253047+445737	2255965		18.17	24.14	
S1789P	1253127-282855	741163		18.92	24.15	
S1790P	1253142-252228	779682		18.52	23.72	
S1791P	1253187+281243	1829406		18.60	23.61	
S1792O	1253237-002524	43783	CGCG 015-030	18.41	23.75	
S1793P	1253260-021526	1097246		18.28	24.77	
S1794P	1253328-273209	753491		18.17	23.76	
S1795P	1253546-283404	740147		18.36	23.74	
S1796N	1253559+351235			18.09		
S1797P	1254072-211059	831597		18.51	24.43	
S1798O	1254130+450031	43892	MCG +08-24-003	18.63	23.94	
S1799P	1254266-240109	794510		18.32	24.5	
S1800O	1254267-035603	183425	LCRS B125152.0-033947	19.03	23.59	
S1801P	1254388-005351	183435		18.65	23.63	
S1802O	1254478+303241	43959	KUG 1252+308	18.32	23.08	
S1803O	1254497+585255	43983	CGCG 293-042	18.07	23.85	
S1804P	1255095-010529	1126999		18.22	23.84	
S1805O	1255291-253209	44036	ESO 507-G44	18.69	23.06	
S1806O	1255596-191608	44097	ESO 575-G29	18.45	24.02	O
S1807P	1256066-185130	862864		18.41	23.74	
S1808P	1256149+223144	1671638		18.08	24.38	
S1809P	1256209-285914	734905		18.19	24.64	
(S1810N)	(1257035-040826)			18.50		
S1811P	1257063+361125	2076473		18.64	24.2	
(S1812N)	(1258084+214640)			18.75		
(S1813P)	(1258414-211016)	831765		18.93	23.26	
S1814P	1259161+234830	1694121		18.26	24.68	
S1815P	1259473+312000	1942301		18.47	24.83	
S1816P	1300159+223320	1672129		18.34	24.28	
S1817P	1300193+390009	2141402		18.25	22.95	
S1818O	1300235+361110	2076416	IRAS F12580+3627	18.10	23.91	
S1819P	1300351+574845	2571340		18.21	24.37	
S1820P	1300381+394952	2156354		18.19	23.7	
S1821P	1301251+454403	2269642		18.36	24.44	
S1822P	1302510-243624	788117		18.56	24.73	
S1823P	1303215-191321	858189		18.89	24.41	
S1824O	1303471-024122	1085216	LCRS B130112.5-022517	18.43	24.79	
S1825O	1303581+352159	2063407	NGP9 F269-0918005	18.02	24.92	
S1826O	1304074+333547	2035313	NPM1G +33.0271	18.58	23.76	
S1827P	1304223+514538	2399628		18.55	24.07	
S1828P	1305065-262157	768611		18.09	24.67	
S1829P	1305180-224500	169669		18.97		
S1830O	1305286-111604	45276	MCG -02-33-106	18.05	23.31	
S1831O	1305531-253506	45319	ESO 508-G2	18.81	23.27	
(S1832P)	(1306217-084601)	999463		18.43	23.81	
S1833O	1306517+213634	1653562	NPM1G +21.0342	18.43	23.93	
S1834P	1307105+214000	1654715		18.82	24.65	
S1835O	1308280-060845	1036256	LCRS B130552.2-055246	18.58	24.38	
S1836O	1308320+590701	45556	MCG +10-19-039	19.05	24.29	
S1837O	1308329-114840	961411	LCRS B130555.1-113244	18.68	25.58	
S1838P	1309187-044214	183574		18.21	23.75	
S1839P	1309462-041035	45653		18.52	23.82	
S1840O	1310120+401112	92954	FGC 183A	18.41		

Table 2x. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S1841P	1310557+115228	1400130		18.70	24.72	
S1842O	1311371+320333	1978264	NGP9 F323-0051554	18.06	23.64	
S1843O	1311578+143358	45823	CGCG 101-008	18.12	23.83	
S1844N	1312000-091817			18.19		
S1845P	1312481+192648	1592591		18.38	24.45	
S1846P	1313068-240852	793081		18.90	24.84	
S1847P	1313391+232818	1687965		18.73	24.04	
S1848P	1313495-042300	1058927		18.28	23.76	
S1849P	1314160-020429	1102431		18.42	25.41	
S1850P	1317114-172218	884396		18.43	25.28	
S1851O	1317363-163225	83927	NGC 5044 GROUP:[FS90] 153	18.20	23.92	
S1852O	1317516-264748	46312	ESO 508-G36	19.35	23.89	
S1853O	1318055+313408	1953511	NGP9 F323-0129735	18.80	24.7	
S1854O	1318090-165815	83933	NGC 5044 GROUP:[FS90] 158	18.82	24.52	
S1855P	1318119-214250	824694		18.38	23.72	
S1856O	1318177+354225	2068810	NGP9 F269-0809864	18.77	23.68	
S1857O	1318257+312808	46354	NGC 5074	18.08	22.51	O
S1858O	1318394+363534		NGP9 F269-0552678	18.23		
S1859N	1318414-234545			19.30		
S1860P	1319225-010746	1126055		18.40	23.69	
S1861P	1319366-290739	733004		18.48	23.17	
S1862P	1319486+423419	2201632		18.45	24.84	
S1863O	1320133+283424	1839758	NGP9 F324-0537139	18.60	23.95	
S1864O	1320183-200852	46532	ESO 576-G34	18.90	23.23	
S1865O	1320235+261833	1771282	NGP9 F324-1117314	18.15	23.4	
S1866P	1320240-265959	761125		18.02	24.97	
S1867O	1320288-195031	46550	ESO 576-G37	19.28	23.77	
S1868N	1320306+581159			18.46		
S1869P	1320370-191606	857562		18.37	24.21	
S1870P	1320375-142745	924321		18.35	24.21	
S1871P	1320541-070040	1025671		18.95	23.6	
S1872P	1321019-234208	798043		18.75	24.16	
S1873O	1321144+351638	2062077	NGP9 F269-0957468	18.30	23.48	
S1874O	1321149+400156	2159523	NPM1G +40.0319	18.29	23.23	
S1875P	1321177-013212	1116344		18.24	23.44	
S1876P	1321418-140521	158748		18.38	23.44	
S1877P	1321513-171207	887136		18.44	24.08	
S1878P	1322058-130816	158774		18.76	22.80	
S1879P	1322273+411505	2178064		19.12	24.9	
S1880P	1323347-000752	1151187		18.57	23.6	
S1881O	1324144+135614	46850	CGCG 072-066	18.31	23.30	
S1882O	1324223-171945	158881	CSRG 0713	18.02	23.25	
S1883O	1324331+323648	2004870	NGP9 F269-1984322	18.62	24.45	
S1884P	1324501-151547	913530		18.33	24.57	
S1885O	1325466-121606	118027	LCRS B132307.7-120031	18.18	23.2	
S1886O	1325597+571947	47019	MCG +10-19-073	18.35	23.89	
S1887O	1326052+122321	1408662	ABELL 1735	18.35	25.61	
S1888O	1326211+210653	1643086	NGP9 F380-1226241	18.51	24.28	
S1889P	1326244+000211	1155460		18.05	24	
S1890P	1326256-102016	979470		18.10	24.65	
S1891O	1326313+265054	47045	KUG 1324+271	18.75	23.57	
S1892O	1326372-102720	47048	MCG -02-34-050	18.93	23.24	
S1893O	1326388+270223	1796049	FGC 1618	18.67	25.17	
S1894P	1326391+193321	1596802		18.43	23.99	
S1895O	1326433+365808	2090319	NGP9 F270-0375322	18.02	24.35	
S1896P	1326451+391418	2146066		18.78	24.12	
S1897N	1326453+202039			18.36		
S1898O	1326464+315639	1972285	NGP9 F324-0018113	18.84	24.28	
S1899P	1326512-112244	966500		18.72	24.65	
S1900O	1327073-114221	105149	LCRS B132428.6-112649	18.64		
S1901N	1327356-340328			18.50		
S1902N	1327427+532636			18.12		
S1903P	1327462-312417	98277		18.68	23.66	
S1904P	1327494+255557	1755716		18.21	23.63	
S1905P	1328143-225922	806317		18.08	23.32	
S1906P	1328182-314817	98433		19.08	23.83	
S1907O	1328214-193112	92405	FGCE 1066	19.24	23.45	
S1908P	1328298-321435	98476		18.22	23.31	
S1909P	1328311-300818	183790		18.30	23.70	
S1910P	1328337-312627	98492		18.44	24.11	
S1911P	1328343-314129	98496		18.88	24.98	
S1912P	1328358-313053	88883		18.50	24.60	
S1913P	1328378+424127	2204114		18.95	24.18	
S1914P	1329255+420037	2190791		18.63	24.35	
(S1915P)	(1329583-211437)	830791		18.38	23.98	
S1916P	1330004+424828	2206640		18.48	25.25	
S1917P	1330143-315918	98866		18.03	24.39	
S1918P	1330222-304212	98893		18.06	24.03	
S1919O	1330337-323304	47468	ESO 444-G61	18.63	23.43	
S1920P	1330463-314124	98963		18.27	23.36	

Table 2y. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S1921P	1330566-010909	1125472		18.79	24.24	
S1922O	1331125+414746	2186982	IRAS F13290+4202	18.88	24.79	
S1923O	1331408+542616	47561	MCG +09-22-076	18.36		
S1924P	1333009+164107	1514556		18.63	25.16	
S1925O	1333065+330903	47711	CGCG 190-022	18.27	23.30	
S1926N	1333296+152730			18.76		
S1927N	1333347-042735			18.46		
S1928O	1334034+564624	47791	MCG +10-19-091	18.33	23.75	
S1929P	1334075+340059	2042533		18.51	24.82	
S1930P	1334255-033150	1070035		18.73	24.05	
S1931O	1334354-002110	47838	CGCG 017-027	18.92	23.74	
S1932P	1334464-182415	868560		18.43	24.52	
S1933P	1334490-012337	1119678		18.41	23.54	
S1934P	1334542+232539	1687183		18.35	23.67	
S1935P	1335247-234253	797909		18.77	24.84	
S1936O	1336000-033128	1070113	LCRS B133324.7-031611	18.05	23.76	
S1937P	1336004-205444	835262		18.32	24.41	
S1938P	1336078-175551	875221		18.28	25.2	
S1939O	1336111-234044	48005	ESO 509-G79	18.22	23.03	
S1940O	1336379+555313	91300	FGC 1644	18.40	24.511	
S1941P	1336571-142348	925110		18.33	24.75	
S1942O	1338298+135922	92961	FGC 191A	18.18	24.65	
S1943P	1338354+162054	1506615		18.44	25.04	
S1944O	1339154+210705	1643157	NGP9 F380-1241527	18.47	24.98	
S1945O	1339473+334011	48314	MCG +06-30-066	18.20	23.13	
S1946O	1340182+320910	48367	KUG 1338+324	18.42	23.20	
S1947O	1340489+381618	2122525	NPM1G +38.0292	18.07	23.86	
S1948P	1340501+403358	2167712		18.66	23.54	
S1949P	1341121-144335	920760		18.04	24.43	
S1950O	1341225-115326	960453	LCRS B133842.9-113817	19.50	24.3	
S1951P	1341367-185651	88919		18.15	24.97	
S1952P	1341522-233155	799851		18.26	24.54	
S1953O	1343509-053610	184045	LCRS B134114.5-052109	18.18	22.94	
S1954O	1344388+163746	48703	CGCG 102-050	18.66	25.04	
S1955P	1345122+553500	2507295		18.63	25.59	
S1956P	1346318-294304	725977		18.07	24.58	
S1957P	1347240+445929	2256630		18.33	23.91	
S1958O	1347494-124728	118806	LCRS B134509.0-123233	18.19	23.	
S1959P	1348175+373900	2106002		18.74	24.02	
S1960P	1349201+151706	1480484		18.34	24.55	
S1961P	1349282+443436	2247330		18.25	25	
S1962P	1349381+400347	2159998		18.61	23.23	
S1963P	1350027+320156	1976838		18.13	24.27	
S1964P	1352050+344406	2053720		18.68	24.77	
S1965P	1352051+352234	2063557		18.12	23.43	
S1966P	1352136+313515	1954393		18.79	23.57	
S1967P	1352152+355548	2072202		18.43	24.11	
S1968P	1352273-274905	159494		18.32		
S1969P	1352280-134832	932948		18.19	25.32	
S1970P	1352332+361542	2077635		18.03	24.22	
S1971P	1352516-284813	737254		18.04	23.54	
S1972O	1352584+394305	49311	KUG 1350+399	18.91	23.23	
S1973P	1353146+325306	2016040		18.27	24.27	
S1974P	1353185+373835	2105819		18.28	24.21	
S1975P	1353262+000248	1155732		18.05	23.88	
S1976O	1353594+170925	49387	VV 719	19.10	23.37	
S1977P	1354270-241008	792841		18.36	23.49	
S1978P	1354359-342308	663057		18.55	23.47	
S1979P	1354512+140335	1448165		18.81	24.02	
S1980P	1354553-270956	758907		18.51	23.79	
S1981P	1356138-231338	803255		18.29	24.25	
S1982P	1356278-135558	931266		18.08	23.77	
S1983P	1356280-172804	882757		18.28	24.03	
S1984P	1356344-271253	758221		18.74	24.63	
S1985O	1356358-115144	960812	LCRS B135355.4-113707	18.72	23.46	
S1986P	1356455-313509	703499		18.28	24.82	
S1987P	1356495-353358	647333		18.06	24.08	
S1988P	1358163+591653	2588629		18.09	24.18	
S1989P	1358475-253804	776743		18.09	24.66	
S1990O	1359000-035819	105426	LCRS B135623.9-034348	18.10	23.6	
S1991P	1359032-171611	885989		18.54	23.68	
S1992P	1359162-283119	740680		18.53	23.16	
S1993N	1359166-241734			18.20		
S1994P	1359339-320406	159550		18.09	23.07	
S1995O	1359393+280340	49806	UGC 8911	18.24	23.91	O
S1996N	1359428-284132			18.55		
S1997P	1400275+494940	2354674		18.49	23.31	
S1998P	1401023+261147	1766773		18.39	24.08	
(S1999O)	(1401324-251503)	49935	ESO 510-G42	18.55	23.24	
S2000P	1401342+340837	2044556		18.87	23.82	

Table 2z. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2001P	1401354-330322	89817		18.25	24.24	
S2002P	1401569-295634	723329		18.51	24.79	
S2003P	1402078-352505	649158		19.00	23.37	
S2004P	1402350+401413	2162803		18.07	23.91	
S2005O	1402354+143205	50014	KUG 1400+147	18.65	23.53	
S2006P	1403108+451650	2262236		19.02	24.33	
S2007P	1403125-293846	726833		18.23	24.14	
S2008N	1403135-262203			18.06		
S2009P	1403165-295324	159637		18.10	23.24	
S2010N	1403285-231700			18.13		
S2011P	1404271-011629	1122615		18.25	23.66	
S2012O	1404279-333101	50166	ESO 384-G43	19.15	23.78	
S2013P	1404295-140444	929273		18.39	23.79	
S2014O	1404325-053213	1043445	LCRS B140155.5-051753	18.27	25.29	
S2015P	1404363-132013	939326		18.78	23.12	
S2016O	1405020+443321	2246884	CG348	18.61	24.29	
S2017O	1405113-332740		AM 1402-331	19.39		
S2018O	1405175+460844	50238	MCG +08-26-4	18.33	23.78	
S2019O	1405183-305536	50241	ESO 446-G05	18.21	23.10	
S2020P	1405591-042952	1057393		18.91	25.75	
S2021P	1405592+550042	2487633		18.33	24.5	
S2022P	1406159-324842	685707		19.05	23.48	
S2023P	1406330-342943	89855		18.73	23.77	
S2024O	1407252+550611	50383	NGC 5486	18.29	23.80	O
S2025N	1408407+323530			18.67		
S2026P	1410469+314317	1960981		18.72	24.16	
S2027P	1411054+550856	2492185		19.12	24.28	
S2028P	1412097+354358	2069162		18.62	24.37	
S2029P	1412230+543226	2472690		18.29	24.64	
S2030N	1412279-291001			18.17		
S2031P	1412357-175647	874981		18.28	24.55	
S2032P	1414269+435948	2234097		18.07	24.4	
S2033P	1417394+550227	2488593		18.66	24.17	
S2034P	1417572+214753	1657477		18.51	23.53	
S2035P	1418212+562855	2538194		18.59	24.32	
S2036O	1419238+243204	51171	KUG 1417+247	18.50	22.95	
S2037P	1419247-155233	905337		18.71	23.95	
S2038P	1419334+560749	2526560		18.81	24.43	
S2039P	1419370+275449	1821363		18.15	24.11	
S2040P	1420015+392649	2149930		18.75	23.53	
S2041N	1420073+561414			18.65		
S2042O	1420130+402052	51228	CG405	19.15	25.04	
S2043P	1421103-332050	92443		18.77		
S2044P	1422293+590127	2585556		18.10	24.42	
S2045P	1425259-145720			18.35		
S2046P	1426161+134328	1438715		18.70	24.6	
S2047P	1426541-311946	706453		18.54	25.34	
S2048P	1427218+163138	84191		18.32	24.51	
S2049O	1428400+170129	51720	IC 4439	18.48	23.64	
S2050O	1430110+273153	51819	UGC 9317	18.60	23.90	O
S2051P	1432488+230836	1682223		19.03	23.99	
S2052P	1433009+220726	1663992		18.96	23.32	
S2053P	1433055+125357	1418444		18.58	24.16	
S2054O	1433080+583531	51986	MCG +10-21-7	18.46	23.72	
S2055O	1433145+135033	51997	KUG 1430+140	19.28	23.87	
S2056P	1433523+364240	2085550		18.27	24.55	
S2057P	1434091+295437	1882755		18.45	23.5	
S2058P	1435180-243114	159913		18.67	23.26	
S2059P	1435262+275335	1820802		18.25	23.93	
S2060O	1436464+395755	52219	MCG +07-30-35	18.66	22.89	
S2061P	1436525+254258	1746964		18.84	23.69	
S2062P	1437356-003323	1140462		18.07	24.02	
S2063O	1438191+255426	91377	FGC 1783	18.63	24.01	
S2064P	1438220+272009	1804965		18.40	23.94	
S2065N	1438414-294928			18.66		
S2066P	1438529-233208	799818		18.90	24.18	
S2067P	1440034+370727	2093477		18.12	23.41	
S2068P	1440064+132309	1429704		18.36	23.28	
S2069O	1440439+565343	52443	KUG 1439+571	18.16	23.55	
S2070P	1441043+574615	2570876		18.10	24.77	
S2071P	1442185-131008	941793		18.03	24.02	
S2072P	1443108+382044	2124430		18.84	24.14	
S2073P	1443379-165509	891611		18.78	24.63	
S2074P	1443582+251521	1730376		18.27	23.41	
S2075O	1444063+290605	1855706	UCM 1441+2918	18.44	24.19	
S2076N	1444090-192336			19.20		
S2077P	1444107-184147	864845		18.74	24.87	
S2078P	1444121+260720	1763489		18.27	24.13	
S2079P	1444204+174648	1541471		18.56	24.64	
S2080P	1444474-252245	779627		18.92	24.97	

Table 2aa. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2081N	1444527-153240			18.59		
S2082O	1445068-031343	1074341	LCRS B144230.7-030107	19.03	24.62	
S2083N	1445295-232356			18.34		
S2084P	1445542-271525	757620		18.16	24.23	
S2085P	1445592-184818	863516		18.21	23.13	
S2086P	1446036-190839	859234		18.42	23.85	
S2087P	1447046-144010	921583		18.79	25.27	
S2088P	1447054+243423	1710690		18.17	24.35	
S2089O	1448094+140801	52866	CGCG 76-54	18.97	24.65	
S2090O	1448136+130945	1424363	FGC 1811	18.11	25.2	
S2091N	1448422-140917			18.66		
S2092O	1449027-202356	52911	ESO 580-G38	18.19	24.05	
S2093P	1449587+523634	2419188		18.27	23.77	
(S2094P)	(1450116-232400)	801293		18.85	24.7	
S2095P	1450121+550709	2491206		18.13	23.8	
S2096P	1450166+172220	1531195		18.70	24.34	
S2097P	1450248-185651	160150		18.26		
S2098P	1450255+465920	2290498		18.54	24.14	
S2099O	1450479-133216	53015	VV 322a	18.21	22.89	
S2100P	1450520-130421	160177		18.41	23.68	
S2101P	1451153+302825	1905210		18.45	24.19	
S2102O	1452172+165627	53103	AGC 240812	18.35	22.98	O
S2103P	1452579+563007	2538813		18.19	23.77	
S2104O	1453254+331700	2028409	NPM1G +33.0325	18.13	23.63	
S2105O	1453359+540928	53221	UGC 9589	18.24	24.40	
S2106O	1453521+423348	53237	UGC 9585	18.85	24.14	
S2107P	1453534-305229	711928		18.83	24.81	
S2108P	1453590+482417	2316740		18.40	24.52	
S2109P	1454190+492259	2341426		18.06	23.68	
S2110P	1454409-243339	788661		18.57	24.97	
S2111P	1454494+182934	1561200		18.69	23.91	
S2112P	1457185-175146	876255		18.58	24.95	
S2113O	1457212+441036	140422	CG587	19.14	24.01	O
S2114P	1457583-182204	184829		18.06	23.13	
S2115P	1458386-341347	665284		18.09	24.46	
S2116P	1458500+203817	1632506		18.35	24.5	
S2117N	1459159-231648			18.51		
S2118O	1500267-262710	53598	ESO 513-IG11	18.54	23.10	
S2119P	1501444-271815	756976		18.55	24	
S2120P	1502060+000655	1157474		18.55	23.94	
S2121P	1502071-042406	1058681		18.48	24.25	
S2122P	1502252-280133	746764		18.17	24.26	
S2123P	1502307-281633	743662		18.77	24.13	
S2124P	1502318-271000	758891		18.51	23.96	
S2125P	1503208-130146	944044		18.47	24.07	
S2126O	1503249+420326	2191620	CG613	18.30	24.35	
S2127P	1503309-204322	837834		18.30	24.63	
S2128P	1503404-192017	856603		18.19	23.65	
S2129P	1503578-302344	717772		18.03	24.52	
S2130N	1504116+135558			18.93		
S2131N	1505433+555734			18.16		
S2132N	1505480+363218			18.05		
S2133P	1506308-224200	810154		18.19	23.49	
S2134P	1507345+321126	1984812		19.00	24.39	
S2135O	1507583+135234	54027	CGCG 77-16	18.44	23.78	
S2136O	1508043+342308	54033	VV 059b	19.00	23.54	
S2137N	1509080-142958			18.31		
S2138P	1510290+362323	2079805		18.49	24.51	
S2139P	1510299+405407	2172668		18.51	24.78	
S2140P	1510404+311410	1937847		18.10	24.02	
S2141P	1512195+151439	1479330		18.16	24.65	
S2142N	1512387-230826			18.02		
S2143P	1514518+354055	2068352		18.32	24.1	
S2144P	1515330-175408	875671		18.23	24.68	
S2145N	1515370-140140			18.70		
S2146P	1515467-353444	647180		18.68	24.64	
S2147P	1517137+343714	2051992		18.13	24.04	
S2148P	1520159-155917	903862		19.09	24.36	
S2149P	1521238+494532	2352514		18.10	24.75	
S2150P	1522027-223538	811837		18.34	24.86	
S2151O	1523517+580312	54976	UGC 9837	18.53	23.81	O
S2152P	1524081+133537	54992		18.40	24.36	
S2153P	1527398+550758	2491659		18.08	24.1	
S2154P	1528390-140713	928701		18.31	23.75	
S2155O	1528504+132607	55206	CGCG 77-134	18.48	23.91	
S2156P	1530361-211350	830987		18.91	23.93	
S2157P	1531452-321034	695834		18.77	23.67	
S2158P	1533175-290711	733101		18.64	24.01	
S2159P	1534362+370842	2093908		18.52	24.01	
S2160P	1534374+204410	1634780		18.38	23.77	

Table 2ab. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2161P	1534514+390924	2144450		18.31	23.85	
S2162O	1536073+593359	55561	NGC 5976A	18.29	23.72	
S2163N	1536188-154343			18.69		
S2164N	1536247-163014			18.88		
S2165P	1536251-160400	160605		18.31		
(S2166P)	(1536313-193314)	853661		18.71	24.4	
S2167O	1536351+432528	55592	IC 4565	18.07	23.37	
S2168P	1537093-153351	909499		18.95	24.11	
S2169P	1537434+321453	1987895		18.11	24.26	
S2170P	1539074+335814	2041821		18.40	24.53	
S2171N	1539218+120539			18.09		
S2172P	1540279+462226	2280092		18.66	24.74	
S2173P	1541577+183815	1565541		18.22	23.31	
S2174P	1543569-185351	862390		18.53	23.58	
S2175P	1545448+303259	1908213		18.02	24.56	
S2176O	1547332-153339	909539	NPM1G -15.0536	18.56	23.62	
S2177P	1548196+523306	2417803		18.07	23.36	
S2178P	1548234+343240	2050803		18.23	23.86	
S2179P	1550095-330307	681756		18.98	23.4	
S2180P	1550581+460918	2276319		18.68	24.71	
S2181P	1551358+343149	2050595		18.72	24.31	
S2182P	1557599+194033	1601400		18.34	23.9	
S2183P	1558092+161840	1505753		18.03	24.1	
S2184P	1558094+120245	214440		18.11	24.31	
S2185P	1558132+194600	1604757		18.38	24.31	
S2186O	1558266+414025	2184923	KOS NP7 100	18.61	24.42	
S2187N	1600188+473254			18.01		
S2188P	1600267+180208	100389		18.09	23.33	
(S2189N)	(1600333-241530)			18.51		
S2190P	1600370+595551	2595939		18.70	24.22	
S2191P	1601230+380205	2116150		18.56	24.16	
S2192O	1601484+315433	56737	CGCG 167-15	18.11	23.83	
S2193P	1601520+341034	2045088		18.57	24.11	
S2194O	1602287+135304	1443218	KUG 1600+140	19.28	23.79	
S2195O	1602352+135629	56807	CGCG 79-27	18.05	23.55	O
S2196P	1602497-171103	887465		18.92	23.57	
S2197P	1603040+230643	1681655		18.61	23.43	
S2198N	1603144-214425			18.05		
S2199P	1603167+220358	1662853		18.64	24.11	
S2200P	1603410-353133	647823		18.57	25.66	
S2201P	1603455-335542	669604		18.16	23.81	
S2202P	1604206+362206	2079470		18.70	24.09	
S2203P	1604414+332601	2031954		18.45	24.18	
S2204P	1604449+444316	2250529		18.08	23.49	
S2205P	1604512-261158	770382		18.21	23.54	
S2206O	1604590-331009	679973	DENIS-P J160458.9-331010	18.52	24.26	
S2207O	1605068+420214	2191258	KOS NP7 068	18.66	24.31	
S2208P	1606030+141419	1453003		18.44	24.64	
S2209O	1606035+161032	1502572	GIN 523	18.02	23.33	
S2210N	1606158+135609			18.58		
S2211N	1607180+142425			18.63		
S2212O	1607305-275148	748819	DENIS-P J160730.5-275148	18.72	24.04	
S2213O	1608051-282953	740973	DENIS-P J160805.1-282955	18.44	23.26	
S2214P	1608592+231809	1685015		18.13	24.62	
S2215P	1609039+144948	1468235		18.21	23.73	
S2216P	1609467+483541	2321091		18.10	24.23	
S2217P	1610178+340602	2043854		19.19	23.59	P
S2218P	1610380+314730	57356	CGCG 167-33	19.00	23.55	
S2219P	1610545+200834	1617813		18.06	23.91	
S2220P	1611459+372739	57441	MCG +06-35-46	18.69	23.81	
S2221P	1611540+424528	2205533		18.78	24.4	
S2222P	1613537+303859	1912171		18.43	24.98	
S2223O	1614121-271737		DENIS-P J161412.1-271739	18.13		
S2224P	1616066+115521	1400918		18.36	24.24	
S2225P	1616455+543111	2472051		18.87	24.6	
S2226P	1617001+305907	1926543		18.12	24.41	
S2227P	1617485+495729	2358610		18.80	23.97	
S2228O	1618118+400541	57771	UGC 10330	18.02	24.14	
S2229P	1618273+545023	2482057		18.11	24	
S2230O	1618491-325853	682905	DENIS-P J161849.0-325855	18.26	26.02	
S2231O	1618552+512832	2394753	NPM1G +51.0300	18.19	23.93	
S2232P	1619055+502309	2371500		18.48	24.96	
S2233O	1619122+331315	2026756	KUG 1617+333	18.56	24.49	
S2234P	1620248+501412	2366988		19.10	24.96	
S2235O	1620367+362156	57872	KUGX 1618+364B	18.43	23.64	
S2236O	1622214+135113	57941	UGC 10355	18.01	23.81	O
S2237O	1624034+134348	58016	CGCG 80-22	18.27	23.63	
S2238N	1625101-341344			18.29		
S2239P	1626402+522112	2412839		18.87	23.75	
S2240P	1626469+395239	2157109		18.10	23.91	

Table 2ac. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2241O	1626529+411513	58149	KUG 1625+413	18.17	22.87	
S2242P	1627003+275548	1821778		18.26	24.15	
S2243P	1627184+490455	2333009		19.14	23.64	
S2244P	1627258+511221	2390217		19.14	25.25	
S2245P	1628017+472426	2297628		18.66	24.14	
S2246N	1628186-304113			18.11		
S2247N	1628232+435727			18.01		
S2248P	1628235+232955	1688421		18.48	25.25	
S2249N	1630590-184401			18.33		
S2250P	1632150+213302	1652358		18.33	25.18	
S2251P	1633085+343758	2052180		18.67	24.41	
S2252P	1633114+161915	1505941		18.72	23.92	
S2253P	1634016+454314	2269463		18.75	25.02	
S2254P	1634295-152206	912138		18.50	24.09	
S2255O	1634460+451927	58532	UGC 10457	18.23	23.81	
S2256P	1634585+115343	1400461		18.60	23.7	
S2257N	1635073-180136			18.49		
S2258P	1635129+301009	1893029		18.17	24.35	
S2259P	1637468+442137	2242506		18.85	24.14	
S2260P	1637476+303742	1911302		18.30	24.31	
S2261P	1638217+414705	2186768		18.65	24.26	
S2262P	1639271+490228	58699	UGC 10499	18.18	23.82	
S2263N	1639492-243449			18.41		
S2264O	1640023+434136	58715	MCG +07-34-129	18.75	23.66	
S2265O	1640025+474510	58717	MCG +08-30-45	18.02	23.73	
S2266N	1640351-164113			18.39		
S2267P	1641376+482613	2317446		19.46	23.83	
S2268P	1641576+514805	2400379		19.27	24.31	
S2269N	1641592-140721			18.24		
S2270P	1642349+135012	1441899		18.37	23.58	
S2271P	1643542+302659	1904256		18.48	24.62	
S2272O	1644243+434350	58880	UGC 10531	18.75	23.75	O
S2273P	1644435+400530	2160436		18.16	24.16	
S2274P	1645554+300038	1886667		18.89	24.35	
S2275P	1646261+545752	2486014		19.19	25.34	
S2276P	1646375+345348	2056268		18.87	23.98	
S2277P	1646557+432532	2220466		18.34	24.33	
S2278P	1647063+125504	1418800		18.05	24.17	
S2279P	1648001+480510	2310221		18.27	24.15	
S2280P	1648263+315534	1971460		18.68	23.85	
S2281P	1649598+530139	2429931		18.74	24.13	
S2282N	1652579-183613			18.16		
S2283P	1653151+142505	1457565		18.36	23.52	
S2284P	1653501+232748	1687803		18.40	24.12	
S2285N	1655270+424930			18.50		
S2286O	1655522+585502	59265	MCG +10-24-76	18.96	23.77	
S2287P	1656011+254933	1751352		18.01	24.33	
S2288O	1658130+122941	1410576	NPM1G +12.0485	18.06	23.66	
S2289O	1658453-173156		CSRG 812	18.18		
S2290P	1659338+390100	2141713		18.40	24.3	
S2291P	1659503+295651	1884207		18.26	23.83	
S2292P	1659580+364128	2085202		18.52	24.06	
S2293P	1701357-161604	900333		18.31	24.09	
S2294P	1701513+481747	2314431		18.79	24.32	
S2295O	1701534+491853	2339489	NPM1G +49.0343	18.67	24.57	
S2296P	1703091+330753	2024221		18.32	24.11	
S2297O	1703117+472324	2297301	NPM1G +47.0342	18.60	23.7	
S2298P	1703255+430538	2212874		19.11	24.22	
S2299P	1704302+212957	1651268		19.15	24.43	P
S2300P	1705362+422317	2197902		18.94	24.15	
S2301P	1705388+235210	1695206		19.25	24.68	
S2302P	1706121+333318	2034479		18.08	23.54	
S2303N	1708277-130210			18.10		
S2304P	1709107+140203	1447435		18.23	24.61	
S2305P	1709344+200038	1613316		18.31	23.87	
S2306O	1709526+411323	59724	MCG +07-35-36	18.80	23.76	
S2307P	1712277+383258	2130095		19.04	24.62	
S2308P	1712534+394505	2155049		18.35	24.54	
S2309O	1713139+380459	59865	CGCG 198-24	18.10	22.76	
S2310O	1715550+170329	1523614	NPM1G +17.0614	18.06	23.65	
S2311O	1716032+410314	91588	FGC 2123	18.73	23.95	
S2312N	1716264-131403			18.49		
S2313P	1717287+165554	1520498		18.45	24.73	
S2314P	1717305+205450	1638672		18.21	24.45	
S2315N	1717308-164248			18.06		
S2316P	1717430+130037	1420839		18.54	24.57	
S2317N	1717583-141922			18.65		
S2318P	1718093+395556	2157998		18.13	23.57	
S2319P	1720001+385945	2141261		18.51	23.7	
S2320O	1720117+405110	60096	MCG +07-36-2	18.43	23.53	

Table 2ad. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2321O	1720327+174612	60104	CGCG 111-23	19.06	24.28	
S2322P	1720599+133729	1435991		18.22	24.85	
S2323O	1721080+160701	1501093	NPM1G +16.0472	18.55	23.37	
S2324P	1721518+321829	1990826		18.29	24.73	
S2325P	1722214+141002	1451003		18.94	24.21	
S2326P	1722241+130826	1423832		19.12	24.74	
S2327O	1722273+383222		NPM1G +38.0402	18.04		
S2328P	1723387+203014	1629186		18.86	24.41	
S2329P	1723590+195205	1608292		18.72	24.26	
S2330N	1724002+353131			18.02		
S2331P	1724136+221852	1667623		18.64	24.12	
S2332O	1724328+202353	60232	UGC 10834	18.55	23.95	O
S2333O	1726559+323408	2002889	NPM1G +32.0504	18.24	23.25	
S2334O	1727384+154716	1493355	NPM1G +15.0528	18.07	23.94	
S2335P	1727559+595801	2596341		18.54	24.31	
S2336P	1728219+140039	1446795		18.77	23.83	
S2337O	1728253+415220		NPM1G +41.0463	18.28		
S2338N	1729384-120543			18.85		
S2339P	1729560+532838	2442174		18.14	23.66	
S2340P	1730203+533305	2444201		18.92	24.87	
S2341P	1730350+300054	1886840		18.25	23.38	
S2342O	1731399+483519	2320937	NPM1G +48.0356	18.45	23.94	
S2343O	1732340+325702		NPM1G +32.0507	18.20		
S2344P	1732558+145733	1471523		18.46	24.29	
S2345P	1734133+483138	2319492		18.04	24.27	
S2346P	1735105+421620	2195594		18.50	25.26	
S2347N	1735367+433322			18.79		
S2348P	1736136+420224	2191306		18.33	25.15	
S2349P	1737446+315859	1974214		18.35	23.71	
S2350P	1738412+595942	2596696		18.44	23.53	
S2351P	1738551+303916	1912372		18.36	24.76	
S2352P	1739295+360511	2074732		18.90	23.94	
S2353O	1740407+511052	60682	CGCG 278-16	18.15	24.12	
S2354N	1741418+172618			18.12		
S2355P	1742162+173843	1537855		18.77	25.55	
S2356P	1742267+133823	1436405		18.65	23.67	
S2357P	1742482+171526	1528441		18.58	25.19	
S2358P	1744479+382901	2128317		18.97	24.53	
S2359N	1745536+300608			18.35		
S2360P	1746243+140434	1448611		18.45	23.95	
S2361N	1746509+473956			18.06		
S2362P	1748484+170752	1525366		18.85	24.27	
S2363P	1748536+313857	1957461		18.08	23.35	
S2364P	1750019+310518	1931146		18.24	25.32	
S2365P	1750147+133932	1436910		18.85	24.42	
S2366P	1752110+383337	2130410		19.02	24.98	
S2367N	1753105+594129			18.66		
S2368P	1754515+303843	1911994		18.02	24.06	
S2369P	1756366+315440	1970789		18.69	24.17	
S2370P	1756594+321450	1987856		18.20	23.75	
S2371P	1800248+430911	2214175		18.58	24.13	
S2372O	1800298+460338	61262	CGCG 254-7	18.66	23.32	
S2373P	1802342+451244	2261015		18.02	24.8	
S2374O	1802395+424714	61312	CGCG 227-16	18.34	23.32	
S2375O	1804121+450346	91619	FGC 2180	18.19	23.75	
S2376P	1805024+302723	1904523		18.85	24.03	
S2377P	1808366+485541	2329061		18.80	24.19	
S2378O	1814085+140210		CGMW 5-01939	18.19		
S2379P	1816360+375633	2113633		18.59	23.59	
S2380P	1816487+412832	2181693		18.77	23.92	
S2381O	1816567+404811	61680	UGC 11190	18.34	24.60	
S2382P	1817068+490344	2332495		18.75	23.85	
S2383P	1817138+330102	2020782		18.45	23.95	
S2384P	1817305+375018	2110818		18.51	24.39	
S2385P	1820356+332625	2032101		18.34	24.98	
S2386O	1822561+134101	2809647		18.39		
S2387P	1824088+281253	1829496		18.61	23.69	
S2388P	1825189+495900	2359364		18.58	23.98	
S2389O	1831423+150038	1472896	CGMW 5-04570	18.41	24.65	
S2390O	1832042+174059	2810841	CGMW 5-04650	18.30		
S2391O	1832076+175618	2810855	CGMW 5-04672	18.12		
S2392O	1832184+523255	62002	MCG +09-30-18	18.52	23.73	
S2393P	1833396+520453	2406313		18.80	24.15	
S2394O	1833454+491044	2335645	IC 1291	18.98	24.64	
S2395P	1833522+511945	2392289		18.22	24.94	
S2396P	1833525+491642	62049		18.60	23.45	
S2397O	1835162+185639	2811357	CGMW 5-05399	18.39		
S2398O	1836048+201200	91636	FGC 2215	18.77		
S2399O	1836049+305021	62104	UGC 11291	19.19	24.57	O
S2400O	1837161+314621	1963687	CGMW 5-05908	19.29	24.59	

Table 2ae. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2401P	1840110+212933	62225	UGC 11314	18.20	23.74	
S2402P	1840350+522029	2412573		18.70	23.67	
S2403O	1843158+523021	2416650	NPM1G +52.0303	18.22	23.82	
S2404O	1843159+314023	1958574	CGMW 5-06985	18.14	23.88	
S2405P	1843173+523535	2418826		18.29	23.86	
S2406O	1843518+323455	2003487	CGMW 5-07098	18.02	23.72	
S2407N	1845141-333956			18.58		
S2408O	1846569+313541	1954753	CGMW 5-07645	18.89	23.67	
S2409O	1847593+222915	1670850	CGMW 5-07780	18.06	23.62	
S2410P	1848524+572348	2564605		18.54	23.99	
S2411O	1851085+450710	2259211	NPM1G +45.0422	18.22	23.44	
S2412O	1854301+334859	62553	CGCG 201-043	18.02	23.78	
S2413O	1854461-210322	203044	CGMW 3-2799	18.86		
S2414O	1855014+295320	1881960	CGMW 5-08922	18.19	23.28	
S2415O	1855255+441903	2241552	NPM1G +44.0404	18.33	23.88	
S2416O	1857137+301121	1893802	CGMW 5-09166	18.02	23.63	
S2417O	1859525-232248	209695	CGMW 4-4324	18.04		
S2418O	1859562-181831	203155	CGMW 3-2914	18.39		
S2419P	1900316+384423	2135254		18.60	24.83	
S2420O	1908293+413807	62811	CGCG 229-022	18.38	23.52	
S2421N	1908367+401116			18.34		
S2422P	1910093+410402	2175165		18.03	24.4	
S2423O	1910126+422409	62848	CGCG 229-028	18.50	23.48	
S2424O	1911281-160612	203643	CGMW 3-3427	18.66		
S2425P	1912119+451842	2262843		18.69	24.58	
S2426P	1915088+411925	2179295		18.39	24.44	
S2427N	1915189+451600			18.47		
S2428P	1916475-373626	620515		18.17	24.61	
S2429P	1924022+421727	2195963		19.35	23.51	
S2430N	1926544-343532			18.55		
S2431O	1927435+422325	63233	CGCG 230-016	19.24	23.09	
S2432N	1928146+440419			18.35		
S2433P	1929420-185009	863133		18.66	23.94	
S2434P	1929599-195122	849577		18.20	23.95	
S2435P	1930083+405335	2172538		18.86	24.52	
S2436N	1933253-045141			18.20		
S2437P	1934083-175408	875669		18.86	25.19	
S2438P	1935050-132342	938533		18.59	23.61	
S2439P	1935521-324057	687819		18.68	24.72	
S2440P	1936528-214725	823670		18.96	25.52	
S2441N	1937044-270125			18.62		
S2442N	1938354+445949			18.52		
S2443P	1939079-341424	665112		18.63	25.37	
S2444O	1940130-200414	63499	ESO 594-G9	18.08	24.34	
S2445N	1940242+450652			18.98		
S2446N	1940275+462619			18.88		
S2447P	1941288-330942	680096		18.66	25.39	
S2448O	1941336-014821	204713	CGMW 3-4561	18.46		
S2449P	1941418-125609	945495		18.18	23.68	
S2450N	1941497-124351			18.95		
S2451N	1942327-115434			18.42		
S2452O	1943212-320754	63560	ESO 460-G27	18.12	23.68	
S2453P	1943303+505451	2384842		19.00	24.87	
S2454N	1943308+534523			18.71		
S2455P	1943347+521049	2408659		18.31	24.06	
S2456P	1943369-282950	141777		18.30	23.62	
S2457N	1944512-343149			18.18		
S2458O	1944551-323850	63615	ESO 398-G28	18.27	23.30	
(S2459P)	(1945347-161902)	899693		18.14	24.16	
S2460P	1947052-182351	868642		18.01	24.12	
S2461N	1947303-274039			18.29		
S2462N	1947418-232947			18.56		
S2463O	1950275-243114	63721	ESO 526-G9	18.40	23.14	
S2464P	1950511-245818	784089		18.31	23.56	
S2465P	1951136+481131	2312269		18.71	23.96	
S2466N	1954212-265832			18.41		
S2467P	1957596-042624	1058162		18.14	24.94	
S2468P	1958368-233124	799936		18.10	23.52	
S2469N	1959568-030922			18.50		
S2470P	2001028-383152	93981		18.48	23.74	
S2471P	2001062-243034	789189		18.46	23.91	
S2472O	2003042-202738	64032	ESO 595-G9	18.26	23.95	
S2473P	2004211-193906	852354		18.52	25.46	
S2474N	2005130+583601			18.48		
S2475P	2005181-234902	796721		18.18	24.08	
S2476N	2007326-262118			19.27		
S2477N	2008293+135344			18.14		a
S2478P	2011135-212702	828126		18.40	24.97	
S2479O	2011446-193650	852839	NPM1G -19.0544	18.44	23.81	
S2480P	2012046-313341			18.68		

Table 2af. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
S2481P	2012096-333319	674781		18.34	23.09	
S2482P	2013151-333732	673751		18.23	23.63	
S2483P	2014528-213720	825867		18.29	25.42	
S2484P	2017013-143020	923742		18.01	23.64	
S2485O	2017109-115130	64421	MCG -02-51-009	18.13	23.76	
S2486P	2021428-384205	606134		18.40	23.21	
S2487N	2023478-054503			18.87		
S2488P	2023503-141552	926841		18.03	24.18	
S2489P	2023551-371348	626477		18.03	24.08	
S2490N	2023589+185435			18.17		a
S2491P	2024055-214637	823858		19.45	24.12	
S2492P	2027364-234024	798367		18.71	24.77	
S2493P	2029566-004706	162430		18.51	23.66	
S2494N	2031065-004938			18.62		
S2495P	2032178-034203	1067954		18.73	25.36	
S2496N	2032218-015813			18.38		
S2497O	2033321-135223	932065	NPM1G -14.0574	18.02	23.94	
S2498P	2034403-130702	942669		18.59	23.68	
S2499P	2037084-252355	779410		18.76	23.37	
S2500N	2038345-110424			18.69		
S2501P	2041579+142054	1455783		18.65	24.66	A
S2502P	2043383-253504	777296		18.63	23.41	
S2503P	2043470-315938	698332		18.57	24.53	
S2504O	2043509-061842		NPM1G -06.0520	18.38		
S2505P	2046336-344442	658112		18.25	23.96	
S2506P	2046350+202947	1628981		18.88	24.86	a
S2507P	2049469-295927	722773		18.61	24.61	
S2508P	2050284-040310	1063507		18.06	23.42	
S2509P	2052376-324952	162785		18.04	23.54	
S2510P	2052557-305435	711517		18.45	23.87	
S2511P	2053124-191723	857292		18.40	24.07	
S2512P	2054096-215720	821304		18.05	23.99	
S2513P	2054124-341609	664750		18.41	23.83	
S2514P	2054159-322956	690820		18.62	24.31	
S2515P	2054525-311020	708294		18.42	23.51	
S2516P	2057409-334537	671889		18.32	24.41	
S2517N	2057454+121353			18.72		a
S2518P	2057527+151552	1479876		18.95	24.6	a
S2519P	2058014-181220	871240		18.01	24.27	
S2520P	2058311-135655	931049		18.57	24.09	
S2521P	2058576-172113	884691		18.36	23.92	
S2522P	2059085-163735	895766		18.94	24.07	
S2523N	2059436-345749			18.64		
S2524P	2059508-335339	670093		18.26	25.43	
S2525P	2101320-155837	903996		19.15	24.49	
S2526P	2101329-133819	187881		18.07	23.39	
S2527P	2101360-143120	187885		18.61		
S2528P	2102030+272402	1806969		18.27	24.75	a
S2529N	2102403+293515			18.16		a
S2530N	2102454+293830			18.15		a
S2531P	2102519+274722	1818059		18.24	23.85	a
S2532N	2103332-304355			18.26		
S2533P	2103364-054256	1041278		18.32	23.96	
S2534O	2103403+165219	1519091	NPM1G +16.0496	18.12	24.47	A
S2535P	2103457-261528	769801		18.28	24.03	
S2536P	2103458-283901	739140		18.58	24.76	
S2537N	2103472+310052			18.06		a
S2538P	2105081-264916	763456		18.30	23.5	
S2539P	2105168+275416	1821098		18.37	23.6	a
S2540N	2105247-090758			18.18		
S2541P	2106407-100547	982418		18.02	25.75	
S2542P	2107195-235346	795823		18.59	23.34	
S2543P	2107432-034739	1066767		18.18	24.23	
S2544N	2109186-064059			18.11		
S2545N	2109191-065000			18.14		
S2546O	2110320-113309	964414	NPM1G -11.0466	18.11	23.66	
S2547P	2110367-230407	805274		18.36	23.78	
S2548P	2110483+305430	1923278		18.94	25.59	a
S2549O	2112139-273921	66334	ESO 464-IG28	18.02	23.13	
S2550O	2112244-265752	66342	ESO 530-G21	18.43	23.07	
S2551P	2113037-331648	678465		18.20	23.73	
S2552O	2113334-350909	66372	ESO 402-G16	18.51	23.85	
S2553P	2114112+191040	1583189		18.35	24.18	
S2554P	2115091-030559	1076529		18.26	23.6	
S2555N	2115305-292710			18.15		
S2556N	2115479-255401			18.06		
S2557P	2116397-260113	188307		18.16	23.07	
S2558O	2117109-063854	66493	MCG -01-54-009	18.40	24.08	
S2559P	2117138-320024	698139		18.41	25.44	
S2560P	2117310-124423	948279		18.24	23.94	

Table 2ag. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2561P	2120529-303539	715354		18.79	23.79	
S2562P	2120576+130851	1424009		18.49	23.74	a
S2563P	2121050+150306	1473914		18.15	24.01	
S2564P	2121218-155755	904154		18.60	24.89	
S2565P	2122429+291629	1861228		18.50	25.19	a
S2566P	2124228+324224	2009018		18.18	24.16	a
S2567P	2124430+323259	2002015		18.72	24.78	a
S2568P	2125011+300315	1888382		18.57	24.37	a
S2569P	2125131+311932	1941957		18.60	24.22	A
S2570P	2125182+324737	2012575		18.84	24.93	a
S2571P	2128065+331359	2027067		18.89	25.17	a
S2572P	2128378-212150	829258		18.30	25.35	
S2573P	2129487-184804	863547		18.55	24.1	
S2574P	2129561-201533	135194		18.93	23.07	
S2575O	2132116-021107	66923	CGCG 376-004	18.32	23.27	
S2576P	2132177+174706	1541614		18.09	24.02	
S2577N	2132406+130216			18.15		a
S2578P	2133005-205955	834066		18.65	24.75	
S2579P	2133156-241212	792481		18.61	24.41	
S2580P	2133248-001602	1147602		18.62	23.52	
S2581P	2135349-040330	163251		18.55	23.34	
S2582P	2136280-214331	824545		19.12	23.87	
S2583P	2137462-251251	781452		18.97	23.9	
S2584O	2138022-270917	134321	DUKST 531-012	18.53	23.22	
S2585O	2138440-272804	67088	ESO 465-G12	18.83	23.71	
S2586P	2140325-183952	189554		18.04	23.48	
S2587P	2141260-314215	702107		18.45	23.13	
S2588P	2141363-263531	67178	ESO 531-G23	18.37	23.33	
S2589P	2143081-300314	133342		18.34	23.12	
S2590P	2143435-210055	833835		18.12	23.76	
S2591P	2144180-235520	795538		18.30	24.22	
S2592O	2144287+145359	67271	UGC 11803	18.53	23.76	
S2593O	2144342-243607	67275	ESO 531-G26	18.01	23.10	
S2594P	2144351-272718	754647		18.10	24.49	
S2595N	2146427-194243			19.10		
S2596N	2147348+130514			18.26		A
S2597O	2147486-341259	67364	ESO 403-G29	18.12	23.77	
S2598P	2147599-325006	685303		18.37	24.19	
S2599P	2149069+232454	1686959		18.43	24.81	a
S2600P	2149506+271425	1801987		18.23	24.54	a
S2601O	2150048-305524	67438	ESO 466-G9	18.97	23.63	
S2602P	2150317-075349	1011339		18.34	24.13	
S2603P	2152081-065341	190720		18.32	23.89	
S2604P	2152496-011906	1121565		18.82	24.06	
S2605P	2152552-063237	1031628		18.50	25.09	
S2606P	2153413-052056	1045925		18.05	23.99	
S2607P	2153502-265124	763037		18.45	23.83	
S2608O	2154141-334924	67611	ESO 404-G6	18.85	23.24	
S2609P	2158225-222206	815278		18.48	24.17	
S2610O	2158563-190637	859634	GSM 099	18.27	24.34	
S2611P	2200255-205217	135332		18.70	23.57	
S2612N	2201052-173734			18.12		
S2613O	2202081-231534	197895	DUKST 532-026	18.55	23.45	
S2614O	2202201+115132	67891	UGC 11877	18.71	23.82	
S2615P	2202281-224752	808744		18.24	24.09	
S2616P	2204279-122511	953053		18.12	23.94	
S2617P	2204422-202548	191244		18.38	23.62	
S2618O	2204537+355842	2073020	NPM1G +35.0445	18.30	23.62	a
S2619P	2205341-054006	191348		18.32	23.75	
S2620P	2205518-115732	959591		18.10	24.84	
S2621P	2205554-090432	995520		18.74	25.64	
S2622P	2205597-072818	1018402		18.33	24.78	
S2623P	2206196+165931	1521961		18.58	23.63	a
S2624P	2206284+331523	2027712		18.29	24.13	a
S2625N	2207528-181631			18.32		
S2626O	2207585-181504	870579	GSM 052	18.48	23.47	
S2627P	2208092-142137	925575		18.31	23.12	
S2628P	2209363-104553	974034		18.49	24.22	
S2629N	2209505-092438			18.68		
S2630P	2210000-213052	827271		18.04	24.19	
S2631P	2210223-233028	800109		18.04	23.68	
S2632O	2210407-232742	197892	DUKST 532-022	18.27	23.76	
S2633P	2214140+135232	1442967		18.21	23.4	a
S2634P	2214535+142732	1458636		18.58	24.92	
S2635P	2214548-225026	808156		18.04	23.96	
S2636O	2215092-205910	68404	ESO 601-G35	19.57	23.32	O
S2637P	2215114+155639	1497041		18.20	23.7	a
S2638P	2215347-021129	1099189		18.07	24.73	
S2639P	2215374-042928	1057466		18.91	23.49	
S2640O	2215425+411941		NPM1G +41.0511	18.05		

Table 2ah. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2641N	2216015+405206			18.18		
S2642P	2216140+162605	1508710		18.20	23.17	
S2643P	2217105+392926	2150674		19.03	24.2	
S2644N	2217128+401618			18.33		
S2645O	2217334+331521	68507	UGC 11977	18.32	23.99	O
S2646P	2217438+391322	2145739		18.48	24.19	
S2647P	2217439+131913	1428111		18.13	23.78	a
S2648P	2217500-100858	191855		18.13	23.49	
S2649P	2218308-122215	191904		18.20	23.92	
S2650P	2218470-102954	977451		18.47	24.6	
S2651P	2219140-282501	95500		19.31	23.73	
S2652P	2220123-021208	1098852		18.04	24.28	
S2653N	2220509-035846			18.63		
S2654P	2221570-271848	133360		18.75	23.34	
S2655O	2222093-384829	68655	ESO 345-G1	18.17	23.96	
S2656N	2222133+325845			18.69		a
S2657P	2222425+360630	2075096		18.59	24.02	a
S2658P	2222445-295330	723937		18.30	24.83	
S2659P	2224053-364742	132537		18.10	23.24	
S2660P	2224312+310449			19.19		a
S2661P	2224572-264058	134437		18.25	23.03	
S2662P	2225234-162316	898782		18.45	23.8	
S2663N	2228191+441013			18.17		
S2664P	2228506-243122	134397		18.17	22.86	
S2665N	2228509+403530			18.70		
S2666P	2228534-271939	756610		18.66	23.38	
S2667O	2229028-201010	170393	NPM1G -20.0593	18.50	23.51	
S2668N	2229064+371958			18.71		a
S2669N	2229196+360145			18.49		
S2670P	2232391-082323	1004345		18.30	23.53	
S2671P	2233178+173910	1538077		18.92	25.2	a
S2672N	2235549+441102			18.11		
S2673P	2236324+264447	1787085		18.69	25.12	
S2674O	2236498-245022	134477	DUKST 534-013	18.86	23.41	
S2675P	2236509+250947	1727399		18.57	24.36	a
S2676O	2237134+115702	69336	UGC 12112	18.18	24.10	O
S2677O	2237175+194611	1604880	IRAS F22348+1930	18.55	23.8	a
S2678N	2237451-165459			18.05		
S2679P	2238007-162109	899252		18.20	24.12	
S2680P	2238091-175251	875974		18.46	23.1	
S2681P	2238165-163308	896692		18.55	24.49	
S2682P	2239082-102311	978817		18.71	24.74	
S2683N	2239135+405052			18.46		
S2684P	2239269+150126	1473220		18.87	24.09	a
S2685N	2239335+410054			18.04		
S2686O	2240012-261811	198020	DUKST 534-042	18.45	25.08	
S2687P	2240144+343840	2052363		18.40	23.71	A
S2688P	2240389-143534	922630		18.34	23.41	
S2689P	2241018+251008	1727639		18.20	24.11	a
S2690O	2241180+393138		NPM1G +39.0514	18.22		
S2691P	2241235-285311	736209		18.24	23.81	
S2692P	2241241-272102	756284		18.69	24.67	
S2693P	2242023+212644	1650151		18.53	23.87	a
S2694P	2242299-002334	1144482		18.24	23.6	
S2695P	2243109+123634	1412691		18.39	24.16	
S2696P	2243288-124534	947996		18.23	24.65	
S2697O	2244009-271420	696111	ESO 468-G25	18.79	23.35	
S2698P	2244193+172710	1533140		18.41	24.74	a
S2699P	2244258+291907	1862570		18.18	23.63	a
S2700P	2244583-351610	132585		18.51	23.36	
S2701O	2245344+315412	1970389	NPM1G +31.0474	18.12	24	a
S2702P	2246193-325148	684829		18.33	25.39	
S2703P	2246264+392526	2149534		18.32	24.36	
S2704P	2246370-282943	741007		18.59	24.51	
S2705O	2247004+215345	69702	KUG 2244+216	18.94	23.51	O
S2706P	2247244-243907	787589		18.17	24.58	
S2707N	2247313+403425			19.12		
S2708P	2247323-261407	770013		18.14	24.94	
S2709N	2247514-263125			18.22		
S2710P	2248274+334421	2037938		18.46	24.03	A
S2711N	2248396-173228			18.35		
S2712P	2248410-145431	164270		18.17	23.44	
S2713O	2248585-214855	69777	ESO 603-G15	18.32	23.62	
S2714P	2249587-162129	899168		18.14	24.05	
S2715P	2250008-152141	912256		18.43	23.54	
S2716O	2250081-194330	69828	NGC 7381	18.35	22.53	
S2717P	2250386+172630	1532877		18.16	24	
S2718P	2251135+311448	1938378		18.11	24.08	a
S2719O	2251143+312317	69868	MCG +05-53-022	18.97	23.50	a
(S2720P)	(2251198-083018)	1002856		18.53	24.37	

Table 2ai. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2721P	2251282-094544	986750		18.14	24.36	
S2722P	2251520-070620	1024334		18.20	23.68	
S2723P	2251548-283239	133469		18.12	23.16	
S2724N	2252238+423940			18.59		
S2725P	2253049+371110	2094761		18.51	24.59	a
S2726P	2253296-181239	871161		18.09	24.42	
S2727P	2254200+321255	1986198		18.45	25.18	a
S2728P	2254350+440556	93023		18.27		
S2729P	2255075+325256	2015903		18.70	23.88	a
S2730P	2255130+324808	2012878		18.47	24.7	a
S2731O	2256213+282634	70058	CGCG 496-025	18.36	23.71	O
S2732N	2256491+161609			18.17		a
S2733P	2256509-003232	1140810		18.57	24.68	
S2734P	2257091+131117	70087		18.14	23.44	A
S2735N	2257226+480909			18.43		
S2736P	2258344-045617	70154		19.63	24.72	
S2737P	2300527+131041	1424710		18.21	25.2	
S2738P	2301166+184415	1568687		18.59	24.68	a
S2739O	2301194+303158	1907575	CGCG 496-033	19.03	24.34	
S2740N	2301349+190444			19.05		a
S2741O	2301537+155825	70292	NGC 7464	18.20	21.92	O
S2742P	2302019+204907	1636581		18.25	24.71	a
S2743P	2302047+174448	1540577		18.17	24.1	
S2744P	2302098+184155	1567465		18.21	23.63	
S2745O	2302224+321120	70309	CGCG 496-036	18.13	23.57	O
S2746O	2302329-241923	70314	AM 2259-243	18.36	23.18	
S2747P	2302342+122422	1408968		18.51	24.96	a
S2748P	2302398-274746	749747		18.93	24.29	
S2749O	2303055+231818	85371	KUG 2300+230	18.24	23.13	a
S2750N	2303059+231501			18.70		a
S2751P	2303160+204451	1635011		18.39	23.91	a
S2752P	2303198+212442	1649452		18.33	24.42	
S2753P	2303210+201829	1623427		19.14	24.98	
S2754N	2303348-071444			18.82		
S2755P	2303558+230733	1681906		18.41	25.01	
S2756O	2303594-084739	91775	FGC 2455	18.66	23.48	
S2757P	2304001+175135	1543727		18.10	24.27	
S2758O	2304408-102126	164466	NPM1G -10.0703	18.10	23.60	
S2759P	2305288-212514	828523		18.35	24.17	
S2760O	2307043-333224	132621	DUKST 407-010	18.48	22.98	
S2761P	2308057-234510	134500		18.22	23.58	
S2762P	2309057-233236	134498		18.19	23.71	
S2763P	2309308-160611	902427		18.83	23.2	
S2764P	2309373+124950	1417025		18.93	23.98	
S2765P	2309383+140618	1449348		18.58	24.6	
S2766P	2309495-145438	918325		18.14	25.06	
S2767N	2309534+145539			18.46		
S2768P	2310048-071522	1021981		18.24	24.07	
S2769P	2310166-101435	980614		18.23	23.25	
S2770P	2310555-223958	134496		18.08	23.28	
S2771O	2310588-043121	70634	MCG -01-59-003	18.90	23.14	
S2772N	2311019-203052			18.76		
S2773P	2311264-123053	195138		18.22	23.06	
S2774O	2312070-233317	70673	MCG -04-54-012	18.98	23.10	
S2775P	2312073-011636	1122557		19.23	25.1	
S2776P	2312191-192813	195166		18.38	23.47	
S2777P	2312237+143249	1460933		18.35	23.94	
S2778N	2312496+475030			18.20		
S2779O	2312557+251404	85404	KUG 2310+249	18.07	23.26	a
S2780P	2313177-135353	931725		18.49	24.56	
S2781P	2313193-121136	956365		18.41	24.36	
S2782P	2313378-051633	195217		18.34	23.20	
S2783O	2314266-024153	70781	NGC 7534	18.40	22.56	O
S2784N	2314355+435241			18.93		
S2785O	2314422+311903	70793	CGCG 496-067	18.03	24.20	O
S2786P	2315461-210852	832068		18.08	24.23	
S2787P	2316018-010050	195282		18.05	23.99	
S2788P	2316051-022403	195285		18.45	23.36	
S2789P	2316428+153954	1490363		18.66	23.77	a
S2790P	2316582-220944	818324		18.24	24.12	
S2791P	2317098-224003	198045		18.06	24.55	
S2792N	2317115+364316			18.66		
S2793P	2317150-285451	735871		19.16	24.6	
S2794O	2318016-034148	70989	MCG -01-59-014	18.61		O
S2795N	2318042-000152			19.06		
S2796P	2318099+335939	2042190		18.84	25.02	
S2797N	2318145+215736			18.09		
S2798N	2318185+310523			18.06		
S2799P	2318295-273426	752953		18.03	24.26	
S2800P	2318588+364646	2086844		18.12	23.88	

Table 2aj. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2801P	2319183-020517	1102064		18.22	23.97	
S2802P	2319381+201321	1620517		18.50	24.17	
S2803P	2319485+302442	1902722		18.60	25.16	
S2804N	2319574-095431			18.05		
S2805P	2319594-090552	995246		18.17	23.72	
S2806P	2320284+120400	1403205		18.48	24.11	
S2807N	2320482+312349			18.78		
S2808O	2320540+433559	71150	UGC 12536	18.34	23.96	
S2809O	2320540+433559	71150	UGC 12536	18.34	23.96	
S2810O	2321027+151319	86491	KUG 2318+149	19.20	24.10	A
S2811O	2321082+121132	71163	KUG 2318+119	18.49	23.83	a
S2812P	2321343+494256	2351249		18.35	25.62	
S2813N	2322352+335147			18.11		
S2814P	2322370-231535	802851		18.42	24.07	
S2815P	2322478+295500	1883009		18.23	24.59	
S2816N	2322520+311151			18.15		
S2817O	2323068+124955	71279	KUG 2320+125	19.16	23.91	A
S2818O	2323117+145405	71287	UGC 12569	18.29	24.15	O
S2819O	2325482+140317	86503	KUG 2323+137	18.10	24.03	
S2820O	2326451+321646	71460	MCG +05-55-018	18.27	23.45	
S2821N	2327343-314456			18.36		
S2822P	2328031-081252	1006573		18.91	25.45	
S2823P	2328052+173440	1536138		18.25	24.72	a
S2824P	2328406-021631	1096689		18.24	24.27	
S2825P	2328547+440613	2236683		18.87	24.7	
S2826P	2329425+295343	1882209		18.09	24.19	
S2827P	2330089+270641	214964		18.15	24.08	
S2828O	2330299+260756	1763946	AGC 331192	18.19	23.42	
S2829O	2330438-030046	1078075	NPM1G -03.0691	18.36	23.71	
S2830P	2331064+445755	2256075		18.01	24.46	
S2831P	2331440-203645	839275		18.12	24.53	
S2832P	2334069+354203	2068685		18.14	23.63	
S2833N	2334278+330204			18.15		
S2834O	2334359+235335	85503	KUG 2332+236	18.48	23.77	A
S2835P	2335382+195634	1610952		18.56	24.64	
S2836N	2335387+422531			18.59		
S2837P	2335501+202318	1625813		18.76	24.15	
S2838P	2335555+204546	1635352		18.37	24.03	
S2839O	2336061+493502	2347293	NPM1G +49.0426	18.05	23.42	
S2840P	2336125+222421	1669300		18.13	23.96	
S2841P	2336272+211917	1647600		18.23	23.47	a
S2842P	2336285+213113	1651697		18.65	23.92	a
S2843P	2337010+151910	1481440		18.13	23.77	
S2844P	2337390-133730	196009		18.04	23.18	
S2845P	2338309+232944	1688388		18.35	24.75	a
S2846P	2338489-153010	910362		18.63	23.65	
S2847P	2339394-351650	650920		18.89	24.2	
S2848P	2339577-021322	1098195		18.04	23.2	
S2849P	2340301-301834	133568		19.08	22.90	
S2850P	2340317-303726	714966		18.18	24.13	
S2851P	2340459+263318	93864		18.10	25.03	a
S2852N	2341556-345300			18.22		
S2853P	2342344+235302	1695484		18.30	24.02	
(S2854P)	(2342458-033142)	1070068		18.68	24.26	
S2855P	2343130+495917	2359426		18.51	24.98	
S2856P	2343356-280602	100878		18.21	24.16	
S2857O	2344309-352927	199286	DUKST 408-079	18.44	24.49	
S2858P	2344586+495213	2355982		18.60	25.19	
S2859P	2344598+000619	1157209		18.24	24.84	
S2860P	2345567-070354	196486		18.32		
S2861P	2346038+263200	1779774		18.13	24.19	
S2862P	2346203-252719	778775		19.49	24.7	
S2863P	2346214-352728	196563		18.34	24.49	
S2864P	2346217-235347	795828		18.62	24.93	
S2865P	2346318-113835	963417		18.72	23.82	
S2866N	2346432-282000			18.08		
S2867P	2348312-085800	996950		18.64	25	
S2868O	2348442-285938		DUKST 471-028	18.66		
S2869P	2349044-020546			18.85		
S2870O	2349491-141028	928050	NPM1G -14.0702	18.07	24	
S2871O	2350000-070502	91827	FGC 2542	18.15	23.26	
S2872P	2350305+291504	1860461		18.10	24.93	
S2873O	2350375+282247	72587	KUG 2348+281	18.14	23.13	
S2874O	2351154-291808	198711	DUKST 471-054	18.85	23.75	
S2875P	2351300+270316	1796457		18.54	23.89	a
S2876P	2352297+144000	1463961		18.39	23.96	
S2877N	2352344+163651			18.43		a
S2878P	2352482-314404	132758		18.16	23.18	
S2879P	2352558-340106	668304		18.59	23.58	
S2880P	2353019+251145	1728419		18.16	24.99	a

Table 2ak. Small objects - *continued*

No	2MASS	PGC	Other	μ_{K5}	μ_{B25}	Obs.
S2881O	2353111-283525	72741	ESO 471-G3	19.54	23.96	
S2882P	2354411+121619	1406608		18.79	24.12	
S2883O	2354471-174709	72843	ESO 538-G4	19.47	23.05	
S2884P	2355127+131511	1426421		18.55	24.4	
S2885O	2356014-285144	72918	ESO 471-G43	18.62	23.53	
S2886P	2356359-051533	1047120		18.57	25.12	
S2887P	2356380-053208	197418		18.29	23.57	
S2888P	2356481-263742	765756		18.62	23.59	
S2889P	2356599+314055	1959008		18.13	24.84	
S2890O	2357096+124729	73009	KUG 2354+125	18.55	23.34	
S2891O	2357222+151252	73025	KUG 2354+149	18.25	22.77	a
S2892O	2357244+235258	85904	KUG 2354+236	18.09	23.48	a
S2893O	2357258+265018	85905	KUG 2354+265	18.03	23.51	A
S2894O	2357381-233839	198119	DUKST 537-067	18.31	23.92	
S2895P	2357501-013530	1115106		19.03	24.45	
S2896P	2358036-143110	923584		18.34	23.61	
S2897P	2358062-065008	1028069		18.31	24.35	
S2898P	2358259-095401	984984		18.15	24.4	
S2899P	2358382-171714	885695		18.03	23.58	
S2900O	2358446-165008	73111	MCG -03-01-010	18.47	23.20	

Note: Obs: information on available observations: **A** for our Arecibo H I detections and ‘a’ for the non-detections, **N** for our Nançay H I detections and ‘n’ for the non-detections, **O** for other published H I detections, and P for our *BVR*I optical surface photometry data. No: Source names in brackets are not found in later versions of the public 2MASS database (see Sect. 4).

Table 3. LCSB objects – the Faint sources sample

No	2MASS	PGC	Other	μ_{K5}	$\mu_{B_{25}}$	Obs.
(F1O)	(0037501+172258)	2256	CGCG 457-023	19.4	23.6	O, A
(F2O)	(0041167-051707)	2470	MCG -01-02-045	19.4	23.5	N,P
(F3O)	(0147004+122424)	6545	UGC 1246	19.9	24.4	
(F4O)	(0214565-201243)	8602	ESO 544-G30	19.1	23.0	O
(F5O)	(0228316-275841)		GSC 6435 02170	19.4		
(F6O)	(0241155+384438)	10180	UGC 2165	18.9	24.5	
F7O	0247554+260541	10585	UGC 2268	19.4	24.7	
(F8N)	(0248512-033925)			19.4		
(F9N)	(0256014-141326)			19.3		n
(F10N)	(0320157+370635)			19.5		A
F11O	0331306-301248	13089	ESO 418-G8	18.6	23.0	O
(F12O)	(0331558-312016)	13106	ESO 418-G9	19.0	23.3	O
(F13N)	(0341523-035426)			19.5		
(F14N)	(0409166+291113)			19.1		
(F15N)	(0514227-041501)			19.7		
F16O	0527059-204041	17302	ESO 553-G46	19.2	22.9	N
(F17O)	(0527012-213326)	17301	ESO 553-G45	18.9	23.2	N
(F18N)	(0623041-350604)			18.8		N
F19N	0709418+503614			19.1		n
(F20O)	(0718229+522156)	20622	CGCG 261-043	19.3	24.1	N
(F21N)	(0855266-071640)			19.2		
F22N	0900449+294055			19.2		
F23O	0917217+415439	26231	UGC 4904	18.8	23.6	
F24O	0920375-004045	26428	MCG +00-24-008	18.4	23.1	
(F25O)	(0941462+465826)	27693	UGC 5169	19.5	24.5	n
(F26O)	(0943288-052156)	27825	MCG -01-25-033	19.2	23.3	N,P
(F27O)	(1007185+470026)	29427	UGC 5451	18.9	23.4	O
F28O	1049250+324624	32390	IC 2604	19.0	23.5	O
(F29N)	(1128430-131112)			19.3		
(F30O)	(1131115+514154)	35506	UGC 6505	19.3	24.0	N
(F31O)	(1142275-074626)	36353	MCG -01-30-025	18.7	22.6	N
(F32O)	(1203552-293728)	38139	MCG -05-29-004	18.9	23.2	
F33O	1218416+174310	39567	UGC 7346	19.3	24.9	O
F34O	1226470+122714	40744	IC 3349	19.0	23.6	
F35O	1232007+394958	41522	UGC 7678	19.2	24.1	
(F36O)	(1251133-063331)	43526	MCG -01-33-027	18.9	22.7	
(F37N)	(1310524+245157)			19.6		
(F38O)	(1343301+432747)	48621	UGC 8688	19.3	23.2	O, N
(F39N)	(1352370-304134)			19.0		N
(F40O)	(1405000-145111)	50209	MCG -02-36-013	19.6	23.6	N
F41O	1409097+534916	50505	MCG +09-23-042	18.7	24.0	n
(F42N)	(1416316+192622)			20.0		
F43N	1428300-324000			19.2		n
(F44N)	(1445157-000935)			19.2		N
(F45O)	(1431007+252925)	51864	UGC 9340	18.9	22.9	O
(F46N)	(1626318+491051)			19.0		n
(F48O)	(1639237+455404)	58701	MCG +08-30-044	19.1	24.2	n
(F49N)	(1710246+384636)			19.1		
F50N	1808462+484229			18.9		n
F51O	2047447-264341	65393	ESO 529-G3	18.7	23.0	n
(F52O)	(2110051-034205)	66242	MCG -01-54-003	18.9	24.0	O
F53N	2119009+120651			19.5		
(F54N)	(2158162-030328)			19.2		N,P
(F55N)	(2228158-074356)			19.4		n
(F56O)	(2238204-130808)	69381	MCG -02-57-026	19.7	23.7	N
(F57O)	(2349466+280354)	72542	MCG +05 56-010	19.3		
F58O	2349516-122801	72544	MCG -02-60-018	18.8	23.4	
(F59N)	(2334402+440720)			19.0		n

Note: Obs: information on available observations: **A** for our Arecibo H I detections and ‘a’ for the non-detections, **N** for our Nançay H I detections and ‘n’ for the non-detections, **O** for other published H I detections, and P for our *BVRI* optical surface photometry data. No: Source names in brackets are not found in later versions of the public 2MASS database (see Section 4).




Fig. 1. The sky coverage of the selected sample of 2MASS LSB galaxies is illustrated by the distribution of the objects which were observed in H I. The plot is in equatorial coordinates; the dotted line indicates the Galactic plane and the dashed lines the -2° to 38° declination range covered by the Arecibo radio telescope. All sources have declinations between -39° and $+60^\circ$. The upper panel is for the Large sources ($r_{K_{20}} > 20''$), the lower for the Small sources ($20'' > r_{K_{20}} > 10''$). Dots indicate galaxies detected in H I, crosses undetected objects.




Fig. 2. a.-d. 2MASS images of the selected LCSB sources: *J*-band greyscale images with superimposed *K_s*-band contours. The size of each image (in arcsec) is indicated in its bottom right corner.




Fig. 3. Comparison between the normalized distributions of several measures of infrared surface brightness in the K_s -band for the three sub-samples of 2MASS LSB galaxies (Large/Small/Faint) with three other samples of galaxies, one of optically selected LSBs and two of HSB galaxies from the NGC, as described in Section 4.1. The plotted parameters, which are described and discussed further in Section 4.2, are: μ_{K5} is the mean surface brightness measured within a circle of $5''$ radius at the centre of each galaxy, μ_0 is the highest surface brightness measured at the centre of the galaxy, and μ_{K21} and $\mu_{K21}(i=0)$ are, respectively, the average surface brightness measured within the 21 mag arcsec⁻² isophotal contour in the K_s -band and this value corrected to face-on ($i=0^\circ$).




Fig. 4. As in Fig. 3, for a number of other infrared photometric parameters: $r_{K_{20}}$ is the major-axis radius at the 20 mag arcsec⁻² isophotal level in the K_s band, K_{20} is the total magnitude within the 20 mag arcsec⁻² elliptical isophote in the K_s band, b/a is the minor-to-major axis ratio determined from an ellipse fit to the co-addition of the J -, H -, and K_s -band images, and $(J-K)_{20}$ is the difference between the J - and K_s -band magnitudes measured within the $K_s = 20$ mag arcsec⁻² elliptical isophote; note that the left half of the NGC S and NGC L curves overlap in the bottom panel. See Section 4.3 for further details on these parameters.




Fig. 5. As in Fig. 3 for a number of optical and optical-infrared colours, based on total corrected extrapolated magnitudes from 2MASS measured in the K_s band and from LEDA measured in the U , B , V and I bands. See Section 4.4 for a discussion of the plotted parameters.